

CON-  
AKTIV®

Sockets



Emphasis

Socket



Indispensable for the working area in the kitchen: the individual power supply. CON-AKTIV® offers switch and socket units that are absolutely dependable in function and attractive in design. Within easy reach for toasters, kettles, food processors or whatever else needs electricity.

Whether planning a new kitchen or retrofitting an existing one – CON-AKTIV® has all the solutions. The range of retractable, wall-mounted or surface-mounted switch and socket variants in brushed stainless steel, glass and matt aluminium leaves plenty of scope for the optimum socket configuration.

Single or double USB chargers supply smartphone, tablet and co. with the right energy in situ. And with some models, integrated switches even control the LED kitchen lighting.

# CON-AKTIV® Sockets

Safe, flexible and  
easy to install



■ CON-AKTIV®  
Surface mounted, corner sockets  
Shapely problem solvers      Page 431–446

■ CON-AKTIV®  
Retracting sockets  
Ready to use in a jiffy      Page 447–456

■ CON-AKTIV®  
Flush mounted sockets  
Perfectly integrated      Page 457–478



# CON-AKTIV®

## Surface mounted, corner sockets

Shapely problem solvers




■ Mira Quad glass USB A/C	Page 432
Mira corner glass	Page 432
Mira corner glass USB A/C	Page 433
Mira glass USB A/C	Page 433
Mira ES1	Page 434
Mira ES1 USB A/C	Page 434
Mira ES1-S	Page 435
Mira corner	Page 435
Mira corner USB A/C	Page 435
Mira corner K	Page 435
Mira corner small 1	Page 435
Mira corner small USB A/C	Page 436
Mira corner glass USB C Snap	Page 436
Mira corner small S	Page 436
Mira ES3/ES4/ES2	Page 436–437
Mira triangle	Page 437
Mira triangle USB C Snap	Page 437
Mira triangle glass	Page 438
Mira triangle glass USB A/C	Page 438
Mira wall small	Page 439
Mira wall small USB A/C	Page 439
Mira wall small S	Page 439
Casia 2K	Page 439
Casia 2L	Page 440
Mira ES5	Page 440
Corner double socket	Page 440
Mira WA1	Page 440
Mira BS1	Page 440
Mira ES1 with cover	Page 441
Evoline® Dock	Page 442
Evoline® Wing	Page 443–444
Muzak column	Page 444
Double electrical box	Page 444
Corner box 3	Page 445



**Mira glass**

High-quality, functional and flexible. The socket elements of the series Mira Glass set new standards in design, materials and equipment. Fine brushed stainless steel, combined with white or black printed glass surfaces integrate themselves between the worktop and wall cabinet in any modern kitchen, even in case of subsequent electrification. Optionally equipped with earthing contact sockets and USB charger, they meet today's requirements in terms of design and function.

Socket



**Mira Quad glass USB A/C**




Socket element. 3-fold. With double USB charger (base station). Front in printed and scratch-resistant glass.

- stainless steel housing
- 230 V/16 A
- 2 x USB Charger Typ A+C, 5 VDC, 20 watts
- 200 x 170 x 65.1 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back below

**7053058** stainless steel/glass white € 181.32

**7053127** stainless steel/glass black € 181.32



**Mira corner glass**




Corner socket element, 3-fold. Front in printed and scratch-resistant glass, for 90° corner.

- stainless steel housing
- 230 V/16 A
- 273.5 x 80.91 x 80.91 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back

**7053057** stainless steel/glass white € 136.48

**7053128** stainless steel/glass black € 136.48



**Mira corner glass USB A/C**




Corner socket element, 2-fold and double USB charger (charging station).  
Front printed and scratch-resistant glass. for 90° corner.

- stainless steel housing
- 230 V/ 16 A
- 2 x USB Charger Typ A+C, 5 VDC, 20 watts
- 273.5 x 80.91 x 80.91 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back

**7053123** stainless steel/glass white € 164.13

**7053124** stainless steel/glass black € 164.13



**Mira glass USB A/C**



Socket element. 3-fold. With double USB charger (base station). Front in  
printed and scratch-resistant glass.

- stainless steel housing
- 230 V/16 A
- 2 x USB Charger Typ A+C, 5 VDC, 20 watts
- 273.5 x 95 x 56 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet below

**7053056** stainless steel/glass white € 167.03


**7053129** stainless steel/glass black € 167.03



**Mira ES**

Elegant and contemporary in design, the Mira socket elements are truly impressive. The surfaces of the elements are easy to clean, hygienic and durable.

Socket



**Mira ES1**




Corner socket element. 4-fold. With telescopic intermediate piece without end caps.

- 240 V/16 A
- 460–580 x 83 x 83 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back top

**7053045** stainless steel € 134.28

**7053235** black matt € 136.04



**Mira ES1 USB A/C**



Corner socket element. 4-fold. With telescopic intermediate piece without end caps.

- 240 V/16 A
- 460–580 x 83 x 83 mm (H x W x D)
- 1 x USB charger type A, 5 VDC, out: 1000 mA
- 1 x USB charger type C, 5 VDC, out: 1000 mA
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back top


**7053239** stainless steel € 204.32

**7053240** black matt € 208.71

# CON-AKTIV® Surface mounted, corner sockets

Order no. Description

per piece excl. VAT



## Mira ES1-S




Corner socket element. 3-fold. With telescopic intermediate piece without end caps, with switch black, for external lighting.

- 240 V/16 A
- 460–580 x 83 x 83 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- 1800 mm switch cable with Euro coupling
- cable outlet back top

7053049 stainless steel € 156.23

7053236 black matt € 157.98



## Mira corner



Corner socket element. With telescopic intermediate piece without end caps, for 90° corner.


- 465–595 x 81 x 81 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back top

7053001 3-fold, stainless steel € 127.89

7053002 2-fold, stainless steel, with switch for external illumination € 145.96

7053062 3-fold, stainless steel, with Swiss sockets € 200.37

7053340 3-fold, black matt € 123.95



## Mira corner USB A/C




Corner power strip. Double outlet. With extension piece with telescopic option (no end caps), for 90° corner.

- stainless steel housing
- 2 x USB chargers (A+C), max. 20 watts
- 465–595 x 81 x 81 mm (H x W x D)
- 2000 mm power cord, Schuko plug included separately
- cable exit at the rear top

7053341 stainless steel col. € 182.95

7053342 black matt € 182.95



## Mira corner K




Corner power strip. Double outlet.

- 230 V/16 A
- 200 x 81 x 81 mm (H x W x D)
- 2000 mm power cord, Schuko plug included separately
- cable exit at the rear

7053343 stainless steel € 103.49

7053344 black matt € 103.49



## Mira corner small 1




Socket element. 4-fold.

- housing in a compact design with telescopic intermediate piece
- 240 V/16 A
- 460–580 x 59 x 59 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back top

7053093 stainless steel € 128.14

7053237 black matt € 130.77




### Mira corner small USB A/C



- Socket element. 3-fold.
- housing in a compact design with telescopic intermediate piece
  - 240 V/16 A
  - 460–580 x 59 x 59 mm (H x W x D)
  - 1 x USB charger type A, 5 VDC, out: 1000 mA
  - 1 x USB charger type C, 5 VDC, out: 1000 mA
  - 2000 mm mains connection line, earthing contact plug enclosed loosely
  - cable outlet back top

7053241	stainless steel	€ 198.80
7053242	black matt	€ 203.18





### Mira corner glass USB C Snap



- Corner socket element. 3-way and extendable USB C charging cable. Practical snap-in and snap-out function of the USB-C plug cable in the housing. Front in printed and scratch-resistant glass, for 90° corner.
- aluminium housing, black
  - 230 V/16 A
  - 1 x USB charger type C, 5 VDC, IA I out: 2050 mA
  - 500 mm extendable cable length USB C cable
  - 460 x 75 x 57 mm (H x W x D)
  - 2000 mm mains connection line, earthing contact plug enclosed loose
  - cable outlet behind or below
  - suitable for vertical and horizontal mounting

7053203	aluminium black/glass black	€ 222.62
7053204	aluminium black/glass white	€ 222.62
7053205	aluminium black/stainless steel col.	€ 222.62




### Mira corner small S



- Socket element. 3-fold and switch for external lighting.
- housing in a compact design with telescopic intermediate piece
  - 240 V/16 A
  - 460–580 x 59 x 59 mm (H x W x D)
  - 2000 mm mains connection line, earthed plug supplied loose
  - 1800 mm switch cable with Euro coupling
  - cable outlet back

7053095	stainless steel	€ 143.95
7053238	black matt	€ 148.33




### Mira ES3



- Corner socket element. 2-fold.
- 240 V/16 A
  - 288 x 83 x 83 mm (H x W x D)
  - 2000 mm mains connection line, earthing contact plug enclosed loosely
  - cable outlet back below

7053041	with earthed plug sockets, stainless steel	€ 114.10
7053141	with earthed plug sockets, black matt	€ 119.36



**Mira ES4**




Corner socket element. 2-fold, 240 V/16 A. 1 mini switch 240 V/2 A, for external illumination.

- 288 x 83 x 83 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- 1800 mm switch cable with Euro coupling
- cable outlet back below

**7053042** stainless steel

€ 136.04



**Mira ES2**



Corner socket element. 2-fold.


- 240 V/16 A
- 200 x 83 x 83 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back below

**7053040** stainless steel

€ 112.34

**7053140** black matt

€ 114.10



**Mira triangle**



Corner socket element. 3-fold.


- 240 V/16 A
- 155 x 147 x 147 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back

**7053043** stainless steel

€ 118.49

**7053143** black matt

€ 122.88



**Mira triangle USB C Snap**



Corner socket element. 2-way and **extendable USB C charging cable**. Practical snap-in and snap-out function of the USB-C plug cable in the housing. Front in printed and scratch-resistant glass, for 90° corner.

- aluminium housing, black
- 230 V/16 A
- 1 x USB charger type C, 5 VDC, 1A | out: 2050 mA
- 500 mm extendable cable length USB C cable
- 181 x 208 x 151 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loose
- cable outlet behind or below

**7053215** aluminium black/glass black



€ 192.02

**7053216** aluminium black/glass white

€ 192.02

**7053217** aluminium black/glass stainless steel col.

€ 192.02




### Mira triangle glass



Corner socket element. With 3 sockets. Front in printed and scratch-resistant glass, for 90° corner.

- aluminium housing
- 240 V/ 16 A
- 181 x 208 x 151 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loose
- cable outlet behind or below

<b>7053350</b>	aluminium black/glass black	€ 140.42
<b>7053351</b>	aluminium black/glass white	€ 140.42
<b>7053352</b>	aluminium noir/ couleur acier inox	€ 140.42




### Mira triangle glass USB A/C



Corner socket element. With 2 sockets and USB A/C charger. Front in printed and scratch-resistant glass, for 90° corner.

- aluminium housing
- 240 V/ 16 A
- 2x USB charger + type A+C, 5 VDC, 20 watt
- 181 x 208 x 151 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loose
- cable outlet behind or below

<b>7053347</b>	aluminium black/glass black	€ 161.26
<b>7053348</b>	aluminium black/glass white	€ 161.26
<b>7053349</b>	aluminium noir/ couleur acier inox	€ 161.26




### Mira wall small



Socket element. 4-fold.

- stainless steel housing in a compact design with telescopic intermediate piece
- 240 V/16 A
- 460–580 x 81 x 42 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back top

<b>7053090</b>	stainless steel	€ 130.77
<b>7053245</b>	black matt	€ 139.99




**Mira wall small USB A/C**



- Socket element. 3-fold.
- stainless steel housing in a compact design with telescopic intermediate piece
  - 240 V/16 A
  - 1 x USB charger type A, 5 VDC, IA/ I out: 1000 mA
  - 1 x USB charger type C, 5 VDC, IA/ I out: 1000 mA
  - 460–580 x 81 x 42 mm (H x W x D)
  - 2000 mm mains connection line, earthed plug supplied loose
  - cable outlet back top

<b>7053244</b>	black matt	€ 200.55
<b>7053243</b>	stainless steel	€ 197.04




**Mira wall small S**



- Socket element. 3-fold and switch for external lighting.
- stainless steel housing in a compact design with telescopic intermediate piece
  - 240 V/16 A
  - 460–580 x 81 x 42 mm (H x W x D)
  - 2000 mm mains connection line, earthed plug supplied loose
  - 1800 mm switch cable with Euro coupling
  - cable outlet back top

<b>7053092</b>	stainless steel	€ 140.43
<b>7053246</b>	black matt	€ 160.61




**Casia 2K power strip USB A+C**



- Corner socket element, aluminium. 2-fold. Suitable for vertical and horizontal mounting.
- 240 V/16 A
  - 1 x USB charger type A, 5 VDC, IA/I out: 1100 mA
  - 1 x USB charger type C, 5 VDC, IA/I out: 1100 mA
  - 235 x 78 x 64 mm (H x W x D)
  - 2000 mm mains connection line, earthing contact plug enclosed loosely
  - cable outlet back

<b>7053247</b>	stainless steel coloured	€ 251.02
<b>7053248</b>	black matt	€ 251.02






**Casia 2L power strip USB A+C**



Corner socket element, aluminium. 3-fold. Suitable for vertical and horizontal mounting. With telescopic compensation piece and coverable sockets.

- 240 V/16 A
- 1 x USB charger type A, 5 VDC, IA/I out: 1100 mA
- 1 x USB charger type C, 5 VDC, IA/I out: 1100 mA
- 475 x 78 x 64 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back

7053249	stainless steel coloured	€ 328.25
7053250	black matt	€ 328.25




**Mira ES5**



Corner socket element. 2-fold. Suitable for vertical and horizontal mounting.

- 240 V/16 A
- 200 x 59 x 59 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back

7053113	stainless steel	€ 109.71
7053114	black matt	€ 112.34




**Corner double socket**



Socket element. 2-fold. Stainless steel casing with black socket inserts.

- 220–240V /16 A
- 152 x 63,4 x 63,4 mm (H x W x D)
- cable outlet in the middle
- 2000 mm mains connection line, earthing contact plug enclosed loosely

7031220	stainless steel coloured	€ 90.40
---------	--------------------------	---------




**Mira WA1**



Socket element. 2-fold. With flip lid.

- 240 V/16 A
- 200 x 83 x 83 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back

7053048	stainless steel	€ 118.49
---------	-----------------	----------



**Mira BS1**




Socket element. 2-fold. With hinged lid.

Due to its low installation depth, the Mira BS1 is particularly suitable for integration in cabinet covers.

- 230 V/16 A
- 85 x 145 x at least 36 mm (H x W x D)
- 2000 mm mains connection line, earthing contact plug enclosed loosely

7053044	stainless steel	€ 105.32
7053115	black matt	€ 107.07



**Mira ES1 with cover**



Socket element, single. With hinged lid.

- 240 V /16 A
- 2000 mm power supply cable, earthed plug loosely enclosed
- stainless steel cover 85 x 85 mm


<b>7053138</b>	stainless steel, lid stainless steel coloured	€ 71.09
<b>7053139</b>	black matt, lid anthracite	€ 71.09

Socket



**Evoline® Dock Cuisine**

Power supply as a design object, wherever you need it.  
Easy installation.  
Convenient, affordable and easy to clean.




**Evoline® Dock**



Socket element. 3-fold. Especially suited for installation below wall-mounted cabinets or under shelves.

- 2 x fastening elements enclosed loosely
- 74 x 165 x 75 mm (H x W x D)
- 2500 mm mains connection line, earthing contact plug enclosed loosely
- cable outlet back (below/top)

<b>8031133</b> stainless steel coloured	<b>€ 106.02</b>
<b>8031113</b> black matt	<b>€ 94.79</b>



**Evoline® R Dock**



Socket element. 3-fold. Especially suited for installation below wall-mounted cabinets, shelves or under the work surface.

- housing made of aluminium
- 70 x 179 x 73 mm (H x W x D)
- 2500 mm mains connection line, earthing contact plug enclosed loosely
- attachment set
- cable outlet back (below/top)

<b>8031146</b> silver coloured	<b>€ 96.81</b>
--------------------------------	----------------




### Evoline® Wing

The electrical connection right in the drawer: movable and extendable furniture parts can be equipped with the Evoline® Wing cable management system. Available in the variants single socket plus charger and double socket without charger. The cable duct without socket is also available, as well as the socket element without cable duct.

The system offers individual mounting options, the cable ducting is carried out in a space-saving manner, for example behind the drawer. Cables are neither twisted nor pinched.

Product variants with cable ducting contain fastening elements for furniture parts made of wood and metal. Evoline® Wing is suitable for all types of cables such as HDMI, LAN etc., even wire cords for securing drawer pull-outs can be safely accommodated in the cable duct arm.

**Suitable for drawers from 400 mm wide and up to a pull-out length of 590 mm.**



### Evoline® Wing 1 USB A+C




Socket element inc. cable routing. 1-fold. With 2-fold USB A + C charger (charging station). Mounting elements for wooden and metal furniture items are included in the scope of delivery.

- silver
- USB charger type A+C, 5 V, 18 watt
- 2500 mm mains connection line, two-pin earthed plug supplied loose
- **Suitable for drawers from 400 mm wide and up to a pull-out length of 590 mm.**

**8031192** with earthed plug socket € 254.22

**8031229** with Belgian/French socket € 290.44



### Evoline® Wing 2




Socket element inc. cable routing. 2-fold. Mounting elements for wooden and metal furniture items are included in the scope of delivery.

- silver
- 2500 mm mains connection line, two-pin earthed plug supplied loose
- **Suitable for drawers from 400 mm wide and up to a pull-out length of 590 mm.**

**8031193** with earthed plug sockets € 193.01

**8031230** with Belgian/French sockets € 193.01





### Corner box 3



Socket element. 2-fold.  
 – 140 x 85 x 85 mm (H x W x D)  
 – 1500 mm mains connection line without plug, 3-wire with free ends

<b>7033072</b>	white	€ 58.98
<b>7033073</b>	aluminium metallic	€ 66.61

Socket

# CON-AKTIV®

## Retracting sockets

Ready to use in a jiffy



■ Evoline® Port	Page 448
Hole saw	Page 449
Versalift	Page 450
Hole saw	Page 451
Piccolino	Page 452–453
Hole saw	Page 453
Evoline® BackFlip	Page 454
Evoline® Spin	Page 455




### Evoline® Port

Concealed energy box for wall-mounted cabinets or worktops. Easy, guided extraction through an easy-to-press button which also guides the cable neatly when reclosing.



reddot award

Socket



### Evoline® Port 1




Energy box. Concealed. With 3 sockets for wall-mounted cabinets or worktops. Easy, guided extraction thanks to an easy-to-press button which also guides the cable neatly when reclosing.

- H 280 mm, extended H 210 mm
- 2500 mm mains connection line, earthing contact plug enclosed loosely
- drill Ø ca. 102 mm
- cable outlet below



8031130 with earthed plug socket, lid silver coloured € 153.50

8031174 with earthed plug socket, lid and profile black matt € 191.68




### Evoline® Port USB C



Energy box. Concealed. With 2 sockets and 1 USB charger (charging station) for wall-mounted cabinets or worktops. Easy, guided extraction thanks to an easy-to-press button which also guides the cable neatly when reclosing.

- H 250 mm, extended H 175 mm
- 1 x USB charger type C, 5 VDC, IA/I out: 2100 mA
- 2500 mm mains connection line with earthing contact plug
- drill Ø ca. 102 mm
- cable outlet below

8031278 lid silver coloured € 195.24



### Evoline® Port 2



Energy box. Concealed. With 3 sockets for wall-mounted cabinets or worktops. Easy, guided extraction thanks to an easy-to-press button which also guides the cable neatly when reclosing.

- H 280 mm, extended H 210 mm
- 2500 mm mains connection line, earthing contact plug enclosed loosely
- drill Ø ca. 102 mm
- cable outlet below

8031131 with earthed plug sockets, lid stainless steel € 319.74



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053158 Ø 102 mm, for Evoline<sup>®</sup> Port

€ 67.94




### VersaLift

An innovative, IP54-certified, retractable socket tower for kitchens which, with a diameter of just 80 mm, combines a minimalist, typically Italian design with great functionality. Easy and flush retraction when not in use thanks to the soft-action mechanism.

VersaLift is a retractable electric tower that can be installed quickly and without screws and is just screwed on with a simple ring nut. Thanks to its Plug&Play capability, it can be put into operation immediately after installation without the need for any further configuration.

- slides out at the touch of a finger
- up to 2 sockets
- simple and quick installation
- retrofitting possible
- contemporary design
- USB A/C charger
- IP 54




### VersaLift USB A/C



Socket element. Retractable. With 2 sockets and USB A/C charger for wall cabinets or worktops.

- 3400 watt/16 A, 220–250 VAC, IP54
- double USB charger type A+C, 5 V, 3,0 A
- material plastic, black
- 2000 mm mains connection line, earthing contact plug enclosed loose
- drill Ø ca. 80 mm
- for panel thickness from 16 mm to 60 mm, attachment by screw ring
- cable outlet below
- black and white acrylic glass version with nubs on the surface

7053314	black matt	€ 236.13
7053265	brushed stainless steel	€ 239.67
7053267	gunmetal	€ 248.21
7053266	acrylic glass, black	€ 260.14
7053268	acrylic glass, white	€ 260.14



### VersaLift USB A/C QI



Socket element. Retractable. With 2 sockets and USB A/C charger and Qi charging function for wall cabinets or worktops.

- 3400 watt/16 A, 220–250 VAC, IP54
- double USB charger type A+C, 5 V, 3,0 A
- Qi inductive charging station in the cover (wireless charger). Wireless charging of mobile phones using the Qi standard.
- material plastic, black
- 2000 mm mains connection line, earthing contact plug enclosed loose
- drill Ø ca. 80 mm
- for panel thickness from 16 mm to 60 mm, attachment by screw ring
- cable outlet below
- black acrylic glass version with nubs on the surface

7053269	acrylic glass, black	€ 304.50
---------	----------------------	----------



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053053 Ø 80 mm, for Elevator, VersaLift, Circle 80

€ 50.25




### Piccolino

Socket element. Retractable. For wall cabinets or worktops. Given light pressure on the cover, the unit slides out via a spring mechanism to provide a convenient and safe power supply. Simple and flush retraction when not in use. The Piccolino can therefore be installed **above** drawers without any problems.

**The Piccolino telescopes when closed, giving it an overall depth of less than 48 mm and is also splash-proof when closed.**

- spring-controlled pop-up mechanism at the touch of a finger
- simple and quick installation
- retrofitting possible
- very low installation depth
- flush installation possible
- IP44 when closed




### Piccolino



Socket element. Retractable. With 2 earthen plug sockets, 1 USB Type-C charger, 30 watts. For installation in worktops.

- material plastic, black
- cover stainless steel or black matt
- 1 x USB charger type C, 5 VDC, IA/I out: 1100 mA
- 2000 mm mains connection line with Schuko plug
- drill Ø ca. 68 mm
- for panel thickness from 16 mm, mounted by screw ring
- cable outlet below

7053210	cover stainless steel	€ 134.45
7053211	cover black matt	€ 144.54
7053224	cover copper coloured	€ 144.54
7053223	cover gunmetal	€ 144.54



### Piccolino QI USB C



Socket element. Retractable. With 1 earthen plug socket, 2-way USB charger type C, 45 watts and QI charging function in the lid.

- material plastic, black
- cover black glossy glass
- 2 x USB charger type C, 5 VDC, IA/I out: 1100 mA
- 2000 mm mains connection line with earthed plug
- drill Ø ca. 68 mm
- for worktop thicknesses from 16 mm, fixing via threaded ring
- cable outlet underneath

7053212	cover in glossy black coloured glass	€ 195.94
7053222	cover in glossy white coloured glass	€ 195.94




**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053168 Ø 68 mm, for Piccolino

€ 52.39



**Piccolino UNO**



Socket element. Retractable. With 1 earthed plug socket, 1 USB Type-C charger, 30 watts. For installation in worktops.

- material plastic, black
- 1 x USB charger type C, 5 VDC, IA/I out: 1100 mA
- 2000 mm mains connection line with Schuko plug
- drill Ø ca. 60 mm
- for panel thickness from 16 mm, mounted by screw ring
- cable outlet below

7053225 cover stainless steel

€ 112.52

7053226 cover black matt

€ 119.24

7053227 cover white matt

€ 119.24

7053228 cover gunmetal

€ 123.78

7053229 cover copper coloured

€ 123.78



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7052166 Ø 60 mm, for VersaDot Lite

€ 48.09

Socket



### Evoline® BackFlip


When closed, Evoline® BackFlip is just a thin plate on the work surface. At the touch of a finger it turns by 180 degrees and shows its useful side: USB charger and socket are high enough above the plate that they are protected from water.

The installation depth is nevertheless only 53 mm, so it can also be mounted above drawers or devices.

Equipped with new surfaces, Evoline® BackFlip is available in glas black, lacquered black and stainless steel.



Socket




### Evoline® BackFlip USB C



Socket element. 2-fold. Rotating with USB C charger (base station).

- installation depth 53 mm
- cut-out dimensions ca. 215 x 88 mm
- 1 x USB charger type C, 5 VDC, IA/I out: 2100 mA
- 2500 mm mains connection line, earthing contact plug enclosed loosely
- flush-mountable
- cable outlet back left

8031186	with earthed plug sockets, stainless steel	€ 173.95
8031187	with earthed plug sockets, painted black	€ 278.13
8031188	with earthed plug sockets, flush-mount H 5 mm, glass black	€ 386.09
8031279	with earthed plug sockets, flush-mount H 5 mm, glass black matt	€ 375.20
8031271	with Belgian/French sockets, flush-mount H 2,6 mm, stainless steel	€ 223.98
8031270	with Belgian/French sockets, flush-mount H 2,6 mm, painted black	€ 296.48
8031272	with Belgian/French sockets, flush-mount H 5 mm, glass black	€ 424.77
8031273	with Swiss sockets, flush-mount H 2,6 mm, stainless steel	€ 220.06
8031274	with Swiss sockets, flush-mount H 2,6 mm, painted black	€ 319.17
8031275	with Swiss sockets, flush-mount H 5 mm, glass black	€ 421.36



**Evoline® Spin**




Socket element. 2-fold. The sockets are exposed by turning the element manually.

- installation depth 49 mm, so installation above drawers is possible
- 1 x earthed safety socket 250 V/16 A
- 1 x Euro socket 2.5 A
- cut-out dimensions approx. 120 x 92 mm
- 2500 mm mains connection line, mains plug included separately
- increased touch protection
- suitable for flush mounting
- cable outlet below

8031231 black matt

€ 159.83



**Evoline® Spin USB C**



Socket element. 1-fold with USB C charger (charging station). The sockets are exposed by turning the element manually.

- installation depth 49 mm, so installation above drawers is possible
- 1 x earthed safety socket 230 V/16 A
- 1 X USB charger type C, 20 watts
- cut-out dimensions approx. 120 x 92 mm
- 2500 mm mains connection line, mains plug included separately
- increased touch protection
- suitable for flush mounting
- cable outlet below

8031232 black matt

€ 184.54

Socket

# CON-AKTIV®

## Flush mounted sockets

Perfectly integrated




■ Evoline® FlipTop Push	Seite 458
■ Evoline® Circle80	Seite 458–459
Hole saw	Seite 459
■ Evoline® Qi Wireless Charger	Seite 460
■ Evoline® Qi Charger	Seite 460
■ VersaCharger	Seite 461
Hole saw	Seite 461
■ Evoline® Circle80 Hide	Seite 461
■ Evoline® Circle80 DisQ	Seite 461
Hole saw	Seite 461
■ Twist plug socket	Seite 463–464
■ Duplex	Seite 465
Hole saw	Seite 466
■ VersaLid	Seite 467
■ Due double socket	Seite 468
■ Pix single socket	Seite 468
Hole saw	Seite 468
■ Evoline® One	Seite 469
■ Solo	Seite 470
■ Evoline® One DisQ	Seite 471
Hole saw	Seite 472
■ VersaPick	Seite 472
Hole saw	Seite 473
■ VersaDot Lite	Seite 474
Hole saw	Seite 475
■ VersaHit Mono	Seite 476
■ VersaHit Dual	Seite 477



### Evoline® FlipTop Push

This socket element enables the flexible installation of sockets in the worktop (up to 50 mm thickness). The cover opens automatically at a light touch.



### Evoline® FlipTop Push




Socket element. 3-fold. For flush installation in the worktop (up to 50 mm thickness).

Lid and frame made of stainless steel.

- 3000 mm mains connection line with earthing contact plug
- installation depth 68 mm
- flush-mountable
- cable outlet back left



8031160	with earthed plug sockets, stainless steel	€ 306.05
8031282	with earthed plug sockets, black matt	€ 404.97



### Evoline® Circle80 with sliding lid




Socket element. 1-fold. With double USB charger (charging station). When closed, the element is almost flush with the worktop. The socket is exposed by sliding the cover.

- installation depth 48.5 mm
- sliding cover, black matt
- 1 X double USB charger type A+C, 18 watts
- 2500 mm mains connection line, mains plug included separately
- drill Ø ca. 80 mm
- cable outlet below
- installation from above

8031237	with Belgian/French plug, black matt	€ 207.06
8031235	black matt	€ 197.90

#### Recommendations

7053053	Hole saw, Ø 80 mm, for Elevator, VersaLift, Circle 80	€ 50.25
---------	---	---------



**Evoline® Circle80 with sliding DisQ** CE

Socket element. 1-fold. With double USB charger (charging station). When closed, the element is almost flush with the worktop. The socket is exposed by sliding the cover.

- Qi inductive charging station in the cover (wireless charger). Wireless charging of mobile phones based on the Qi standard, 20-watt adapter included separately.
- installation depth 48.5 mm
- sliding cover with wireless charging function, black matt
- 1 x double USB charger type A+C, 18 watts
- incl. mobile phone charging with MagSafe technology, max. 15 watts
- Apple Watch and AirPods can also be charged
- 2500 mm mains connection line, mains plug included separately
- drill Ø ca. 80 mm
- cable outlet below
- installation from above

<b>8031236</b>	with Belgian/French plug, black matt	<b>€ 368.24</b>
<b>8031234</b>	black matt	<b>€ 345.00</b>

**Recommendations**

<b>7053053</b>	Hole saw, Ø 80 mm, for Elevator, VersaLift, Circle 80	<b>€ 50.25</b>
----------------	---	----------------



**Hole saw** CE

- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill


<b>7053053</b>	Ø 80 mm, for Elevator, VersaLift, Circle 80	<b>€ 50.25</b>
----------------	---	----------------

Socket



### Evoline® Qi Wireless Charger

With the Evoline® Qi Wireless Charger, Qi-enabled devices can be charged without cable and other accessories. The device to be charged is simply placed on the corresponding area of the worktop – minimalism pure.



### Evoline® Qi Wireless Charger



Charging coil. Installation unit Ø 80 mm with a Qi wireless coil. Mains connection cable with EU adapter. For integration in the table top or for installation in table openings Ø 80 mm.

- the device is certified in accordance with WPC standard 1.2.2 Qi
- operating voltage 5 V
- charging power max. 10 W
- external power supply wall plug transformer 230 V
- 1500 mm supply line
- with invisible installation plate thickness max. 3 mm
- installation without cover

8031175 black matt

€ 202.83



### Evoline® Qi Charger



Charging coil. Built-in unit Ø 60 mm. Can be installed horizontally, vertically, or flush-mounted.

- incl. mobile phone charging with **MagSafe technology**, max. 15 W
- external power supply unit 230 V
- Apple Watch and AirPods can also be charged


8031233 black matt

€ 157.56



### VersaCharger

Smart technology in impressive design: the VersaCharger provides fast, wireless charging for your smartphone battery. The retractable Plug&Play charger is compatible with Qi technology and comes with a power cable and Euro/USB plug. Once installed, no further configuration is required.



### VersaCharger

Charging coil. Installation unit Ø 80 mm with a Qi wireless coil. With mains connection cable.

- operating voltage 5 V
- charging power max. 15 W
- external power supply wall plug transformer 230 V
- 1500 mm supply line
- installation without cover

7053309 black matt € 151.26

#### Recommendations

7053053 Hole saw, Ø 80 mm, for Elevator, VersaLift, Circle 80 € 50.25




### Hole saw



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053053 Ø 80 mm, for Elevator, VersaLift, Circle 80 € 50.25



## Evoline<sup>®</sup> Circle80 Hide




Socket element. With USB charger (charging station). When closed, the element is almost flush with the worktop. By turning the lid, the socket and the USB charger are exposed.

- installation depth 48.5 mm
- rotating lid black
- double USB charger type A+C, 5 V, 2,1 A, 18 watts
- 2500 mm mains connection line, earthing contact plug enclosed loose
- drill Ø ca. 80 mm
- board thickness from 10 mm
- without lid, flush installation is possible
- cable outlet below

8031114 with earthed plug socket € 161.49

8031227 with Belgian/French socket € 178.99



## Evoline<sup>®</sup> Circle80 DisQ



Socket element. With USB charger (charging station). When closed, the element is almost flush with the worktop. By turning the lid, the socket and the USB charger are exposed.

- Qi inductive charging station in the lid (wireless charger). Wireless charging of mobile phones based on the Qi standard with a maximum of 15 watts and magnetic function.
- external power supply plug for Qi charging function enclosed loose, for which an additional socket is required
- installation depth 48.5 mm
- rotating lid black
- double USB charger type A+C, 5 V, 2,1 A, 18 watts
- 2500 mm mains connection line, earthing contact plug enclosed loose
- drill Ø ca. 80 mm
- board thickness from 10 mm
- cable outlet below

8031115 with earthed plug socket € 296.65

8031228 with Belgian/French socket € 324.37



## Hole saw



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053053 Ø 80 mm, for Elevator, VersaLift, Circle 80 € 50.25




### Twist plug socket

The double socket is suitable for installation in kitchen worktops made of wood, laminate, stone or glass. Rotating the cover by 90° enables access to two earthing contact sockets that provide a convenient and stable power supply. The fixing is carried out using two mounted hexagon socket head cap screws M6 and clamping claw for or two clamping screws with hexagon socket M6. The cable can be routed downwards or sideways. 1.5 mm<sup>2</sup> black and cable end sleeves. Plastic casing with cover in nickel-plated die-cast zinc, brushed stainless steel coloured.

Since the installation depth is only 40 mm, installation above drawers is possible.

**Please observe installation instructions!**

- very low installation depth (approx. 40 mm)
- compact design (H x Ø approx. 42.5 x 115 mm)
- space-saving cable management
- simple and quick mounting
- retrofitting possible
- integrated water drainage



### Twist double plug socket



Socket element. 2-fold.

- 3680 watt/16 A, 250 VAC, IP20
- H05VV-F 3G1
- 3-pin with earthing contact
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- drill Ø 105 mm, for board thicknesses from 8 mm
- increased contact protection
- cable outlet below side

<b>7053021</b>	with earthed plug sockets, stainless steel coloured	€ 131.66
<b>7053075</b>	with earthed plug sockets, black matt	€ 165.00
<b>7053076</b>	with earthed plug sockets, white matt	€ 165.00
<b>7053025</b>	with Belgian/French sockets, stainless steel coloured	€ 157.10
<b>7053085</b>	with Belgian/French sockets, black matt	€ 164.13
<b>7053086</b>	with Belgian/French sockets, white matt	€ 164.13
<b>7053059</b>	with Swiss sockets, stainless steel coloured	€ 159.74
<b>7053189</b>	with Swiss sockets, black matt	€ 192.21




## Twist 2 plug socket

With its rounded corners, the high-quality square design variant of the Twist double socket blends harmoniously into kitchen worktops made of wood, laminate, natural stone or glass. The replaceable lid makes it easy to clean.

The automatic and cushioned opening of the slightly recessed cover allows convenient access to two earthed sockets or an additional USB A/C charger with quick-charging function.

Fixation via two clamping claws. Cable routing can be downwards or to the side. Plastic housing with replaceable cover made of die-cast zinc. As the installation depth is only approx. 40 mm, it can easily be installed above drawers.

- very low installation depth (approx. 40 mm)
- pre-mounted for plate thickness 25–40 mm
- by changing the fastening plates also for plate thickness 6–24 mm
- space-saving cable routing
- retrofitting possible, quick and easy installation
- **removable lid for cleaning or subsequent replacement**
- **automatically cushioned opening mechanism**
- integrated water outlet




## Twist 2 double plug socket



Socket element. 2-fold.

- 3680 watt/16 A, 250 VAC, IP20
- H05VV-F 3G1
- 3-pin with earthing contact
- with earthed plug sockets
- 2000 mm mains connection line, earthing contact plug enclosed loosely
- drill Ø 105 mm, for board thicknesses from 6–40 mm
- anti-fingerprint coating
- increased contact protection
- cable outlet below side

<b>7053190</b>	round, Ø 115, D ca. 45 mm, stainless steel coloured	€ 219.41
<b>7053191</b>	square, L 115, B 115, D ca. 45 mm, stainless steel coloured	€ 219.41
<b>7053194</b>	round, Ø 115, D ca. 45 mm, black matt	€ 289.63
<b>7053195</b>	square, L 115, B 115, D ca. 45 mm, black matt	€ 289.63



## Twist 2 USB A/C



Socket element. 1-fold and double USB charger A+C (charging station).

- 3680 watt/16 A, 250 VAC, IP20
- 1 x USB charger type A, 5 VDC, IA/I out: 1 x 3000 mA
- 1 x USB charger type C
- 3-pole with earthing contact
- 2000 mm mains connection line, with earthed plug enclosed loose
- drill Ø 105 mm, for plate thickness from 6–40 mm
- dimensions: round (H x W Ø 45 x 115 mm), square (H x W x L approx. 45 x 115 x 115 mm)
- increased contact protection
- anti-fingerprint coating
- cable outlet rear side

<b>7053192</b>	round, with earthed plug socket, stainless steel coloured	€ 344.93
<b>7053193</b>	square, with earthed plug socket, stainless steel coloured	€ 344.93
<b>7053196</b>	round, with earthed plug socket, black matt	€ 415.15
<b>7053197</b>	square, with earthed plug socket, black matt	€ 415.15



### Duplex




The built-in socket is made for use in almost all known kitchen worktops. It opens and closes simply – at the touch of a button. Both the fixed cover and the opening inner element are made of stainless steel.

Extremely simple installation – working from above with the Duplex built-in socket open, it is screwed or glued to the worktop with silicone using two clamping claws.

Since the installation depth is only approx. 48 mm, installation via drawers is possible without any problems.

- angular design: 118 x 118 (H x W)
- round design: Ø 118 mm

**Please follow the installation instructions!**



### Duplex E double socket



Socket element. Double. Electric opening at the push of a button.




- 3680 watt/16 A, 250 VAC, IP20
- H05VV-F 3G 1.5 mm<sup>2</sup>
- 3-pole with earthing contact
- 2000 mm mains connection line with earthing contact plug
- drill Ø 105 mm
- installation depth approx. 48 mm
- increased contact protection
- space-saving cable routing (downwards or side cable outlet)
- simple and quick installation
- retrofitting possible
- integrated water drain

**7054003** square, with earthed plug sockets, stainless steel € 166.75

**7054005** square, with earthed plug sockets, black matt € 184.31

**7054001** round, with earthed plug sockets, stainless steel € 166.75

**7054008** round, with earthed plug sockets, black matt € 184.31



### Duplex E double USB A+C



Socket element. Single and double USB A+C charger (charging station).

Electric opening at the push of a button.

- 1 x USB charger type A, 5 VDC, IA/I out: 1 x 2100 mA
- 1 x USB charger type C, 5 VDC, IA/I out: 1 x 3000 mA
- 3680 watt/16 A, 250 VAC, IP20
- H05VV-F 3G 1.5 mm<sup>2</sup>
- 3-pole with earthing contact
- 2000 mm mains connection line with earthed plug
- drill Ø 105 mm
- installation depth approx. 48 mm
- increased contact protection
- space-saving cable routing (downwards or side cable outlet)
- simple and quick installation
- retrofitting possible
- integrated water drain

**7054004** square, with earthed plug socket, stainless steel € 222.93

**7054006** square, with earthed plug socket, black matt € 239.60

**7054002** round, with earthed plug socket, stainless steel € 222.93

**7054007** round, with earthed plug socket, black matt € 239.60



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053024 Ø 105 mm, for Twist and Duplex


€ 76.72



### VersaLid

Built-in socket unit with elegant, attractively shaped anodised aluminium cover, which effectively protects against dust and dirt. Secured by two mounted clamping claws for a panel thickness of 15 mm or more.

- aluminium cover with high-quality finish
- low installation depth (approx. 51 mm)
- can be retrofitted from above




### VersaLid



Socket element. 2-fold. For installation in worktop, front panel or side wall.

- cut-out dimensions approx. 167 x 59 mm
- installation depth approx. 51 mm
- for panel thickness from 15mm
- 2000 mm mains connection line, earthing contact plug enclosed loose
- cable outlet can be horizontal and vertical at the bottom

7053270	lid aluminium anodised	€ 168.89
7053271	lid white matt	€ 168.89
7053272	lid black matt	€ 168.89




### VersaLid USB A/C



Socket element, 2-fold and USB A/C charger (charging station). For installation in worktop, front panel or side wall.

- cut-out dimensions approx. 193 x 59 mm
- installation depth approx. 51 mm
- for panel thickness from 15mm
- 1 X USB charger type A, 5.2 VDC, IA/I out: 1 x 1500 mA
- 1 X USB charger type C, 5.2 VDC, IA/I out: 1 x 1500 mA
- 2000 mm mains connection line, earthing contact plug enclosed loose
- cable outlet can be horizontal and vertical at the bottom

7053273	lid aluminium anodised	€ 227.74
7053274	lid white matt	€ 227.74
7053275	lid black matt	€ 227.74




**Due double socket**



Socket element. 2-fold. With sliding lid. For installation in worktop, front panel or side wall.

- drill Ø 2 x 56 mm
- installation depth ca. 45 mm
- 2000 mm mains connection line, two-pin earthed plug supplied loose
- incl. drilling template
- lids can be opened separately
- cable outlet below centre

7053067	with two-pin earthed plugs, stainless steel coloured	€ 114.10
7053081	with two-pin earthed plugs, black	€ 115.85
7053082	with two-pin earthed plugs, white	€ 115.85



**Pix single socket**



Socket element, 1-fold. Ornamental ring stainless steel coloured, black and white. For installation in worktop, front panel or side wall.

- drill Ø 56 mm
- installation depth ca. 45 mm
- 2000 mm mains connection line, two-pin earthed plug supplied loose (permanently installed in swiss version)
- cable outlet back

7053074	with two-pin earthed plug	€ 75.92
7053087	with Belgian/French socket	€ 76.36
7053088	with Swiss socket	€ 75.74

**Optional accessories**

7053110	Lid, stainless steel coloured	€ 24.84
7053111	Lid, black	€ 15.01
7053112	Lid, white	€ 15.01




**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053153	Ø 57 mm, for Pix	€ 44.55
---------	------------------	---------



## Evoline<sup>®</sup> One single socket



Socket element, 1-fold. For installation in the worktop, front panel or side wall.

- drill Ø 54 mm
- installation depth 50 mm
- for plate thicknesses from 9 mm
- 2500 mm mains connection line, two-pin earthed plug supplied loose
- socket with contact protection
- flush mounting possible
- cable outlet on the side or bottom


**7053180** ring black € 82.06

**7053181** ring brushed stainless steel € 90.31

### Optional accessories

**7053187** Evoline<sup>®</sup> One Lid , with stainless steel inlay € 19.92

**7053188** Evoline<sup>®</sup> One Lid , black € 11.50



## Evoline<sup>®</sup> One double USB A/C



Socket element. Double USB charger A+C (charging station). For installation in the worktop, front panel or side wall.

- drill Ø 54 mm
- installation depth 50 mm
- for plate thicknesses from 9 mm
- USB charger type A+C, 5 V, 2.1 A, 18 watts
- 2500 mm mains connection line, two-pin earthed plug supplied loose
- flush mounting possible
- cable outlet on the side or bottom

**7053182** ring black € 147.90

**7053183** ring brushed stainless steel € 159.99

### Optional accessories


**7053187** Evoline<sup>®</sup> One Lid , with stainless steel inlay € 19.92

**7053188** Evoline<sup>®</sup> One Lid , black € 11.50



### Solo

Aesthetically outstanding with perfect ease of use: the small opening for the USB C port is positioned exactly in the centre above the socket. The sleek design of the low-profile built-in socket is available in two colours. Elegant and extremely understated, it fits into many modern kitchen architectures.



### Solo single socket

Socket element, 1-fold with USB C charger (charging station). For installation in the worktop, front panel or side wall.


- drill Ø 60 mm
- installation depth 45 mm
- 1 x USB charger type C, 20 watt
- 2000 mm mains connection line, two-pin earthed plug supplied loose
- cable outlet back

7053330	roestvrij staal	€ 85.97
7053331	black matt	€ 85.97



### Evoline® One DisQ

Charging system for USB C and inductive charging. The One DisQ is ideal for charging wired and inductive smartphones. The One's USB C modules remain free during the charging process and can be used for other applications at the same time.



### Evoline® One DisQ Qi




Charging station. When closed, the element is almost flush with the worktop. The socket is exposed by turning the lid.

- with support surface for Qi inductive charging (wireless charger). Wireless charging of mobile phones using the Qi standard with a maximum of 15 watts and magnetic holding function
- external plug-in power supply for Qi charging function enclosed loose, for which an additional socket is required
- drill Ø 54 mm
- installation depth 50 mm
- rotating lid black
- 2500 mm mains connection line, two-pin earthed plug enclosed loose
- for worktop thicknesses from 9 mm
- cable outlet rear side



8031280	with earthed plug socket, black matt	€ 265.78
8031223	with Belgian/French socket, black matt	€ 277.58



### Evoline® One DisQ USB A+C Qi



Charger (base station). With USB A and C charging sockets. When closed, the element is almost flush with the worktop. The USB charging sockets are exposed by turning the lid.

- with support surface for Qi inductive charging (wireless charger). Wireless charging of mobile phones using the Qi standard with a maximum of 15 watts and magnetic holding function
- external plug-in power supply for Qi charging function enclosed loose, for which an additional socket is required
- drill Ø 54 mm
- installation depth 50 mm
- rotating lid black
- USB charger type A+C, 5 V, 2.1 A, 18 watts
- 2500 mm mains connection line, two-pin earthed plug enclosed loose
- for worktop thicknesses from 9 mm
- cable outlet rear side



8031281	black matt	€ 334.52
8031224	with Belgian/French plug, black matt	€ 353.94

Socket



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053159 Ø 54 mm, for One


€ 43.57



**VersaCharger**

With a diameter of just 42 millimetres and a refined metal surface, VersaPick is the smart charging station for mobile devices. It integrates flush into worktops or kitchen furniture. Shapely and minimalist, it offers a USB C port and a USB A port with an almost two-meter-long USB A connection cable.

Socket



**VersaPick**

Charging station. For installation in worktop, front panel or side wall.

- drill-Ø 35 mm
- installation depth 40 mm
- for panel thicknesses from 5 mm
- USB charger type A+C, max. 18 watts
- 1800 mm mains connection line with USB A
- flush installation possible
- cable outlet at the bottom

7053310 stainless steel coloured

€ 80.25

7053311 black matt

€ 80.25

7053312 white

€ 80.25

7053313 gunmetal

€ 80.25



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7053214 Ø 35 mm, for VersaPick

€ 36.97




### VersaDot Lite

The VersaDot Lite is a compact solution which provides standard electrification on all worktops or tables. Thanks to the small space requirement above and below the worktop and the special attachment system, the VersaDot Lite is quick and easy to install and remove.

The VersaDot Lite socket module has a coupling/decoupling system with two tabs at the back which allow the product to be attached to the panel from above in seconds, saving the fitter valuable time.

- low installation depth (approx. 56 mm)
- can be retrofitted from above



### VersaDot Lite




Socket element. 1-fold. For installation in worktop, front panel or side wall.

- drill-Ø 60 mm
- installation depth 50 mm
- for panel thicknesses from 5 mm
- 2500 mm mains connection line with earthing contact plug
- socket with touch protection
- flush installation possible
- cable outlet at the bottom

7053263	white matt	€ 47.77
7053264	black matt	€ 47.77

#### Recommendations

7052166	Hole saw, Ø 60 mm, for VersaDot Lite	€ 48.09
---------	--------------------------------------	---------



### VersaDot Lite USB A/C



Charging station. For installation in worktop, front panel or side wall.

- drill-Ø 60 mm
- installation depth 50 mm
- for panel thicknesses from 5 mm
- double USB charger type A+C, 12 watts
- 2500 mm mains connection line with earthing contact plug
- flush installation possible
- cable outlet at the bottom

7053276	black matt	€ 92.02
7053277	white matt	€ 92.02
7053307	with Belgian/French plug, black matt	€ 92.02
7053308	with Belgian/French plug, white matt	€ 92.02

#### Recommendations

7052166	Hole saw, Ø 60 mm, for VersaDot Lite	€ 48.09
---------	--------------------------------------	---------



**Hole saw**



- material HSS for wood/plastic
- cutting depth up to 38 mm
- with reception tool incl. centre drill

7052166 Ø 60 mm, for VersaDot Lite


€ 48.09



### VersaHit Mono

The double socket element VersaHit Mono offers a variety of connection options in a flush-designed housing. The sliding double covers reveal the sockets with slight pressure. For universal installation in worktop, front panel or side wall.

The sockets are splash-proof in accordance with IP54.




### VersaHit Mono



Socket element. 1-fold. Built-in socket with sliding cover.

- 3400 watts/16 A, 220–250 VAC, IP54
- 66 x 123 x 40 mm (W x L x D)
- cut-out dimensions approx. 114 x 58 mm, R 4 mm
- 2000 mm mains connection line, earthing contact plug supplied loosely
- very low installation depth (ca. 40 mm)
- increased contact protection

7053164	brushed stainless steel	€ 155.23
7053165	black matt	€ 155.23
7053257	gunmetal	€ 160.78
7053258	white matt	€ 155.23




### VersaHit Mono Combi USB A/C



Socket element. 1-fold. Built-in socket with sliding cover and USB A/C charger.

- 3400 watt/16 A, 220–250 VAC, IP54
- double USB charger type A+C, 5 V, 2,4 A
- 66 x 237 x 40 mm (W x L x D)
- cut-out dimensions approx. 229 x 58 mm, R 4 mm
- 2000 mm mains connection line, earthing contact plug enclosed loose
- very low installation depth (approx. 40 mm)
- increased touch protection


7053259	brushed stainless steel	€ 208.12
7053260	black matt	€ 208.12
7053261	gunmetal	€ 220.91
7053262	white matt	€ 208.12



**VersaHit Dual** CE

- Socket element. 2-fach. Built-in socket with double sliding cover.
- 3400 watts/16 A, 220–250 VAC, IP54
  - 117 x 117 x 40 mm (W x L x D)
  - cut-out dimensions approx. 108 x 108 mm, R 4 mm
  - 2000 mm mains connection line, earthing contact plug supplied loosely
  - very low installation depth (ca. 40 mm)
  - increased contact protection

<b>7053160</b>	brushed stainless steel	<b>€ 180.82</b>
<b>7053161</b>	black matt	<b>€ 180.82</b>
<b>7053254</b>	white matt	<b>€ 180.82</b>
<b>7053253</b>	gunmetal	<b>€ 192.77</b>



**VersaHit Dual USB A/C** CE

- Socket element. 1-fold. With double USB charger (charging station). Built-in socket with double USB charger.
- 3400 watts/16 A, 220–250 VAC, IP54
  - 117 x 117 x 40/50 mm (W x L x D)
  - cut-out dimensions approx. 108 x 108 mm, R 4 mm
  - 2000 mm mains connection line, earthing contact plug supplied loosely
  - double USB charger type A+C, 5 V, 2,4 A
  - very low installation depth (ca. 40 mm)
  - increased contact protection

<b>7053251</b>	brushed stainless steel	<b>€ 208.12</b>
<b>7053252</b>	black matt	<b>€ 208.12</b>
<b>7053255</b>	gunmetal	<b>€ 220.91</b>
<b>7053256</b>	white matt	<b>€ 208.12</b>

Socket

**CON-AKTIV<sup>®</sup>** Flush mounted sockets

Order no.

Description

per piece excl. VAT

Socket