# NABER-CONTURA®

Sinks



# Perfection





Sinks are the most frequently used items in the kitchen – and they have to take a lot of rough treatment. Good reasons to choose them carefully! Reasons to opt for the premium sinks from NABER-CONTURA®, because their appealing design and perfect quality convince with every use. The extremely versatile range in the materials stainless steel, ceramic and composite offers just the right sink for all furnishing styles and individual wishes.

Stainless steel sinks are unbeatably hard-wearing and extremely easy to care for: a fascinating eye-catcher! The high-quality porcelain stoneware of the ceramic sinks with their reserved elegance can handle even the toughest demands. Valuable detail: the convincing colour and shape variants. The composite sinks entice with the touch of their incomparably sleek surface. The Cin-Nagranit material, inspired by nature, guarantees exceptional colour intensity and beauty with outstanding durability, even after many years of use.

Whichever sink you pick: NABER-CONTURA® is always a highlight in the kitchen!

# NABER-CONTURA® Sinks

Somehow typical for ambitious kitchens









NABER-CONTURA® Stainless steel

Traditional material for premium sinks – imaginatively designed Page 9–30

NABER-CONTURA® Ceramics

Versatile and consistent Page 31–44

NABER-CONTURA® Composite

Cin-Nagranit – seduction for the senses Page 45–56

## Overview of sinks

#### 300 gauge cupboard width

#### Standard S1

Stainless steel



Page 29

#### 450 gauge cupboard width

#### Corno Piu PR2

Stainless steel



Page 14

#### Corno Basso 2

Stainless steel



Page 21

Riva 2

Stainless steel



Page 26

Nava 3

Stainless steel



Page 28

Page 30

#### Standard S8

Stainless steel



Corno Piu PFU2

Stainless steel



Page 16

#### Corno Ora

Stainless steel



Page 24

#### Nava 1

Stainless steel



Page 27

Page 29

#### Standard S2

Stainless steel



#### Corno Basso PR2

Stainless steel



Page 19

#### Riva 1

Stainless steel



Page 25

#### Nava 2

Stainless steel



Page 28

#### Standard S3

Stainless steel



Page 29

### Overview of sinks

#### 500 gauge cupboard width

Corno Turno 50 Stainless steel



Page 15



Stainless steel

Corno Piu PFU3



Corno Basso PR3

Stainless steel



Corno Basso 3

Stainless steel



Page 17

LineUP 2E Ceramics



Page 20

Page 12

LineUP 2F Ceramics



Page 22

LineUP 1E Ceramics



Page 36

LineUP 1F Ceramics



Page 37

Angola 100 Composite



Page 38

Corto 615

Page 50

Composite



Page 39

Corto 780 Composite

Page 51





Page 47

Angola 40 Composite



Page 52

#### 600 gauge cupboard width

#### Corno Turno 60 Stainless steel



Corno Piu PR4 Stainless steel



Stainless steel

Corno Piu PFU5



Page 13

Corno Piu PFU4 Stainless steel



Page 15 Corno Piu PFU11

Stainless steel



Page 17

Corno Basso 5 Stainless steel



Page 18

Corno Basso 4 Stainless steel



Page 18

Riva 3 Stainless steel



Page 22

Riva 4 Stainless steel



Page 22



Page 26

## Overview of sinks

#### 600 gauge cupboard width

PickUP E Ceramics

Page 33

**Spülstein** 

Einzelbecken



PickUP F Ceramics

PickUP U Ceramics



Page 34

Angola 100 L Composite



0

Page 35

Page 49

Angola 150 Composite



Page 41

Page 53

Ceramics





Page 48

Page 54



**Singoli 600** Composite

#### 900 gauge cupboard width

**Butler sink** double bowl Ceramics



Page 41

#### Top mounted washbasin

Patera 40 Ceramics



Lavara 60 Ceramics


Page 44

Page 43

# Types of installation




# Perfectly integrated in every way



#### Sinks with flat edge

Adapted to the materiality of the work surface, surface or flush mounted, attractively minimalist sink optics are combined with maximum functionality.

For surface or inset mounting of the sink, depending on the nature of the work surface.



#### Installation from above

Sinks with classic profiled outer edge for various daily use.

Faster and easier surface mounting in all types of work surfaces.



#### Flush installation


Flush installation combines the sink and work surface in an elegant combination and offers maximum convenience.

Especially recommended for granite, stone and glass work surfaces.



#### Flush installation from below

The laminate decor of the worktop borders on the edge of the bowl or the draining surface. A permanent bond under the laminate ensures easy working on one level.




#### Sinks for installation from below

Continuous sealed work surfaces with classical sinks installed from below highlight the material of the work surface and offer continuous convenience without bothersome edges.

Ideal for work surfaces in granite, stone, artificial stone, ceramic and glass.

(Special mounting solutions or bonding provide a durable connection between work surface and sink.)



## Sink module between work surfaces

Solitaire sink modules or classic butler sinks integrated as preparation and dishwashing centres between the adjacent work surfaces open up functional areas with a special flair.

Compatible with all types of work surfaces.

# NABER-CONTURA® Stainless steel

Material for premium sinks – imaginatively designed

Corno Turno	Page 12-13
Corno Piu PR	Page 14-15
Corno Piu PFU	Page 16-18
Corno Basso PR	Page 19-20
Corno Basso	Page 21-22
Drip tray large	Page 23
Drip tray small	Page 23
Cutting board	Page 23
Bowl connector	Page 23
Filo dish drainer	Page 23
Filso drip mat	Page 23
Corno Ora	Page 24
Riva	Page 25-26
Nava	Page 27-28
Standard	Page 29-30
Spare parts	Page 30

# Stainless steel



# Properties

#### Stainless steel sinks

are made of standardized stainless steel 18/10, i.e. 18 % chrome + 10 % nickel which results in a high quality alloy (material no. 1.43019).

Therefore, you receive a nonporous surface, which is easy to clean and corrosion and heat resistant.

#### Flat edge

Due to their especially flat edge, the ranges Corno Piu and Corno Basso ensure a harmonious transition to the worktop in the kitchen. Therefore, no dirty edges form around the sink.



# Stainless steel



#### Care instructions

#### Rust

Given common household wear and regular maintenance of the sink, no rust will be able to form. Small iron and rust particles from the water pipe may, especially in case of new buildings or maintenance work performed on the pipes, give the impression of traces of rust. You should therefore observe the following tips when taking care of your stainless steel sinks:

- Regularly remove dirt and lime deposits.
- Do not use a cleaning agent containing chlorine (usually sodium hypochlorite) or hydrochloric acid.
- If you use steel wool for cleaning, then it must consist of "Stainless steel rust-free".
- Avoid longer exposure to liquids with a high concentration of common salt.
- Avoid direct, long-term contact to rusting iron parts (for instance cast-iron pans or iron filings).

#### **Spotty contamination**

is usually caused by lime scale, occurring more or less, depending on the hardness of the drinking water supplied (information is provided by the community waterworks). This tends to bind dirt particles, so that this spotty contamination is created after only a short time.

- You can prevent such spots by drying the sink after each use.
- Should spots still occur, then use any commercially available cleaning agent for stainless steel care and lime scale.
- We recommend use of the stainless steel system care set\* for optimum daily cleaning and stainless steel care.

#### Scratch marks

Our stainless steel sinks with high gloss surface are manufactured with the greatest care and using state-of-the-art manufacturing and processing methods.

The material properties of stainless steel 18/10 currently still exclude absolute scratch resistance and small scratch marks are therefore normal. Only by means of regular care using the recommended care set stainless steel system care set\* will a pearl-finished glossy surface be achieved after about 2-4 weeks.

#### • Important:

Make sure that the stainless steel surface is not treated against the polishing grain!

\*You can order the stainless steel system care set as item no. 1111141. Further information on this also in catalog 2 TECH on page 151/25 EN.






#### Corno Turno

With its permanently integrated faucet, a sink innovation becomes the centre of urban styled kitchens. Minimalist single-bowl aesthetics and high ease of use of the continuously 180° swivelling faucet stand for the perfection of a unique stainless steel combination. Intuitive and capeable of being sunk into the bowl in one movement, the elegant faucet clears the way for perfect installation in front of a window at worktop level.

The rotating spout enables vertical water flow in any position.

In addition, valuable work surface is created by the two-piece optional cover that bridges the entire sink. Plenty of free space for all preparatory work and the faucet can still be used in the middle position due to a cut-out. Stainless steel quality with a material thickness of 1 mm ensures high quality and dimensional stability in either surface-mounted or flush-mounted installation. Sink and mixer concealed with chopping board serves as free work surface especially practical in small kitchens.

Design by tbSTUDIO, Berlin.



#### Corno Turno 50





Built-in sink.  $3\frac{1}{2}$ " basket strainer valve flush with push-button excenter fitting. With single-lever mixer integrated into the bowl wall, stainless steel finish, swivel spout 180°, 120° rotating.

- flat edge: also suitable for flush mounting
- suitable for worktop thicknesses from 10 mm to 40 mm
- cut-out approx. 435 x 495 mm (built-in sink)
- bowl depth 200 mm
- with integrated single-lever mixer, stainless steel finish, high pressure
- infinitely 180° swivelling and positioning
- vertical water outlet in every position of the faucet
   ergonomic operation by single-lever mixer at the outlet end
- windows can be planned on worktop level and are simply opened

1041002 set (sink and Turno faucet)

1043.51 €



#### Corno Turno 60





Built-in sink.  $3\frac{1}{2}$ " basket strainer valve flush with push-button excenter fitting. With single-lever mixer integrated into the bowl wall, stainless steel finish, swivel spout 180°, 120° rotating.

- flat edge: also suitable for flush mounting
- suitable for worktop thicknesses from 10 mm to 40 mm
- cut-out approx. 535 x 495 mm (built-in sink)
- bowl depth 200 mm
- with integrated single-lever mixer, stainless steel finish, high pressure
- infinitely 180° swivelling and positioning
- vertical water outlet in every position of the faucet
   ergonomic operation by single-lever mixer at the outlet end
- windows can be planned on worktop level and are simply opened

1041001 set (sink and Turno faucet)

1059.01 €





#### Filo dish drainer



Folding mat. Foldable. Hollow stainless-steel rods ground, black silicone holder,

- foldable in segments
- stainless steel/silicone
- flat hollow rods in contoured silicone strips
- suitable for draining board or worktop
- $-325 \times 450 \text{ mm (W} \times D)$

1013041 stainless steel

65.37 €





#### Filso drip mat

Drip mat made of silicone. Suitable for sub-structure and flush mounted sinks.

- food safe
- dishwasher safe
- temperature resistance -40 to 230 °C
- not suitable for cutting
- no folding
- $-415 \times 390 \text{ mm (W x D)}$

1013058 anthracite

108.95 €





#### Chopping board made of bamboo

Chopping board. Two-piece, covers the entire sink.

<b>1014055</b> for Corno Turno 50, 412 x 206 mm	196.29 €
<b>1014056</b> for Corno Turno 60, 412 x 256 mm	216.17 €

# NFO BROCHURE

naber.com/en/downloads/

# Corno Turno 50/60

Urban-style kitchens are experiencing an innovation in sinks







#### Corno Piu PR

In terms of form and style, the new Corno single basin series with integrated tap ledge focuses on minimalist, straight-line design, small bowl and edge radii and on the particular valency achieved by the highly durable quality of the 1 mm thick stainless steel material.


A push-button elegantly integrated flush into the tap ledge opens and closes the standard eccentric fitting with strainer basket valve which is flush to the bottom. The discreet **overflow** blends in **flush** with the sink geometry. The narrow rim ensures flat surface-mounted installation as well as flush installation. The wet ground finish creates a fine structure that makes the surface less susceptible to signs of use, facilitates the cleaning of the sink and allows water to drain more












#### Corno Piu PR2

Built-in sink. Single bowl.  $3\frac{1}{2}$ " basket strainer valve flush with push-button excenter fitting in stainless steel and basket strainer valve flush with the bottom.

- suitable for worktop thicknesses from 10 mm to 40 mm
- cut-out dimensions ca. 375 x 495 mm (built-in sink)

593.19 €
204.94 €
184.18 €
118.47 €
65.37 €





#### Corno Piu PR3





Built-in sink. Single bowl.  $3\frac{1}{2}$ " basket strainer valve flush with push-button excenter fitting in stainless steel and basket strainer valve flush with the bottom.


#### Flat edge: also suitable for flush installation

- suitable for worktop thicknesses from 10 mm to 40 mm  $\,$
- cut-out dimensions ca. 435 x 495 mm (built-in sink)

1013114 stainless steel	636.43 €
Optional accessories	
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €







#### Corno Piu PR4





Built-in sink. Single bowl.  $3\,\ensuremath{\ensuremath{\%^{"}}}$  basket valve with push-button excenter fitting in stainless steel and basket strainer valve flush with the bottom.

- suitable for worktop thicknesses from 10 mm to 40 mm
- cut-out dimensions ca. 535 x 495 mm (built-in sink)

1013112 stainless steel	697.82 €
Optional accessories	
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €





#### Corno Piu PFU

The further developed Corno single basin series is characterised by symmetrical edge geometry and small basin and edge radii. The precise processing of the 1 mm thick stainless steel material guarantees a high level of durability and quality in use. Aesthetics in detail are evident in the flush integrated overflow and the strainer basket valve integrated flush with the bottom. The all-round narrow bowl rim ensures flat surface-mounted installation, flush installation and problem-free substructure installation.

The wet ground finish creates a fine structure that makes the surface less susceptible to signs of use, facilitates the cleaning of the sink and allows water to drain more easily.

Suitable for worktop thicknesses from 10–40 mm (built-in sink) and from 20 mm (sub-structure sink).






Rost frei








#### Corno Piu PFU2

Built-in/sub-structure sink. Single bowl.  $3\,\%$  " drain and spill-over fitting with basket strainer valve flush with the bottom. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

- cut-out dimensions ca. 370 x 430 mm (built-in sink)
- cut-out dimensions ca. 341 x 401 mm (substructure sink)

1013124 stainless steel	388.25 €
Optional accessories	
1014046 Rotational knob excenter fitting, for Corno Piu PFU 2–11	57.93 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €





#### Corno Piu PFU3




Built-in/sub-structure sink. Single bowl.  $3\frac{1}{2}$ " drain and spill-over fitting with basket strainer valve flush with the bottom. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

#### Flat edge: also suitable for flush installation

- cut-out dimensions ca. 430 x 430 mm (built-in sink)
- cut-out dimensions ca. 401 x 401 mm (substructure sink)

1013123 stainless steel	404.69 €
Optional accessories	
1014046 Rotational knob excenter fitting, for Corno Piu PFU 2–11	57.93 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €





#### Corno Piu PFU5








Built-in/sub-structure sink. Single bowl.  $3\,\%$  " drain and spill-over fitting with basket strainer valve flush with the bottom. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

#### Flat edge: also suitable for flush installation

- cut-out dimensions ca. 480 x 430 mm (built-in sink)
- cut-out dimensions ca. 451 x 401 mm (substructure sink)

1013126 stainless steel	410.74 €
Optional accessories	
1014046 Rotational knob excenter fitting, for Corno Piu PFU 2–11	57.93 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €





#### Corno Piu PFU4







Built-in/sub-structure sink. Single bowl.  $3\frac{1}{2}$ " drain and spill-over fitting with basket strainer valve flush with the bottom. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

- cut-out dimensions ca. 530 x 430 mm (built-in sink)
- cut-out dimensions ca. 501 x 401 mm (substructure sink)

1013122 stainless steel	421.11€
Optional accessories	
1014046 Rotational knob excenter fitting, for Corno Piu PFU 2–11	57.93 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €



#### Corno Piu PFU11







Built-in/sub-structure sink. With half sink. Both bowls with  $3\,\%$  " drain and spill-over fitting and basket strainer valve flush with the bottom. When using the mounting brackets supplied, the installation width required increases by approx.

30 mm per side in case of the sub-structure sink.

Flat edge: also suitable for flush installation

— cut-out dimensions ca. 545 x 430 mm (built-in sink)

- cut-out dimensions ca. 516 x 401 mm (substructure sink)
  without half sink insert

1013120 stainless steel, bowl right	818.88 €
1013121 stainless steel, bowl left	818.88€
Optional accessories	
1013042 Half sink insert, stainless steel	205.80 €
1014046 Rotational knob excenter fitting, for Corno Piu PFU 2–11	57.93 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €






#### Corno Basso PR

The understated design of the all-round sink rim is continued in the integrated faucet bench of the Corno Basso PR series. Thus, each built-in sink model convinces with contemporary minimalism. Recommended combinations of sink and faucet are presented as a set offer.

The streamlined and symmetrical stainless-steel sinks are ideal for flush and surface-mounted installation. Both options ensure a harmonious transition to the worktop. The Corno Basso PR models feature the small bowl and rim radii typical of the Corno series. Thanks to the first-class workmanship of the stainless-steel material, they are extremely hard-wearing and easy to clean.







#### Corno Basso PR2






Built-in sink. Single bowl.  $3\!\,1\!\!/2^{\rm m}$  drain and spill-over fitting. Flat edge: also suitable for flush installation

suitable for worktop thicknesses from 10 mm to 40 mm
cut-out dimensions ca. 375 x 495 mm (built-in sink)

1013144 stainless steel	453.11 €
Optional accessories	
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €





#### Corno Basso PR3







Built-in sink. Single bowl.  $3\frac{1}{2}$ " drain and spill-over fitting. Flat edge: also suitable for flush installation

- suitable for worktop thicknesses from 10 mm to 40 mm
  cut-out dimensions ca. 435 x 495 mm (built-in sink)

1013145 stainless steel	492.88 €
Optional accessories	
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €







#### Corno Basso


The new Basso series fits conceptually into the minimalist Corno design concept with individual bowls for built-in or substructure installation, and is characterised by a straightforward design language, symmetrical edge geometry and small bowl and edge radii. Values such as durability and quality in use are guaranteed by the particularly precise processing of the 1 mm thick stainless steel material. The all-round narrow bowl rim ensures flat surface-mounted installation, flush installation and problem-free substructure installation. With four bowl sizes and faucet set combinations, a wide range of kitchen plans can be realised. Optional accessories such as the stainless steel push button, half sink, draining tray and chopping board complete the exclusive Corno own-brand range.

The wet ground finish creates a fine structure that makes the surface less susceptible to signs of use, facilitates the cleaning of the sink and allows water to drain more easily.

The sinks are suitable for worktop thicknesses from 10–40 mm (built-in sink) and from 20 mm (sub-structure sink).







#### Corno Basso 2








Built-in/sub-structure sink. Single bowl.  $3\frac{1}{2}$ " drain and spill-over fitting. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

#### Flat edge: also suitable for flush installation

- cut-out dimensions ca. 370 x 430 mm (built-in sink)

cut-out dimensions ca. 340 x 400 mm (substructure sink)

1013140 stainless steel	341.56 €
Optional accessories	
1014047 Rotational knob excenter fitting, for Corno Basso 2–5	53.00 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €
1013059 Pull knob excenter fitting, for Corno Basso sinks	102.04 €



#### Corno Basso 3




Built-in/sub-structure sink. Single bowl.  $3\frac{1}{2}$ " drain and spill-over fitting. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

#### Flat edge: also suitable for flush installation

- cut-out dimensions ca. 430 x 430 mm (built-in sink)
- cut-out dimensions ca. 400 x 400 mm (substructure sink)

1013141 stainless steel	354.53 €
Optional accessories	
1014047 Rotational knob excenter fitting, for Corno Basso 2–5	53.00 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €
1013059 Pull knob excenter fitting, for Corno Basso sinks	102.04 €



#### Corno Basso 5

286






Built-in/sub-structure sink. Single bowl.  $3\,\%$  " drain and spill-over fitting. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.

#### Flat edge: also suitable for flush installation

- cut-out dimensions ca. 480 x 430 mm (built-in sink)
- cut-out dimensions ca. 450 x 400 mm (substructure sink)

1013142 stainless steel	378.74 €
Optional accessories	
1014047 Rotational knob excenter fitting, for Corno Basso 2–5	53.00 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €
1013059 Pull knob excenter fitting, for Corno Basso sinks	102.04 €



#### Corno Basso 4







Built-in/sub-structure sink. Single bowl.  $3\,\%$  " drain and spill-over fitting. When using the mounting brackets supplied, the installation width required increases by approx. 30 mm per side in case of the sub-structure sink.


- cut-out dimensions ca. 530 x 430 mm (built-in sink)
- cut-out dimensions ca. 500 x 400 mm (substructure sink)

1013143 stainless steel	384.79 €
Optional accessories	
1014047 Rotational knob excenter fitting, for Corno Basso 2–5	53.00 €
1013044 Drip tray large, stainless steel	204.94 €
1013043 Drip tray small, stainless steel	184.18 €
1013045 Cutting board made of plastic, white	118.47 €
1013041 Filo dish drainer, stainless steel	65.37 €
1013059 Pull knob excenter fitting for Corno Bassa sinks	102.04 €

Rost frei


Rost frei






#### Drip tray large

 $-366 \text{ mm} \times 431 \text{ mm} (W \times D)$ 







#### **Drip tray small**

 $-196 \text{ mm} \times 431 \text{ mm} (W \times D)$ 






#### Cutting board made of plastic

 $-320 \text{ mm} \times 420 \text{ mm} \text{ (W} \times \text{D)}$ 

1013045 white 118.47 €






#### Bowl connector

Connector for 2 bowls. Required, if two Corno bowls are to be connected to each other.

1013048 white 28.79 €





#### Filo dish drainer

Folding mat. Foldable. Hollow stainless-steel rods ground, black silicone holder, food safe.

- foldable in segments
- stainless steel/silicone
- flat hollow rods in contoured silicone strips
- non-slipsuitable for draining board or worktop
- $-325 \times 450 \text{ mm (W} \times \text{D)}$

1013041 stainless steel

65.37 €

Rost frei





#### Filso drip mat

Drip mat made of silicone. Suitable for sub-structure and flush mounted sinks.

- food safe
- dishwasher safe
- temperature resistance -40 to 230 °C
- not suitable for cutting
- no folding415 x 390 mm (W x D)

1013058 anthracite


108.95 €





#### Corno Ora

The timeless, purist design of the Corno Ora also follows the basic design principle of the Corno line: to reduce form and function to the essentials. Flat rim and narrow radii (15 mm) are the defining features. The ergonomic arrangement of deep basin and large draining board, connected by a guide rail along the complete longitudinal axis for the flexible placement of a chopping board, facilitate the work processes during rinsing and preparation. High quality and dimensional stability with flush and surface installation is ensured by the production of stainless steel in 1 millimetre material thickness. The sink is equipped with a reinforced tap ledge for stable mounting of the faucet. In addition, the platform is reinforced for increased stability and highquality acoustics.



#### Corno Ora





Built-in sink. With draining surface. 31/2" basket strainer valve flush, rotational knob excenter fitting.

#### Flat edge: also suitable for flush installation


- suitable for worktop thicknesses from 30 mm to 40 mm
- cut-out dimensions ca. 480 x 490 mm (built-in sink)

1014040 stainless steel, bowl right	821.47 €
1014041 bac/gauche, bowl left	821.47 €
Optional accessories	
1014042 Drip tray, stainless steel	185.91 €
1014043 Cutting board made of plastic, white	125.38 €




Order-No. 1014042





#### Riva

The Riva sink series impresses with its contemporary and simple design. The sinks of the Riva series are suitable for flat surface mounting on the work surface.



Riva 1



Built-in sink. With draining surface, reversible. 3½" basket strainer valve flush, rotational excenter fitting.

— suitable for worktop thicknesses from 30 mm to 40 mm

— cut-out dimensions ca. 770 x 480 mm

1014020 stainless steel	278.44 €
Optional accessories	
<b>1014014</b> Drip tray, stainless steel, 342 x 410 mm	138.35 €

Order-No. 1014014

408

342

860

0

1000

0

145 1000 455

473

410





Order-No. 1014014



### Riva 2



Built-in sink. With draining surface, reversible.  $3\frac{1}{2}$ " basket strainer valve flush, rotational excenter fitting.

- suitable for worktop thicknesses from 30 mm to 40 mm
- cut-out dimensions ca. 835 x 475 mm


1014021 stainless steel 278.44 €

#### Optional accessories

138.35 € 1014014 Drip tray, stainless steel,  $342 \times 410 \text{ mm}$ 







#### Riva 3



Built-in sink. With draining surface, reversible. 3% " basket strainer valve flush, rotational excenter fitting.

- suitable for worktop thicknesses from 30 mm to 40 mm
- cut-out dimensions ca. 975 x 475 mm

1014022 stainless steel

425.44 €





Order-No. 1014014



#### Riva 4



Built-in sink. With draining surface and half sink, reversible.  $3\frac{1}{2}$ " basket strainer valve flush, rotational excenter fitting in the large bowl, half sink closeable.

- suitable for worktop thicknesses from 30 mm to 40 mm
- cut-out dimensions ca. 975 x 475 mm
- without half sink insert


1014023 stainless steel	356.26 €
Optional accessories	
<b>1014014</b> Drip tray, stainless steel, 342 x 410 mm	138.35 €
1014013 Half sink insert, stainless steel	99.44 €





#### Nava

These sinks with their rhythmically outlined shapes complement the functional product range, giving it high longevity and durability.



#### Nava 1



Built-in sink. With draining surface, reversible. 3½" basket strainer valve flush, rotational excenter fitting.

— suitable for worktop thicknesses from 17 mm to 40 mm

— cut-out dimensions ca. 630 x 480 mm


1015040 stainless steel

263.73 €

Stainless steel

Order no. Item/ Description

per pc. excl. VAT



Nava 2




Built-in sink. With draining surface, reversible.  $3\frac{1}{2}$ " basket strainer valve flush, rotational excenter fitting.

- suitable for worktop thicknesses from 17 mm to 40 mm
  cut-out dimensions ca. 760 x 415 mm

1015041 stainless steel

201.48 €



Nava 3



Built-in sink. With draining surface, reversible.  $3\frac{1}{2}$ " basket strainer valve flush, rotational excenter fitting.


— suitable for worktop thicknesses from 17 mm to 40 mm

— cut-out dimensions ca. 780 x 480 mm

1015042 stainless steel

273.25 €





Standard S1

Rost


Built-in sink. Single bowl.  $1 \ensuremath{\,^{1\!}}\xspace^{\!\!\!\!\!\!}\xspace^{\!\!\!\!\!\!\!}}$  drain and spillover fittings.

- suitable for worktop thicknesses from 30 mm to 40 mm

- cut-out dimensions according to template

1016056 stainless steel 193.70 €





Standard S2




Built-in sink. Single bowl.  $1\frac{1}{2}$ " drain and spillover fittings. — suitable for worktop thicknesses from 30 mm to 40 mm

- cut-out dimensions ca. 445 x 415 mm

1016057 stainless steel

178.99 €





Standard S3





suitable for worktop thicknesses from 30 mm to 40 mm
 cut-out dimensions ca. 840 x 415 mm

1016042 stainless steel


128.63 €



Order no. Item/ Description

per pc. excl. VAT





Standard S8

Rost

Built-in sink. Single round bowl.  $1\,\%$  " drain and spillover fittings.

suitable for worktop thicknesses from 30 mm to 40 mm
 cut-out dimensions as per template

1016108 stainless steel 172.08 €

#### Rotational knob excenter fitting

— stainless steel— drill Ø 35 mm

<b>1013057</b> for Corno Turno 50/60	97.71 €
<b>1014044</b> for Corno Ora	108.95 €
<b>1014045</b> for Corno Piu PR 2–4	97.71 €

## Drain and spillover valve


<b>1010046</b> 3½", for Corno Basso	32.42 €
<b>1010047</b> 3½", for Corno Piu PFU 11	51.80€
1010048 3½", for Corno Piu PFU 1-5	34.15 €
<b>1016041</b> 1½", for Standard S3	23.61 €
<b>1016058</b> 1½", for Standard S1, S2 and S8	13.67 €

#### **Rotational excenter fitting**

- 3½" basket strainer valve flush

<b>1010050</b> for Nava 1-3	78.43 €
<b>1014090</b> for Riva 4	53.10 €
<b>1014091</b> for Riva 1-3	73.24 €

# NABER-CONTURA® Ceramics



# Versatile and consistent

PickUP E	Page 33
PickUP F	Page 34
PickUP U	Page 35
LineUP 2E	Page 36
LineUP 2F	Page 37
LineUP 1E	Page 38
LineUP 1F	Page 39
Filo dish drainer	Page 40
Filso drip mat	Page 40
Cover cap drain cover	Page 40
Premium rotational excenter	Page 40
Bowl insert	Page 40
Chopping board	
made of bamboo	Page 40
Butler sinks	Page 41
Patera 40	Page 43
Lavara 60	Page 44

# NABER-CONTURA® Ceramics

# PickUP + LineUP -High-grade ceramics when the highest quality is needed

Naber's new PickUP + LineUP ranges of ceramic sinks win every respect. The high-quality fine stoneware is elaborately manufactured with selected craftsmanship. Each product is carefully cast, polished, glazed, fired, ground and then thoroughly inspected.

As a result, the product is particularly resistant and safe to withstand extreme demands.

PickUP + LineUP ceramic kitchen sinks are incredibly resistant! The sinks are particularly easy and problem-free to clean, they are completely odourless and tasteless. Due to their high scratch resistance, the sinks can even be used as a cutting surface.

PickUP + LineUP sinks

are impact-resistant and resistant to cold, heat and acids. Not even colour-intensive food or household chemicals leave any traces!

Five different installation types, four colours and an attractive range of shapes create variety. In our own sample book, the choice of colours is haptically and impressively documented.

#### Naber PickUP + LineUP

ceramic sinks can be integrated into kitchens of any style and quickly become a valuable, practical and aesthetic eye-catcher.







#### **Colours**



#### **Extended warranty**

Due to their extraordinary insensitivity and excellent quality of use, we give a **5-year warranty** against manufacturing defects on the luxury ceramic sinks PickUP + LineUP.

#### Installation types



#### Installation from above

Sinks with classic profiled outer edge for versatile daily applications. Quick and easy installation in all types of worktops.



#### Flush mounting

The flush-mounted installation combines sink and worktop in an elegant combination and offers the highest level of comfort



#### Sinks for substructure

Continuous closed worktops with traditionally undermounted basins accentuate the material of the worktop and offer comfort without disturbing edges.


# INFO BROCHURE

naber.com/en/downloads/

### **PickUP**

Best ceramic, smart design – remarkably practical in daily use





Order no. Item/



#### PickUP E


With increasing awareness of a resource-friendly use of water, smart sink concepts such as PickUP E are coming to the fore. High-quality ceramic and a ledge integrated into the bowl make this single bowl sink so unique. You don't always need a full sink to wash up a few glasses, cups and cutlery items and then drain them on the lower second level – which is also a practical place to put scrubbed vegetables, peelings and cuttings. Even the washing of a baking tray is part of the creative solution of a single bowl geometry for the economical routine of everyday washing up. Available in five colour variants, PickUP E can be integrated into any modern furnishing concept as a built-in sink.

We recommend using a faucet with pull-out spout or shower head.

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.























#### PickUP E

Built-in sink. Ceramic, single bowl with second level, reversible,  $3\,\%$  " basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1+2 drilled through.

- suitable for worktop thicknesses from 30 mm
- cut-out approx. 540 x 480 mm, R 5 mm

951.18€
951.18€
951.18€
951.18€
951.18€
185.91 €
172.08 €





#### PickUP F


As a flush mounting variant, PickUP  ${\sf F}$  is based on the trend towards edgeless integration into the worktop. The optical component not only upgrades the sink area stylistically, it is also easier to clean - a thoroughly important comfort aspect for kitchen planning. PickUP F also offers the choice between five colours, giving you the opportunity to set further individual accents.

We recommend using a faucet with pull-out spout or shower head.

Sink with milled outer edge for flush mounting. Worktop thickness min. 30 mm. Attention: In the cutout, a chamfer of 2 mm x 45° has to be applied to the upper

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.



Order-No. 1091038















#### PickUP F

Built-in sink for flush mounting. Ceramic, single bowl with second level, reversible, 3½" basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.

- suitable for worktop thicknesses from 30 mm
- requires beading all round or a support bar (beading depth 25 mm, beading width 8 mm)
- cutout dimensions approx. 550 x 490 mm, R 12 mm

<b>1091011</b> white glossy	1033.32 €
1091012 slate	1033.32 €
1091013 nero	1033.32 €
1091014 lava	1033.32 €
1091015 white matt	1033.32 €
Optional accessories	
1091038 Bowl insert, stainless steel	185.91 €
1091039 Chopping board made of bamboo, oiled	172.08 €





#### PickUP U

Designed for rimless substructure mounting, the sink contour of the PickUP U directly adjoins the worktop cut-out. Pure aesthetics, which convey a more generous effect of the dishwashing area and the environment in a purist elegant way. It is particularly appreciated by planners when combined with stone, concrete and ceramic worktops. The trendy five-colour concept of the PickUP U offers versatile design options.


We recommend using a faucet with pull-out spout or shower head.

Sink with milled outer edge for sub-structure mounting. Worktop thickness min. 30 mm. If the sub-structure sink is glued, thinner worktops can be used.

Due to the tolerance, we recommend that you make the cutout based on the supplied bowl.

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.




#### PickUP U

Substructure sink. Ceramic, single bowl with second level, reversible,  $3\frac{1}{2}$ " basket strainer valve flush with premium rotational excenter fitting, chromed, without drill

- suitable for worktop thicknesses from 30 mm
- cutout dimensions approx. 433 x 417 mm, R 19 mm
- no tap hole bank: provide holes for faucet and excenter in the worktop
- incl. mounting material

<b>1091021</b> white glossy	1171.68 €
1091022 slate	1171.68 €
1091023 nero	1171.68 €
1091024 lava	1171.68 €
1091025 white matt	1171.68 €






#### LineUP 2E

High-quality ceramic built-in sink in a contemporary look. A deep bowl as well as a small, slightly inclined integrated draining surface with practical drip tray determine the clear design language of the new model series. Cleverly designed, with its continuous material thickness, the edge-mounted sink widens in the area of the tap ledge. Plannable in reverse and available in five colour variants, LineUP 2E meets all the requirements for furnishing and equipping smaller wash stations.

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.



#### LineUP 2E


Built-in sink. Ceramic, single bowl with small draining surface, reversible,  $3\frac{1}{2}$ " basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1+2 drilled through.

- suitable for worktop thicknesses from 30 mm
- cut-out approx. 585 x 480 mm, R 5 mm

921.78 €
921.78 €
921.78 €
921.78 €
921.78€
185.91 €
172.08 €

white glossy





# LineUP 2F

With the flush mounting solution, LineUP 2F relies on the practical and aesthetic advantages of rimless mounting.


advantages of rimless mounting.

A deep bowl as well as a small, slightly inclined integrated draining surface with practical drip tray determine the clear design language of the new model series. Plannable in reverse and available in five colour variants, as a convenient functional solution, LineUP 2F meets all the requirements for furnishing and equipping smaller wash stations.

Sink with milled outer rim for flush installation. Worktop thickness min. 30 mm. Attention: In the cutout, a bevel of 2 mm  $\times$  45° must be applied to the upper edge!

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.



Order-No. 1091038













# LineUP 2F

Built-in sink for flush mounting. Ceramic, single bowl with small draining surface, reversible,  $3\frac{1}{2}$ " basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1+2 drilled through.

- suitable for worktop thicknesses from 30 mm
- requires beading all round or a support bar (beading depth 25 mm, beading width 8 mm)
- cutout dimensions approx. 595 x 490 mm, R 12 mm

1011.70€
1011.70€
1011.70€
1011.70€
1011.70€
185.91 €
172.08 €






# LineUP 1E

The surface-mounted built-in model variant offers more space for depositing dishes and pots and for preparation work. Plannable in reverse and available in five colour variants, as a functional solution with added convenience, LineUP 1E meets all the requirements for furnishing and equipping smaller wash stations.

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.




# LineUP 1E

Built-in sink. Ceramic, single bowl with draining surface, reversible,  $3\frac{1}{2}$ " basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.

- suitable for worktop thicknesses from 30 mm
- cut-out approx. 830 x 480 mm, R 5 mm

<b>1091051</b> white glossy	1076.56 €
1091052 slate	1076.56 €
1091053 nero	1076.56 €
1091054 lava	1076.56 €
1091055 white matt	1076.56 €
Optional accessories	
1091038 Bowl insert, stainless steel	185.91 €
1091039 Chopping board made of bamboo, oiled	172.08 €








# LineUP 1F

The flush built-in model variant offers more space for depositing dishes and pots and for preparation work. Plannable in reverse and available in five colour variants, as a functional solution with added convenience, LineUP 1F meets all the requirements for furnishing and equipping smaller wash stations.

Sink with milled outer rim for flush installation. Worktop thickness min. 30 mm. Attention: In the cutout, a bevel of 2 mm x 45° must be applied to the upper edge!

5 years manufacturer's warranty (except on wearing parts)

Design by Hans Winkler Design, Grafenau.

















# LineUP 1F


Built-in sink for flush mounting. Ceramic, single bowl with draining surface, reversible,  $3\frac{1}{2}$ " basket strainer valve flush with premium rotational excenter fitting, chromed, drill hole 1 + 2 drilled through.


- suitable for worktop thicknesses from 30 mm
- requires beading  $\dot{a}$ ll round or a support bar (beading depth 25 mm, beading width 8 mm)
- cutout dimensions approx. 840 x 490 mm, R 12 mm

<b>1091056</b> white glossy	1180.32 €
<b>1091057</b> slate	1180.32 €
1091058 nero	1180.32 €
1091059 lava	1180.32€
1091060 white matt	1180.32€
Optional accessories	
1091038 Bowl insert, stainless steel	185.91 €
1091039 Chopping board made of bamboo, oiled	172.08 €

7

Rost frei





# Filo dish drainer

Folding mat. Foldable. Hollow stainless-steel rods ground, black silicone holder, food safe.

- foldable in segments
  stainless steel/silicone
- flat hollow rods in contoured silicone strips
- non-slip
- suitable for draining board or worktop
- $-325 \times 450 \text{ mm (W} \times \text{D)}$

1013041 stainless steel

65.37 €





# Filso drip mat

Drip mat made of silicone. Suitable for sub-structure and flush mounted sinks.

- food safe
- dishwasher safe
- temperature resistance –40 to 230  $^{\circ}\text{C}$
- not suitable for cutting
- no folding 415 x 390 mm (W x D)

1013058 anthracite

108.95 €

Rost frei

Rost frei





Cover cap drain cover	Rost fref
1091030 stainless steel glossy	33.72 €
1091031 brushed stainless steel	35.88 €
1091032 ceramic, white glossy	73.93 €
<b>1091033</b> ceramic, slate	73.93 €
<b>1091034</b> ceramic, nero	73.93 €
<b>1091035</b> ceramic, lava	73.93 €
1091040 ceramic, white matt	73.93 €



### Premium rotational excenter

For PickUP/LineUP sinks.

We recommend the stainless steel premium rotational excenter for a stainless steel or stainless steel coloured faucet.

<b>1091027</b> nero	65.72€
1091037 stainless steel	65.72€
<b>1091036</b> chrome	56.20 €



# **Bowl insert**

Bowl insert, stainless steel.

 $-130 \times 410 \text{ mm} (W \times D)$ 

1091038 stainless steel 185.91 €




# Chopping board made of bamboo

Chopping board made of bamboo, oiled.  $-300 \times 460$  mm (W x D)

**1091039** oiled 172.08 €






# Butler sink double bowl



Butler sink, ceramic. Double bowl incl. half bowl, crystal clear.  $3\frac{1}{2}$ " basket strainer valve flush, rotational excenter fitting, chrome-plated, turning knob stainless steel coloured and attachment set for installation on a floor cabinet.

- the back of the sink is unglazed and provided with two mounting holes
- sink is delivered with 2 drill holes (1 + 2)
  Please state if no drill hole is required.
- with half bowl insert

<b>1094051</b> white glossy	1660.24 €
1094067 graphite	1660.24 €
<b>1094079</b> pure black	1701.74 €
Optional accessories	
1094063 Wire basket, stainless steel	181.59€
1094064 Attachment set for wall mount	190.23 €



# Butler sink single bowl



Butler sink, ceramic. Single bowl.  $3\frac{1}{2}$ " basket strainer valve flush, rotational excenter fitting, chrome-plated, turning knob stainless steel coloured, attachment set for installation on a floor cabinet.

- rear of sink is unglazed
- sink is delivered with 2 drill holes (1 + 2)
- Please state if different drill hole (1, 2 or 3) or none is required.

961.55 €
961.55€
987.49 €
190.23 €

# NABER-CONTURA® Ceramics



# Lavara/Patera counter-top basins for stylish living



Lavara and Patera give nothing but pleasure! The counter-top basins made of high-quality porcelain stoneware are timelessly beautiful in form and of superior ceramic quality. They are therefore among the selected details of a well-kept living atmosphere.


Modern colour variations ensure a seamless connection with all upmarket interiors. Whether round or square together with the precisely matching, perfectly shaped faucet, an ensemble is created that adds unobtrusive elegance to its surroundings.




# **Colours**


white glossy

slate









# Patera 40

Top mounted washbasin round. Ceramics.

— incl. drain with ceramic cover

— cut-out approx. Ø 357 mm

— bowl can not be closed

Matching bathroom faucets can be found in catalogue 1 page 107–114/25 EN. Matching odour traps can be found in catalogue 2 Page 116/25 EN.

1091100 white glossy	916.59€
1091101 slate	998.74 €
1091102 nero	998.74 €





# Lavara 60

Top mounted washbasin angular. Ceramics.

— incl. drain with ceramic cover

— cut-out approx. 555 x 355 mm

— bowl can not be closed

Matching bathroom faucets can be found in catalogue 1 page 107–114/25 EN. Matching odour traps can be found in catalogue 2 Page 116/25 EN.

1091110 white glossy	1131.04€
1091111 slate	1275.45 €
1091112 nero	1275.45 €


# Composite NABER-CONTURA®

Cin Nagranit – seduction for the senses



Angola 100	Page 47
Angola 100 L	Page 48
Angola 150	Page 49
Corto 615	Page 50
Corto 780	Page 51
Angola 40	Page 52
Angola 56	Page 53
Singoli 600	Page 54
Drip tray made	
of stainless steel	Page 55
Care set Cin-Nagranit	Page 55
Filo dish drainer	Page 55
Filso drip mat	Page 55
Spare parts	Page 55

# NABER-CONTURA® Composite



# Cin Nagranit – seduction for the senses

Cin-Nagranit sinks are an excellent choice in which sensory attractiveness and rational aspects are perfectly harmonised. So the decision for the composite material of the sinks is only logical: it has advantages, the combination of which can hardly be achieved by other materials.

First and foremost is the outstanding resilience. Cin-Nagranit sinks are in-pired by nature and are made with a high component of quartz stone using state of the art technology. Cin-Nagranit is water, scratch and stainresistant, non-swelling, easy to clean, food safe and extremely durable. Even after many years of use, Cin-Nagranit retains its distinct colour intensity and beauty.


In addition, Cin-Nagranit sinks lure with the seductive Touchfeel of an incomparably smooth surface and a varied range of colours and shapes. The best impression of this is conveyed by the Cin-Nagra-

nit sample case. Emotionally strong tactile and visual stimuli impressively enable you to experience the sink surface, which is both robust and velvety, and simply invites you to touch it.

Sharp-contoured lines and unobtrusively elegant granite colours support the creative adaptation of the Cin-Nagranit sinks to all styles of kitchen. To make diverse personal design wishes possible, Cin-Nagranit sinks are also optionally available with matching faucets. It is only natural that we also pay attention to the highest quality! The design and unsurpassed functionality of the faucet and sink thus convey an evident characteristic of outstanding kitchen architecture.


NABER-CONTURA® composite sinks are tested according to the European standard BS ES 13310:2015 and can easily be used in combination with hot water fittings (+/– 100 °C).

### **Colours**





















# Angola 100

- both sides drilled through
  suitable for worktop thicknesses from 22 mm to 44 mm
  cut-out dimensions ca. 840 x 480 mm
  can also be used in combination with hot water fittings (+/-100 °C)

# Colour samples see catalogue 1 pages 46/25 EN.


1106001 granite nero	337.23 €
1106002 granite espresso	337.23 €
1106003 granite metallico	337.23 €
1106005 granite magnolia	337.23 €
1106006 granite concrete	337.23 €
1106007 granite lava	337.23 €
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	125.38 €



# Gramix 1 high pressure faucet

Swivel range 360°, drill Ø 35 mm.


1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €



# Gramix 2 high pressure faucet

Trim poir our ourion ouriver range ood , arm & oo	
1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €





Order-No. 1106051














# Angola 100 L

Built-in sink. Composite, with large bowl and draining surface, reversible.  $3\,\%$  " basket strainer valve flush with rotational excenter fitting, chrome plated.

- pre-drilled on both sides
- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca.  $980 \times 480 \text{ mm}$  can also be used in combination with hot water fittings (+/-100 °C)

# Colour samples see catalogue 1 pages 46/25 EN.


1106031 granite nero	380.47 €
1106032 granite espresso	380.47 €
1106033 granite metallico	380.47 €
1106035 granite magnolia	380.47 €
1106036 granite concrete	380.47 €
1106037 granite lava	380.47 €
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	125.38 €



# Gramix 1 high pressure faucet


Swivel range 360°, drill  $\varnothing$  35 mm.

1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €




# Gramix 2 high pressure faucet

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €








# Angola 150

Built-in sink. Composite, with draining surface and half sink, reversible.  $3\,\%$  " basket strainer valve flush with rotational excenter fitting, chrome-plated. Half sink closeable.

- both sides drilled through
- suitable for worktop thicknesses from 22 mm to 44 mm
   cut-out dimensions ca. 980 x 480 mm
- without half sink insert
- can also be used in combination with hot water fittings (+/-100 °C)

# Colour samples see catalogue 1 pages 46/25 EN.


1106011 granite nero	389.12€
1106012 granite espresso	389.12€
1106013 granite metallico	389.12€
1106015 granite magnolia	389.12€
1106016 granite concrete	389.12€
1106017 granite lava	389.12€
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	125.38 €
1106052 Half sink insert, stainless steel, 337 x 182 mm	120.20 €



# Gramix 1 high pressure faucet

Swivel range 360°, drill  $\varnothing$  35 mm.


246.27 €
246.27 €
246.27 €
246.27 €
246.27 €
246.27 €



# Gramix 2 high pressure faucet

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €





# Corto 615

7


Built-in sink. Composite, with small draining surface, reversible. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated.

— both sides drilled through

- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 595 x 480 mm
- can also be used in combination with hot water fittings (+/-100 °C)

# Colour samples see catalogue 1 pages 46/25 EN.


1106081 granite nero	298.33 €
1106082 granite espresso	298.33 €
1106083 granite metallico	298.33 €
1106085 granite magnolia	298.33 €
1106086 granite concrete	298.33 €
1106087 granite lava	298.33 €
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	125.38 €



# Gramix 1 high pressure faucet

Swivel range 360°, drill  $\varnothing$  35 mm.

1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €




# Gramix 2 high pressure faucet

With pull-out outlet. Swivel range 360°, drill  $\varnothing$  35 mm.

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €





7

Built-in sink. Composite, with small draining surface, reversible. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated.


— both sides drilled through

Corto 780

- suitable for worktop thicknesses from 22 mm to 44 mm
  cut-out dimensions ca. 760 x 480 mm
  can also be used in combination with hot water fittings (+/-100 °C)


# Colour samples see catalogue 1 pages 46/25 EN.

1106041 granite nero	319.94 €
1106042 granite espresso	319.94 €
1106043 granite metallico	319.94 €
1106045 granite magnolia	319.94 €
1106046 granite concrete	319.94 €
1106047 granite lava	319.94€
Optional accessories	
1106051 Drip tray made of stainless steel, 466 x 252 mm	125.38 €



# Gramix 1 high pressure faucet Swivel range 360°, drill Ø 35 mm.


1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €



# Gramix 2 high pressure faucet With pull-out outlet. Swivel range 360°, drill Ø 35 mm.

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €





# Angola 40

7


Built-in sink. Composite, single bowl. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated. 3 pre-drilled holes, **drill holes must be completed during assembly**.

# Also suitable for flush installation.

- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 380 x 480 mm (built-in sink)
- can also be used in combination with hot water fittings (+/-100  $^{\circ}\text{C})$

### Colour samples see catalogue 1 pages 46/25 EN.


1106111 granite nero	298.33 €
1106112 granite espresso	298.33 €
1106113 granite metallico	298.33 €
1106114 granite magnolia	298.33 €
1106115 granite concrete	298.33 €
1106116 granite lava	298.33 €



# Gramix 1 high pressure faucet

Swivel range 360°, drill Ø 35 mm.

1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €



# Gramix 2 high pressure faucet

BELGAQUA

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €



Order no. Item/














# Angola 56



Built-in sink. Composite, single bowl. 3½" basket strainer valve flush with rotational excenter fitting, chrome-plated. 5 pre-drilled holes, **drill holes must be completed during assembly**.

# Also suitable for flush installation.

- suitable for worktop thicknesses from 22 mm to 44 mm
- cut-out dimensions ca. 545 x 495 mm (built-in sink)
- can also be used in combination with hot water fittings (+/-100 °C)

### Colour samples see catalogue 1 pages 46/25 EN.


1106021 granite nero	349.35 €
1106022 granite espresso	349.35 €
1106023 granite metallico	349.35 €
1106025 granite magnolia	349.35 €
1106026 granite concrete	349.35 €
1106027 granite lava	349.35 €



# Gramix 1 high pressure faucet

Swivel range 360°, drill Ø 35 mm.


-	
1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €



# Gramix 2 high pressure faucet

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €





# Singoli 600

Sub-structure sink. Composite, single bowl. 3½" basket strainer valve flush, rotational excenter fitting, chrome plated.


— suitable for worktop thicknesses from 22 mm to 44 mm

— eccentric handle drilling dimension Ø 35 mm

- cut-out dimensions ca.  $468 \times 390$  mm can also be used in combination with hot water fittings (+/-100 °C)

# Colour samples see catalogue 1 pages 46/25 EN.


1106071 granite nero	356.26 €
1106072 granite espresso	356.26 €
1106073 granite metallico	356.26 €
1106075 granite magnolia	356.26 €
1106076 granite concrete	356.26 €
1106077 granite lava	356.26 €



# Gramix 1 high pressure faucet

Swivel range 360°, drill Ø 35 mm.

1100401 granite nero	246.27 €
1100402 granite espresso	246.27 €
1100403 granite metallico	246.27 €
1100405 granite magnolia	246.27 €
1100406 granite concrete	246.27 €
1100407 graniete lava	246.27 €



# Gramix 2 high pressure faucet

1100411 granite nero	286.47 €
1100412 granite espresso	286.47 €
1100413 granite metallico	286.47 €
1100415 granite magnolia	286.47 €
1100416 granite concrete	286.47 €
1100417 granite lava	286.47 €



# Drip tray made of stainless steel



Fits Angola 100, Angola 100 L, Angola 150, Corto 615 and Corto 780.

1106051 466 x 252 mm

125.38 €





# Care set Cin-Nagranit

Set consisting of 3 bottles à 50 ml incl. eraser sponge.

- 1 x easy care product
- 2 x descaler/stain remover

1100003 33.29 €





# Filo dish drainer




Folding mat. Foldable. Hollow stainless-steel rods ground, black silicone holder, food safe.

- foldable in segments
- stainless steel/silicone
- flat hollow rods in contoured silicone strips
- non-slip
- suitable for draining board or worktop
- $-325 \times 450 \text{ mm (W} \times D)$

1013041 stainless steel

65.37 €





# Filso drip mat

Drip mat made of silicone. Suitable for sub-structure and flush mounted sinks.

- food safe
- dishwasher safe
- temperature resistance -40 to 230 °C
- not suitable for cutting
- no folding
- $-415 \times 390 \text{ mm (W x D)}$

1013058 anthracite

108.95 €

# Rotational excenter fitting

- 3½" basket strainer valve flush

1106061 for Angola 150	63.39 €
1106062 for Angola 56	59.23 €
1106063 for Angola 100, Angola 100 L, Singoli 600	49.98 €
<b>1106064</b> for Corto 780 and Corto 615	49.98 €
1106066 for Angola 40	58.80 €

# Strainer basket insert manually operated

- 3½" strainer basket insertfor Singoli 600

1106065 15.65€