


ARMATE®

Faucets



Faucets

Aesthetics



They are a striking addition to contemporary sink design: the ARMATE® faucets live up to all aesthetic demands in terms of material, shape and colour. Gone are the days when taps just had a job to do! Today, with their attractive design and smooth operation, they are among the most sought-after design elements in kitchen architecture.




The energy-efficient Cold-Start technology and pull-out outlets are just as much part of the ingenious technical attributes as precisely functioning high-quality cartridges and ceramic sealing washers.

The wide range of models offers selected faucets for every setting. Gleaming chrome, shimmering matt stainless steel or the spectacular trend colour black, as a convenient single-lever mixer or classic with two handles: ARMATE® faucets are always a long-standing, stylistically confident companion in every well-appointed kitchen.

# ARMATE® Faucets

Monolithic design  
from classic to modern

Faucets



ARMATE® SERVIZIO  
Premium high-class faucets Page 65–70

ARMATE® LINEA  
Perfect in design  
and functionality Page 71–84

ARMATE® WASSERWERK  
Timeless in  
outstanding quality Seite 85–94

ARMATE® Ideal Standard  
Competence and consistency  
for the kitchen Page 95–98

ARMATE® KLUDI  
Open to all wishes Page 19–106

ARMATE® Basin faucets  
Advanced technology  
for pure relaxation Page 107–114

ARMATE® Storage water heater  
Hot water – immediately! Page 115–120

## Faucet overview

Series		High pressure	Low pressure	Stainless steel/ stainless steel finish	black matt	Shower head/ pull-out outlet	Window faucet (base height mm)	lateral lever position back wards to the wall mm	Two-handle faucet	Swivel range	Height mm	Radius mm	Page
SERVIZIO													
Namor® 1		✓	✓	✓	✓					120°	273	202	67
Namor® 1 Window fitting		✓		✓	✓		25			120°	273	202	67
Namor® 2		✓		✓	✓	✓				120°	273	209	67
Namor® 3		✓	✓	✓	✓			0		120°	306	220	68
Namor® 3 Window fitting		✓		✓	✓		25	0		120°	306	220	68
Namor® 4		✓		✓	✓	✓		0		120°	308	219	68
Namor® 4 Window fitting		✓		✓	✓	✓	50	0		120°	308	219	68
Namor® 5		✓	✓	✓	✓			0		120°	360	213	69
Namor® 5 Window fitting		✓		✓	✓		25	0		120°	360	213	69
Namor® 6		✓		✓	✓	✓		0		120°	420	225	69
Namor® 7			✓	✓	✓	✓		0		120°	308	224	69
LINEA													
Arco 1		✓	✓	✓	✓			0		360°	319	199	73
Arco 5 Window fitting		✓	✓	✓	✓		✓ (45)	0		360°	352	199	74
Arco 2		✓	✓	✓	✓	✓		10		360°	268	217	74
Mio 1		✓	✓	✓	✓			0		360°	400	200	75
Mio 2		✓		✓	✓	✓		0		360°	464	210	75
Fuoco 1		✓	✓	✓	✓					360°	232	213	76

















## Faucet overview

Series		High pressure	Low pressure	Stainless steel/ stainless steel finish	black matt	Shower head/ pull-out outlet	Window faucet (base height mm)	lateral lever position back wards to the wall mm	Two-handle faucet	Swivel range	Height mm	Radius mm	Page
<b>LINEA</b>													
<b>Fuoco 5</b> Window fitting		✓		✓	✓		✓ (50)			360°	232	213	76
<b>Passato 1</b>		✓						✓		360°	246	235	78
<b>Passato 2</b>		✓					20			360°	269	235	78
<b>Turno Solo</b>		✓		✓						200°	230	206	79
<b>Urban</b>		✓		✓	✓	✓	0			360°	468	210	80
<b>Drive 1</b>		✓	✓	✓	✓		0			360°	298	228	81
<b>Drive 1S</b>		✓		✓	✓		0			360°	298	228	81
<b>Drive 2</b>		✓	✓	✓		✓	0			360°	298	203	82
<b>Drive 4</b>		✓		✓		✓	0			360°	507	218,5	82
<b>Drive 5</b>		✓		✓		✓	0			360°	542	224	82
<b>Drive 6</b>		✓			✓	✓	0			360°	486	219	82
<b>Glacier 1</b>		✓		✓						360°	220	243	83
<b>Glacier 2</b>		✓		✓		✓				90°	195	200	83
<b>Casa 1</b>		✓	✓							360°	135	226	84
<b>Casa 2</b>		✓				✓				90°	170	220	84
<b>Casa 5</b> Window fitting		✓					✓ (30)			360°	179	214	84
<b>Glam 1 Bad</b>		✓			✓						162	119	108
<b>Glam 2 Bad</b>		✓			✓						312	189	108


## Faucet overview

Series		High pressure	Low pressure	Stainless steel/ stainless steel finish black matt	Shower head/ pull-out outlet	Window faucet (base height mm)	lateral lever position back wards to the wall mm	Two-handle faucet	Swivel range	Height mm	Radius mm	Page
LINEA												
Glam Leva Bad		✓		✓					173	121	108	
Stile 1 Bad		✓		✓					163	104	109	
Stile 2 Bad		✓		✓					312	190	109	
Sottile 1 Bad		✓		✓					209	116	110	
Sottile 2 Bad		✓		✓					297	186	110	
Kardon 1 Bad		✓							158	104	111	
Kardon 2 Bad		✓		✓					161	112,2	111	
 WASSERWERK												
Portare 1		✓		✓	✓		0	360°	304	228	87	
Portare 2		✓		✓	✓	✓	0	360°	305	203	87	
Portare 3		✓		✓	✓		0	360°	337	188	87	
Aria		✓		✓	✓	✓	0	360°	495	210	88	
Ventari		✓		✓	✓	✓	0	360°	500	220	89	
Kristea		✓		✓	✓	✓	0	360°	420	225	90	
Bendea		✓		✓	✓	✓	0	360°	450	195	91	
Stringere		✓		✓	✓		0	360°	345	210	92	




## Faucet overview

Series		High pressure	Low pressure	Stainless steel/ stainless steel finish	black matt	Shower head/ pull-out outlet	Window faucet (base height mm)	lateral lever position back wards to the wall mm	Two-handle faucet	Swivel range	Height mm	Radius mm	Page
 Ideal Standard													
<b>Ceraflex 1</b>		✓	✓							360°	172	228	97
<b>Ceraflex 5</b> Window fitting		✓				✓ (25)				360°	205	228	97
<b>Ceraflex 3</b>		✓	✓							360°	241	222	97
<b>Cerafit 1</b>		✓	✓							360°	169	226	98
<b>Cerafit 3</b>		✓	✓							360°	228	221	98
<b>Ceraflex Bad</b>		✓									159	110	112
<b>CeraPlan Bad</b>		✓									161	124	112
<b>Cerafine O Bad</b>		✓		✓							176	125	112
<b>Connect Air Bad</b>		✓									156	112	112
<b>KLUDI</b> 													
<b>M2</b>		✓								360°	235	220	101
<b>Mix 1</b>		✓		✓						360°	220	220	102
<b>Mix 2</b>		✓		✓	✓					110°	220	220	102
<b>E-GO-L Sensor</b>		✓		✓			43			360°	340	195	103
<b>Steel 1</b>		✓		✓						360°	215	210	104
<b>Steel 2</b>		✓		✓	✓					110°	215	215	104
<b>Scope 1</b>		✓	✓							360°	152	200	105
<b>Scope 5</b> Window fitting		✓				✓ (25)				360°	172	200	105

## Faucet overview

Series	High pressure	Low pressure	Stainless steel/ stainless steel finish black matt	Shower head/ pull-out outlet	Window faucet (base height mm)	lateral lever position back wards to the wall mm	Two-handle faucet	Swivel range	Height mm	Radius mm	Page
<b>KLUDI</b> 											
Zenta Bad	✓								137	106	113
Pure & Easy Bad	✓								125	110	113
Objekta Bad	✓								140	105	113
Pure & Solid Bad	✓								120	100	113

## Detergent dispenser overview

Series	Stainless steel/ stainless steel finish black matt	Content ml	Height mm	Radius mm	Page
<b>LINEA</b>					
 <b>Pulito 1</b>	✓	500	90	105	83
 <b>WASSERWERK</b>					
 <b>Lepura</b>	✓	✓	550	90	95



# ARMATE® SERVIZIO

Premium high-class faucets



Faucets

 Namor®

Page 67-69

## NAMOR®

Stainless steel faucets with exquisite design and the utmost precision. From Naber!

All the models in the Namor® series bear the Naber logo. It stands for exquisite design and the utmost precision in function. Namor® faucets are a design highlight for every kitchen. They are manufactured to the highest quality in stainless steel and are particularly durable!

The three contemporary shapes are each available in brushed stainless steel or matt black with a high-quality powder coating. The high-pressure faucets Namor® 3 are also available in the elegant and puristic trend colour gunmetal.

With their expressive top-lever design, Namor® 1 and 2 form an unmistakable, attractive highlight at the sink. The models Namor® 3, 4 and (the very latest addition) 7 entice with the subtle, gentle curve of the L-outlet. With their distinctive sweeping contours, Namor® 5 and 6 create an exciting contrast to the linear structure of the sink. Namor® 2, 4 and 6 have a pull-out shower head which can be set to jet/shower. The low-pressure faucet Namor® 7 has a swivelling and pull-out outlet.

The Namor® faucets all come with a high-quality ceramic cartridge as standard. All Namor® faucets are equipped with connection hoses that are at least 700 mm long for the simplest possible installation.

And: Namor® 1, 3, 4 and 5 are now also available as flexible window faucets. The faucet can easily be tilted and is thus the ideal solution for all sinks in front of windows.

All faucets comply with the drinking water ordinance as well as the associated German and European standards.



Namor® 5. Brushed stainless steel surface.



Namor® 2. Brushed stainless steel surface. With pull-out shower head.




Namor® 3. Surface black matt. With high-quality powder coating.



Shower hose with "click" fastening for tool-free installation.



Smooth-running ball-and-socket joint on the pull-out shower (Namor® 6).



Precise switching of laminar jet and shower in the aerator.



Energy-saving cold-start technology: no hot water in the starting position!



Smooth-running high-quality cartridge with ceramic discs.



5 years manufacturer's warranty (except wearing parts). Factory customer service in DE, AT and NL.




## Namor®

The high-quality stainless steel Namor® series of faucets stands for three contemporary design concepts and guarantees maximum user benefits in all shapes and forms. Whether stylishly linear, self-confidently L-shaped or elegantly C-shaped – Namor® kitchen faucets convince with their aesthetic perfection and technical precision. In every design, the Namor® faucets impress with their slender lever and their stainless steel and matt black colours. Each design includes two versions: the faucet with swivelling outlet and the faucet with swivelling and pull-out hose with shower head. With a five-year manufacturer's guarantee, we provide comprehensive customer service in Germany and Austria.

**Stainless steel**

**5 years manufacturer's warranty (except on wearing parts)**

**Factory customer service in Germany, Austria and the Netherlands**



## Namor® 1




Single lever faucet. With swivelling outlet, laminar aerator and ceramic cartridge.  
– swivel range 120°  
– drill Ø 35 mm

**5025001** stainless steel, with laminar aerator, high pressure **293.13 €**

**5025013** stainless steel, without laminar aerator, low pressure **299.16 €**

**5025002** black matt, with laminar aerator, high pressure **337.23 €**

**5025014** black matt, without laminar aerator, low pressure **344.54 €**




## Namor® 1 window fitting



Single lever faucet. With swivelling outlet, laminar aerator and ceramic cartridge.  
– **height when tilted only 25 mm**  
– swivel range 120°  
– drill Ø 35 mm

**5025031** stainless steel, high pressure **313.45 €**

**5025032** black matt, high pressure **361.34 €**



## Namor® 2




Single lever mixer. With **swivelling/pull-out** hose with shower head (can be switched to stream or shower), laminar aerator and ceramic cartridge.

– swivel range 120°  
– drill Ø 35 mm  
– showerhead hose: simple click attachment

**5025003** stainless steel, high pressure **399.50 €**

**5025004** black matt, high pressure **457.43 €**



### Namor® 3



Single lever faucet. With swivelling outlet, side lever and ceramic cartridge.  
— swivel range 120°  
— drill Ø 35 mm


**5025005** stainless steel, with laminar aerator, high pressure **267.19 €**

**5025015** stainless steel, without laminar aerator, low pressure **298.32 €**

**5025006** black matt, with laminar aerator, high pressure **306.97 €**

**5025016** black matt, without laminar aerator, low pressure **343.70 €**

**5025044** gunmetal, with laminar aerator, high pressure **326.05 €**



### Namor® 3 window fitting



Single lever faucet. With swivelling outlet, side lever, laminar aerator and ceramic cartridge.


— height when tilted only 25 mm

— swivel range 120°

— drill Ø 35 mm

**5025033** stainless steel, high pressure **311.76 €**

**5025034** black matt, high pressure **358.82 €**



### Namor® 4



Single lever mixer. With swivelling/pull-out hose with shower head (can be switched to stream or shower), side lever, laminar aerator and ceramic cartridge.

— swivel range 120°


— drill Ø 35 mm

— shower hose: simple click fastening

**5025007** stainless steel, high pressure **354.53 €**

**5025008** black matt, high pressure **408.14 €**

**5025045** gunmetal, high pressure **436.97 €**



### Namor® 4 window fitting



Single lever faucet. With swivelling/pull-out hose with shower head (can be switched to stream or shower), side lever, laminar aerator and ceramic cartridge.


— height when tilted only 50 mm

— swivel range 120°

— drill Ø 35 mm

**5025035** stainless steel, high pressure **431.09 €**

**5025036** black matt, high pressure **495.80 €**



### Namor® 5




Single lever mixer. With swivelling outlet, side lever and ceramic cartridge.  
— swivel range 120°  
— drill Ø 35 mm

**5025009** stainless steel, with laminar aerator, high pressure **267.19 €**

**5025038** stainless steel, without laminar aerator, low pressure **298.32 €**

**5025010** black matt, with laminar aerator, high pressure **306.97 €**

**5025039** stainless steel, without laminar aerator, low pressure **343.70 €**



### Namor® 5 window fitting



Single lever faucet. With swivelling outlet, side lever, laminar aerator and ceramic cartridge.


— height when tilted only 25 mm

— swivel range 120°

— drill Ø 35 mm

**5025042** stainless steel, high pressure **311.76 €**

**5025043** black matt, high pressure **358.82 €**



### Namor® 6



Single lever mixer. With **swivelling/pull-out** hose with shower head (can be switched to stream or shower), side lever, laminar aerator and ceramic cartridge.


— swivel range 120°

— drill Ø 35 mm

— shower hose: simple click fastening

**5025011** stainless steel, high pressure **354.53 €**

**5025012** black matt, high pressure **408.14 €**



### Namor® 7



Single lever mixer. With **swivelling/pull-out** outlet, side lever and ceramic cartridge.

— swivel range 120°

— drill Ø 35 mm

**5025017** stainless steel, low pressure **431.09 €**

**5025019** black matt, low pressure **495.80 €**

Faucets

# ARMATE® LINEA

Perfect in design  
and functionality



Faucets

■ Arco	Page 73–74
Laminar aerator Arco	Page 73/74
Mio	Page 75
Fuoco	Page 76
Laminar aerator Fuoco	Page 76
Detergent dispenser Pulito	Page 77
Passato	Page 78
Turno Solo	Page 79
Urban	Page 80
Drive	Page 81–82
Glacier	Page 83
Casa	Page 84
Dirt filter Ecco	Page 84

## LINEA

Our own brand concept ARMATE® LINEA combines high design and convenience with smart functionality in all model classes.

All single lever faucets are equipped with a ceramic cartridge. Quality at optimum value for money offers more scope for the specialist trade.

We give you **5 years warranty** (except for wearing parts), as well as **10 years of warranted supply period** for all spare parts. For conditions, see [naber.com/en/guarantee/](https://naber.com/en/guarantee/).

Your claim to customer service during the warranty period is regulated individually by agreement.

All faucets comply with the drinking water ordinance as well as the associated German and European standards.





## Arco


The Arco faucet series convinces through harmony, elegance and functionality. Its slim and elegant style makes it seem filigree and not too dominant. Which makes the series ideal for kitchen sinks.

**5 years manufacturer's warranty (except on wearing parts)**

**Your entitlement to customer service within the warranty period is arranged individually in consultation with us.**




Arco 5 window fitting



black matt




graphite



chrome



stainless steel finish



black matt



graphite



copper coloured

## Arco 1



Single lever faucet. With swivelling outlet, side lever and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5011250** chrome, high pressure **179.78 €**

**5011257** chrome, low pressure **211.68 €**

**5011251** stainless steel finish, high pressure **259.15 €**

**5011258** stainless steel finish, low pressure **294.70 €**

**5011254** black matt, high pressure **249.90 €**

**5011259** black matt, low pressure **286.57 €**

**5011255** graphite, high pressure **259.15 €**

**5011260** graphite, low pressure **294.70 €**

**5011270** copper coloured, high pressure **400.45 €**

## Laminar aerator HD-24 AG


A soft, natural spray pattern, no splashing water and very quiet. As an alternative to replacing the existing aerator with the Arco 1+5 and Fuoco 1+5 fittings. **For high pressure faucets, with external thread M24x1, H 18 mm, incl. rubber gasket.**











**5010178** chrome **10.46 €**

**5010179** stainless steel finish **15.73 €**

**5010180** graphite **19.63 €**

**5010181** copper coloured **27.49 €**



 KERAMISCHE DICHUNG

— drill Ø 35 mm

<b>5011332</b> black matt, high pressure	<b>319.85 €</b>
<b>5011335</b> black matt, low pressure <sup>4</sup>	<b>360.50 €</b>


**KERAMISCHE  
DICHTUNG**

— drill Ø 35 mm

<b>5011271</b>	copper coloured, high pressure	<b>465.29 €</b>
----------------	--------------------------------	-----------------

<b>5010196</b> chrome	<b>10.37 €</b>
<b>5010197</b> stainless steel finish	<b>15.83 €</b>
<b>5010198</b> graphite	<b>19.46 €</b>
<b>5010199</b> copper coloured	<b>27.41 €</b>






**Mio**


Focused on the essentials, the design challenges of ergonomics, individuality and ease of use that can be timelessly integrated into any sink centre. Three colour variants accentuate the exclusive finish of the model series. The models with a pull-out shower head offer an extended radius of action.


**5 years manufacturer's warranty (except for wearing parts)**

**Your entitlement to customer service within the warranty period is arranged individually in consultation with us.**



Mio 1		
Single lever mixer. With swivelling outlet, side lever and ceramic cartridge.		
— swivel range 360°		
— drill Ø 35 mm		
5011300	chrome, high-pressure	224.04 €
5011301	chrome, low pressure 	268.40 €
5011302	black matt, high pressure	294.35 €
5011303	stainless steel finish, high pressure	323.84 €



Mio 2		
Single lever mixer. With <b>swivelling/pull-out</b> metallic outlet (can be switched to stream or shower), side lever and ceramic cartridge.		
— swivel range 360°		
— drill Ø 35 mm		
<b>5011304</b>	chrome, high-pressure	<b>295.99 €</b>
<b>5011306</b>	black matt, high pressure	<b>368.20 €</b>
<b>5011307</b>	stainless steel finish, high pressure	<b>397.76 €</b>



## Fuoco



Balanced design and technical ease of operation convey a clear message: elegance and flexible usage features for the sink centre. Also in the practical window faucet version, the model impresses with its reliable and long-lasting functional presence in everyday kitchen use.

**5 years manufacturer's warranty (except for wearing parts)**

**Your entitlement to customer service within the warranty period is arranged individually in consultation with us.**



Fuoco 5 window fitting



## Fuoco 1



Single lever mixer. With swivelling outlet and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

5011320 chrome, high pressure 209.95 €



5011321 chrome, low pressure 265.55 €

5011322 stainless steel finish, high pressure 280.25 €

5011323 stainless steel finish, low pressure 347.96 €

5011326 black matt, high pressure 270.31 €

5011327 black matt, low pressure 320.20 €



## Fuoco 5 window fitting





Single lever mixer. With swivelling outlet and ceramic cartridge.

- height when tilted only 50 mm
- swivel range 360°
- drill Ø 35 mm

5011324 chrome, high-pressure 280.42 €

5011325 stainless steel finish, high pressure 365.51 €

5011328 black matt, high pressure 359.98 €




## Laminar aerator HD-24 AG

A soft, natural spray pattern, no splashing water and very quiet. As an alternative to replacing the existing aerator with the Arco 1+5 and Fuoco 1+5 fittings. **For high pressure faucets, with external thread M24x1, H 18 mm, incl. rubber gasket.**

5010178 chrome 10.46 €

5010179 stainless steel finish 15.73 €

5010202 black matt 19.46 €



Pulito 1

Detergent dispenser. Content 500 ml. The easy-to-mount dispenser impresses with its corrosion-resistant materials, simple cleaning and easy refilling without removing the dispenser.  
— drill Ø 27 mm

5011230	chrome	109.21 €
5011231	stainless steel finish	168.35 €





## Passato

The Passato faucets are romantic, playful and good natured. They see themselves as a rejection of everything that is straight-lined and cold and ensure harmony at every sink. Country house atmosphere in the kitchen.

**5 years manufacturer's warranty (except on wearing parts)**

**Your entitlement to customer service within the warranty period is arranged individually in consultation with us.**




## Passato 1

Dual-handle faucet. With swivelling outlet.

- swivel range 360°
- drill Ø 35 mm

<b>5011232</b> chrome, high pressure	<b>168.35 €</b>
<b>5011233</b> antique brass, high pressure	<b>219.37 €</b>
<b>5011234</b> oxidized silver, high pressure	<b>219.37 €</b>



## Passato 2



Single lever faucet. With swivelling outlet, side lever in white and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

<b>5011235</b> chrome, high pressure	<b>286.74 €</b>
<b>5011236</b> antique brass, high pressure	<b>340.52 €</b>
<b>5011237</b> oxidized silver, high pressure	<b>340.52 €</b>






Turno Solo

Turno Solo reflects the special design elements of the functional sink Corno Turno. The clear, reduced design language of the outlet and the integrated operating handle has been convincingly incorporated into the design of this slim solitary faucet for conventional sink installation.

5 years manufacturer's warranty (except for wearing parts)

We regulate your claim to customer service during the guarantee period individually by agreement.

Design by tbSTUDIO, Berlin.



Turno Solo



Single lever mixer. With swivelling outlet, integrated head control and ceramic cartridge.

- ergonomic operation through head control at the end of the outlet
- the high outlet position allows easy filling of higher vessels
- laminar jet regulator
- swivel range 200°
- drill Ø 35 mm

5011282	chrome, high pressure	355.48 €
5011283	stainless steel finish, high pressure	428.37 €







Urban


Elegance, ergonomics and functionality on a high level. A fitting that shows what it can do in everyday kitchen life with plenty of freedom of movement and flexible use. Available in three current colours, it presents itself favourably on every sink.

5-year manufacturer’s warranty (except on wearing parts)


Your claim to customer service during the warranty period will be settled individually by arrangement.



stainless steel finish



black matt



natural brass

Urban



Single lever faucet. With **swivelling/pull-out** hose with shower head made of metal (can be switched to stream or shower), side lever and ceramic cartridge.

Natural brass: colour deviations between the individual components possible.  
May darken over time due to the material.

- swivel range 360°
- drill Ø 35 mm

5011279	stainless steel finish, high pressure	449.73 €
5011280	matt black, high pressure	397.85 €
5011281	natural brass, high pressure	328.42 €






Drive

Drive as a character trait. The Drive faucets have a foible for their day's work. They wait sublimely for their next task and convince, seemingly effortlessly, through harmony and elegance.

The Drive 1, 1S, 2 and 5 in high pressure include **scald protection**, which allows a maximum temperature to be set at the cartridge.

5 years manufacturer's warranty (except on wearing parts)

Your entitlement to customer service within the warranty period is arranged individually in consultation with us.



Drive 1



Single lever faucet. With swivelling outlet, side lever and ceramic cartridge.  
— swivel range 360°  
— drill Ø 35 mm

5011060 chrome, high pressure 145.27 €


5011062 chrome, low pressure 169.49 €

5011061 stainless steel coloured, high pressure 168.62 €

5011063 stainless steel coloured, low pressure 188.50 €

5011059 black matt, high pressure 171.22 €

5011058 black matt, low pressure 194.56 €




Drive 1S



Single lever faucet. With swivelling outlet, black, side lever and ceramic cartridge.  
— **scald protection** (maximum temperature to be set at the cartridge)  
— swivel range 360°  
— drill Ø 35 mm

5011089 stainless steel coloured/black, high pressure 196.29 €



## Drive 2



Single lever faucet. With **swivelling/pull-out** outlet, side lever and ceramic cartridge.


- **scald protection** (maximum temperature to be set at the cartridge)
- swivel range 360°
- drill Ø 35 mm

**5011064** chrome, high pressure **198.89 €**

**5011065** stainless steel coloured, high pressure **228.28 €**

**5011088** stainless steel coloured, low pressure **249.90 €**

**5011096** black matt, high pressure **230.01 €**






## Drive 4



Single lever faucet. With side lever, with 2-stream hand shower and ceramic cartridge. Arched outlet in black, premounted. Arched outlets in red and grey also included as alternatives.

- swivel range 360°
- drill Ø 35 mm

**5011090** stainless steel coloured, high pressure **298.33 €**




## Drive 5



Single lever faucet. With side lever, with spring-guided 2-stream hand shower and ceramic cartridge.

- **scald protection** (maximum temperature to be set at the cartridge)
- swivel range 360°
- drill Ø 35 mm

**5011066** chrome, high pressure **184.87 €**




## Drive 6



Single lever mixer. With side lever, 2-stream hand shower and ceramic cartridge. Arched outlet with soft touch hose and spout with magnetic holder.

- swivel range 360°
- drill Ø 35 mm

**5011094** black matt, high pressure **284.49 €**




Glacier 1



Single lever faucet. With swivelling outlet, ceramic cartridge, **ECO function** (CLICK cartridge) and **scald protection**.  
— swivel range 360°  
— drill Ø 35 mm

5011068	chrome, high pressure	161.70 €
5011069	stainless steel coloured, high pressure	181.59 €



Glacier 2



Single lever faucet with **swivelling/pullout** outlet, ceramic cartridge, **ECO function** (CLICK cartridge) and **scald protection**.  
— swivel range 90°  
— drill Ø 35 mm

5011070	chrome, high pressure	189.37 €
5011071	stainless steel coloured, high pressure	204.94 €




## Casa


Whether as a standard kitchen or window fitting, the LINEA Casa range of fittings offers attractive design and unrestricted functionality. The Casa 1 includes a CLICK cartridge with **ECO function**. Once the resistance is overcome, the water flow is 100 %.

**5 years manufacturer's warranty (except on wearing parts)**

**Your entitlement to customer service within the warranty period is arranged individually in consultation with us.**



Casa 5 window fitting



## Casa 1




Single lever faucet. With swivelling outlet and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5011053** chrome, high pressure **107.22 €**

**5011054** chrome, low pressure **128.84 €**




## Casa 2



Single lever faucet. With **pull-out hose with shower head** (can be switched to stream or shower) and ceramic cartridge.

- swivel range 90°
- drill Ø 35 mm

**5011055** chrome, high pressure **131.09 €**




## Casa 5 window fitting



Single lever faucet. With swivelling outlet and ceramic cartridge.

- **height when tilted only 30 mm**
- swivel range 360°
- drill Ø 35 mm

**5011057** chrome, high pressure **160.83 €**



## Dirt filter Ecco 1

For corner valves DN 10. With filter insert and removable screw. Protects the cartridge against ingress of dirt. For high-pressure faucets two filters are required, for low-pressure faucets, only one filter.

**5031005** 3/8", chrome **29.83 €**

# ARMATE® WASSERWERK



Timeless in  
outstanding quality



Faucets

■ Portare	Page 87
Aria	Page 88
Ventari	Page 89
Kristea	Page 90
Bendea	Page 91
Stringere	Page 92
Detergent dispenser Lepura	Page 93



## WASSERWERK


ARMATE® Wasserwerk applies only the highest standards from the word go. Material and workmanship, functionality and design are subject to strict criteria. For each individual faucet, the density of the faucet body, the cartridge, the outlet and the shower are tested. The complete functionality is then tested again using various measuring instruments and procedures.

**Pre-mounted hoses and quick-release screw connections** allow for safe, easy and time-saving installation.

The excellent quality of the ARMATE® WASSERWERK faucets justifies a **10-year warranty** (except for wearing parts). Furthermore, we offer a **15-year availability guarantee** on many spare parts. For the terms and conditions, see [naber.com/de/garantie/](http://naber.com/de/garantie/).

Factory customer service:  
WASSERWERK  
Tel. +49 5407 8152902  
[info@wasserwerk.de](mailto:info@wasserwerk.de)  
[wasserwerk.com](http://wasserwerk.com).

All fittings naturally comply with the German Drinking Water Ordinance and the corresponding German and European standards.



Centrepiece: high-performance quality cartridge for particularly smooth and precise mixing of hot and cold water.



Solid brass faucet body, precisely crafted from the finest materials, extensively tested for durability using the latest techniques.



Shimmering surfaces, finished using state-of-the-art methods. For many years of stylish use in well-appointed kitchens.



Energy-saving cold-start technology: no hot water in the starting position!



Smooth-running, high-quality cartridge with ceramic discs and partial scald protection.



10-year manufacturer's warranty (except for wearing parts). Factory customer service in DE and AT.



Quality label, known and respected worldwide. Made in Germany is our WASSERWERK quality promise for our faucets.



Because we care for the environment! WASSERWERK promotes harmony with the environment, also by avoiding plastic as much as possible and using recycled paper.




## Portare

All Portare faucets have high-quality anti-limescale aerators that prevent limescale deposits permanently. They also have the energy-efficient Cold-Start equipment for contemporary energy use. With standard single-lever mixers, the lever is always closed in the middle for visual reasons or as a matter of routine. If it is operated in this position, the cold water and hot water pipes open. To start with, however, the water remains cold because it takes a while for hot water to reach the outlet. Until then, hot water is still consumed, which previously had to be heated in an energy-intensive way. Not so with the Cold Start equipment from Portare: also in the middle position, only cold water flows. Hot water is only added when the lever is moved further to the "hot" position. In this way, unnecessary energy consumption is avoided.

10 years manufacturer's warranty (except on wearing parts)

Factory customer service in Germany and Austria




## Portare 1



Single lever faucet. With swivelling outlet, side lever, ceramic cartridge and **scald protection**.

- energy-saving cold start function
- swivel range 360°
- drill Ø 35 mm

5021300	chrome, high pressure	209.26 €
5021301	stainless steel coloured, high pressure	276.47 €
5021302	black matt, high pressure	264.71 €




## Portare 2



Single lever faucet. With **swivelling/pull-out** outlet, side lever, ceramic cartridge and **scald protection**.

- energy-saving cold start function
- swivel range 360°
- drill Ø 35 mm

5021303	chrome, high pressure	263.87 €
5021304	stainless steel coloured, high pressure	365.55 €
5021305	black matt, high pressure	361.34 €



## Portare 3



Single lever faucet. With swivelling outlet, side lever, ceramic cartridge and **scald protection**.

- energy-saving cold start function
- swivel range 360°
- drill Ø 35 mm

5021306	chrome, high pressure	209.26 €
5021307	stainless steel coloured, high pressure	282.76 €
5021308	black matt, high pressure	278.44 €










**Aria**

Aria combines the best possible ease of use with a strong and glamorous appearance. The flexible hose is elegantly mounted at the front, where it can easily be detached and moved in all directions. The swivelling range of 360 degrees enables further radius of operation. This new form of absolute versatility is matched by the stunning design. Robust and elegant all at once, Aria is a statement of professionalism in the kitchen. It is available as a striking eye-catcher in a single colour and as a glamorous centrepiece for the kitchen in a two-colour version. The energy-saving Cold-Start technology is integrated.

10 years manufacturer's warranty (except on wearing parts)

Factory customer service in Germany and Austria



<b>Aria</b>				
Single lever faucet. With <b>swivelling/pull-out</b> outlet (can be switched to stream or shower), side lever, ceramic cartridge.				
— energy-saving cold start function				
— swivel range 360°				
— drill Ø 35 mm				
5021315	stainless steel coloured, high pressure			492.79 €
5021316	black matt, high pressure			525.30 €
5021317	black-rose-gold, high pressure			548.21 €
5021318	black-brushed-gold, high pressure			548.21 €
5021319	graphite matt, high pressure			637.46 €










**Ventari**

Inspired by the faucets used in catering, with its flexible spiral spring and easy switching between regular and spray modes, Ventari makes daily tasks at the sink easier. Ingredients, dishes and the sink can be quickly and effortlessly cleaned, just like in a professional kitchen. Ventari is visually appealing with its contemporary and balanced elegance, which charmingly incorporates the spiral spring. The perfect surface finish provides a long-lasting, well-kept appearance in a range of attractive colours.

**10 years manufacturer's warranty (except on wearing parts)**

**Factory customer service in Germany and Austria**



<b>Ventari</b>				
Single lever faucet. With <b>swivelling/pull-out</b> outlet (can be switched to stream or shower), side lever, ceramic cartridge and <b>scald protection</b> .				
— energy-saving cold start function				
— swivel range 360°				
— drill Ø 35 mm				
<b>5021328</b>	stainless steel coloured, high pressure			
<b>5021329</b>	black matt, high pressure			
<b>5021330</b>	black-rose-gold, high pressure			
<b>5021331</b>	black-brushed-gold, high pressure			









**Bendea**

The aesthetically perfect kitchen faucet is "made in Germany". It offers a radius of action that is hard to beat in a model with an arched outlet. Bendea is equipped with a pull-out outlet that enables easy switching between jet and shower – with a swivelling range of 360 degrees. This convenience is available in combination with energy-efficient cold-start technology and four surface colours. The stainless steel-coloured finish is always on trend, while black matt, graphite matt and brushed gold give this perfectly shaped faucet a particularly striking appearance.

**10 years manufacturer's warranty (except on wearing parts)**

**Factory customer service in Germany and Austria**



<b>Bendea</b>				
Single lever faucet. With <b>swivelling/pull-out</b> outlet (can be switched to stream or shower), side lever, ceramic cartridge.				
— energy-saving cold start function				
— swivel range 360°				
— drill Ø 35 mm				
<b>5021324</b>	stainless steel coloured, high pressure			<b>429.21 €</b>
<b>5021325</b>	black matt, high pressure			<b>456.83 €</b>
<b>5021326</b>	brushed-gold, high pressure			<b>548.21 €</b>
<b>5021327</b>	graphite matt, high pressure			<b>571.58 €</b>





**Lepura**

The easy-to-install and easy-to-fill Lepura washing-up liquid dispenser can be exactly colour-matched to the Bendea and Stringere kitchen faucets. Four contemporary colours create a harmonious overall look for the faucet and sink. Both the material and workmanship quality are excellent, which justifies the long warranty period.

**10 years manufacturer’s warranty (except on wearing parts)**

**Factory customer service in Germany and Austria**



<b>Lepura</b>		
Detergent dispenser. Content 550 ml. High-quality, corrosion-resistant metal construction for tool-free installation in worktops. Easy to clean and fill from above without removing the dispenser. — drilling Ø min. 30, max. 40 mm		
5021336	stainless steel coloured	84.96 €
5021337	black matt	84.96 €
5021338	brushed-gold	84.96 €
5021339	graphite matt	106.21 €

Faucets

# ARMATE®

## Ideal Standard



Competence and consistency  
for the kitchen



Faucets

■ Ceraflex  
Cerafit  
Dirt filter Ecco

Page 97  
Page 98  
Page 98



Ideal Standard

Ideal Standard combines high quality materials, excellent design and state-of-the-art technology and has become one of the largest faucet manufacturers worldwide.

Ideal Standard is the inventor of the cartridge with ceramic sealing disks. This technology ensures perfect functioning and convenience and a long service life.



Ideal Standard gives a **5 year warranty** for each individual product, as well as an additional **10 years of warranted supply period** for all spare parts. For conditions, see [naber.com/en/guarantee/](http://naber.com/en/guarantee/).

Besides this, Ideal Standard offers **nationwide customer service**.

All faucets comply with the drinking water ordinance as well as the associated German and European standards.

Customer service:  
Ideal Standard  
Tel. +49 228 521580  
Fax +49 1805 521589  
[kundendienst@idealstandard.de](mailto:kundendienst@idealstandard.de)  
[www.idealstandard.com](http://www.idealstandard.com)





## Ceraflex

Ceraflex is the all-rounder among the kitchen fittings. It impresses with its timeless and yet contemporary design. Thanks to the Click and **BlueStart technology** which delivers cold water in the middle position, energy and water can be saved. Hot water can be added by turning the handle to the left. The cartridge also has an additional **temperature control**. This allows the maximum temperature to be set at the cartridge.

The fittings are equipped with a durable 38 mm **CLICK cartridge**. The EASY-FIX attachment of the Ceraflex 1 and 3 models facilitates quick and uncomplicated assembly.


Window fitting: For a sink in front of the kitchen window, Ceraflex is the smart alternative. It can be pulled out and laid flat in one simple movement.

**5 years manufacturer's warranty**

**Works customer service**



Ceraflex 5 window fitting



## Ceraflex 1




Single lever faucet. With swivelling outlet and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5024160** chrome, high pressure **157.38 €**

**5024161** chrome, low pressure **177.27 €**




## Ceraflex 5 window fitting



Single lever faucet. With swivelling outlet and ceramic cartridge.

- **height when tilted only 25 mm**
- swivel range 360°
- drill Ø 35 mm

**5024166** chrome, high pressure **196.29 €**



## Ceraflex 3



Single lever faucet. With swivelling outlet and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5024164** chrome, high pressure **186.77 €**

**5024165** chrome, low pressure **210.12 €**




### Cerafit

Cerafit kitchen fittings score through functionality and good value for money. All models have a CLICK cartridge. In the middle position, the innovative **BlueStart technology** delivers cold water and thus saves energy and water. Hot water can be added by turning the handle to the left. The cartridge also has an additional **temperature control**. This allows the maximum temperature to be set at the cartridge.

The fittings are equipped with a durable 38 mm cartridge. The EASY-FIX attachment facilitates quick and easy installation.

**5 years manufacturer's warranty**

**Works customer service**



### Cerafit 1




Single lever faucet. With swivelling outlet and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5024150** chrome, high pressure **121.06 €**

**5024151** chrome, low pressure **149.60 €**



### Cerafit 2




Single lever faucet. With swivelling pipe outlet and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5024154** chrome, high pressure **181.59 €**

**5024155** chrome, low pressure **201.48 €**



### Dirt filter Ecco 1

For corner valves DN 10. With filter insert and removable screw. Protects the cartridge against ingress of dirt. For high-pressure faucets two filters are required, for low-pressure faucets, only one filter.

**5031005** 3/8", chrome **29.83 €**

ARMATE®


KLUDI

KLUDI 

Open to all wishes




Faucets

 M2	Page 101
Mix	Page 102
E-GO-L Sensor	Page 103
Steel	Page 105
Dirt filter Ecco	Page 105
Scope	Page 110



### Faucet in front of the window

The unique bayonett fitting: lay faucet flat in no time, simply open the window.



### No limescale

High-quality Cascade aerators are extremely effective against limescale.



### Laminar aerator

No splash, soft, natural water flow, thus low-noise operation. The laminar aerator manages without air swirl and thus prevents the formation of aerosols.



### Moveable aerator

Ensuring that the faucet directs the water flow where it splashes the least. Thanks to KLUDI it's simple: the flow former **s-pointer** can be precisely adjusted at the touch of a finger – once the faucet is mounted, the flow can be individually directed.




### CLIP-IT

- quick coupling for quick and safe installation of faucets with pull-out shower/outlet.
- simply push the end piece of the hose onto the matching adapter on the faucet body
- no more tools needed



### DO-IT

- flexible connection hoses flexibles
- mind. 450 mm
- no more extensions needed



### CLICK-IT

- the new counterweight for clipping
- no more tools needed



KLUDI gives a **5 year warranty** (apart from wearing parts) for each individual product, as well as an additional **10 years of warranted supply period** for all spare parts. For conditions, see [kludi.de](http://kludi.de)

Besides this, KLUDI offers **nation-wide customer service**.

All faucets comply with the drinking water ordinance as well as the associated German and European standards.

Customer service:

KLUDI

Tel. +49 2373 904234

Fax +49 2373 904243

[kundendienst@kludi.de](mailto:kundendienst@kludi.de)

[www.kludi.de](http://www.kludi.de)




M2

The new M2 is characterised by its filigree design, which brings clear and reduced forms to the kitchen. In combination with the slender lever, the extremely slim, dynamically angled outlet gives the mixer a modern, fresh appearance that blends in perfectly with a young, urban kitchen ambience.

5 years manufacturer's warranty (except on wearing parts)

Works customer service



M2



Single lever faucet. With swivelling outlet and ceramic cartridge with **hot-water limiter**.

- swivel range 360°
- drill Ø 35 mm
- including DO-IT connection hoses

5023076 chrome, high pressure

239.52 €




## Mix

The proven all-rounder is a guarantee for first-class functionality at the kitchen sink. With gently curved shapes and straight lines, also when it comes to design, Kludi Mix proves itself to be a modern classic that outlasts times and fashions.

**5 years manufacturer's warranty (except on wearing parts)**

**Works customer service**



## Mix 1




Single lever faucet. With swivelling outlet, closed lever and ceramic cartridge with **hot-water limiter**.

- swivel range 360°
- drill Ø 35 mm
- including DO-IT connection hoses

**5023134** chrome, high pressure

**363.18 €**



## Mix 2



Single lever faucet. With **swivelling/pull-out outlet**, closed lever and ceramic cartridge with **hot-water limiter**.

- swivel range 110°
- drill Ø 35 mm
- including DO-IT connection hoses
- including CLIP-IT quick coupling
- including KLICK-IT hose weight

**5023136** chrome, high pressure

**464.35 €**







E-GO-L Sensor

The fitting is equipped with a sensor (patented electronics), which makes no-contact operation possible. The water flow is started by a hand or vessel. This is particularly practical when your hands are dirty, you have only one or no hands free, or water is used to quickly rinse fruit or fill vessels. The temperature can be set as required. Thanks to the controllable run-on time, no water is wasted. Manual operation is always possible. The easy-to-activate cleaning mode enables undisturbed cleaning. The patented electronics have been tested thousands of times.

5 years manufacturer’s warranty (except on wearing parts)

Works customer service



E-GO-L Sensor



Single lever faucet. With swivelling outlet, laminar aerator and ceramic cartridge with **hot-water limiter**. Incl. built-in sensor for contactless operation and dirt strainer.

- can be operated either by sensor or manually
- water flow and temperature can be set as required
- water flow is activated by hand movement
- integrated cleaning mode for problem-free cleaning of the faucet
- adjustable sensor time for environmentally friendly and economical water consumption
- thanks to the controllable run-on time, not a drop is wasted
- swivel range 360°
- drill Ø 35 mm
- including DO-IT connection hoses

5023128	chrome, with plug, high pressure	916.59 €
5023129	black matt, with plug, high pressure	1000.47 €




## Steel

The sheer elegance of stainless steel. Quality reaches its highest level when it makes no compromises. Steel takes that path. The single lever sink mixers are made of pure stainless steel with an exceptionally fine brushed finish. Their solid material makes them extremely durable and robust. The purist fittings have proven to be highly functional kitchen tools and, at the same time, radiate unsurpassed quality. Only stainless steel has this cool elegance that restages kitchens.

### Stainless steel

**5 years manufacturer's warranty (except on wearing parts)**

**Works customer service**



## Steel 1




Single lever mixer. With swivelling/pull-out outlet, laminar aerator and ceramic cartridge.

- swivel range 360°
- drill Ø 35 mm

**5023124** stainless steel, high pressure

**335.51 €**



## Steel 2




Single lever faucet. With **swivel/pull-out** hose with shower head made of Messing stainless steel (can be switched to stream or shower), laminar aerator and ceramic cartridge.

- swivel range 110°
- drill Ø 35 mm

**5023125** stainless steel, high pressure

**486.83 €**



## Dirt filter Ecco 1

For corner valves DN 10. With filter insert and removable screw. Protects the cartridge against ingress of dirt. For high-pressure faucets two filters are required, for low-pressure faucets, only one filter.

**5031005** 3/8", chrome

**29.83 €**






Scope

The new little one in the KLUDI range. With its minimalistic lever and dynamic outlet design, Scope is tailor made for the modern kitchens of today. Self-confident in design and attractive in price, the Scope range offers a high and low-pressure version. The models with a fixed outlet have a convenient swivel range of 360° for maximum freedom of movement. The amazing below-window solution: Simply lift at the outlet, pull up and lay aside. In a matter of seconds. Just like the attachment: Place the fitting on the base and turn briefly to the left. Immediately ready to operate due to automatic locking! Scope – everything just fits!

5 years manufacturer's warranty (except on wearing parts)  
Works customer service



Scope 5 window fitting




Scope 1



Single lever faucet. With swivelling outlet and ceramic cartridge.  
— swivel range 360°  
— drill Ø 32 mm

5023084	chrome, high pressure	218.78 €
5023085	chrome, low pressure 	268.05 €



Scope 5 window fitting



Single lever faucet. With swivelling outlet and ceramic cartridge. Impresses with its easy handling.  
— height when tilted only 25 mm  
— swivel range 360°  
— drill Ø 35 mm  
— including DO-IT connection hoses

5023087	chrome, high pressure	363.18 €
---------	-----------------------	----------

Faucets

# ARMATE®

## Basin faucets

Advanced technology  
for pure relaxation




Faucets

■ Glam bath	Page 108
Glam Leva bath	Page 108
Stile bath	Page 109
Sottile bath	Page 110
Kardon bath	Page 111
Ceraflex bath	Page 112
Ceraplan bath	Page 112
Cerafine O bath	Page 112
Connect Air	Page 112
Zenta bath	Page 113
Pure & Easy bath	Page 113
Objekta bath	Page 113
Pure & Solid bath	Page 113




Reduced in design, elegant and timeless. In the focus of the concept the clear line of a balanced game with strict geometry.


**Your claim to customer service during the warranty period will be settled individually by arrangement.**

 KERAMISCHE  
DICHTUNG

<b>5011285</b> chrome, high pressure	<b>248.86 €</b>
<b>5011286</b> black matt, high pressure	<b>329.36 €</b>

 KERAMISCHE  
DICHTUNG

<b>5011287</b> chrome, high pressure	<b>294.35 €</b>
<b>5011288</b> black matt, high pressure	<b>374.68 €</b>


**KERAMISCHE  
DICHTUNG**

<b>5011297</b> chrome, high pressure	<b>311.47 €</b>
<b>5011298</b> black matt, high pressure	<b>418.77 €</b>




## Stile 1 bathroom

Elegant and stylish design brought straight to the point. Straightforward, simple and therefore visually suited to any basin.

**5 years manufacturer's warranty (except on wearing parts)**

**Your entitlement to customer service within the warranty period is arranged individually in consultation with us.**



## Stile 1 bathroom




Single lever faucet. With ceramic cartridge. With drain fitting Klick-Komfort (without spill-over).  
— drill Ø 35 mm

**5011289** chrome, high pressure

**235.89 €**

**5011290** black matt, high pressure

**320.20 €**



## Stile 2 bathroom



Single lever faucet. With ceramic cartridge. Particularly suitable for use with top mounted washbasins.

- without drain fitting
- drill Ø 35 mm

**5011291** chrome, high pressure

285.09 €

**5011292** black matt, high pressure

**366.38 €**





Sottile bathroom

Perfectly shaped design that harmonises opposites: the seemingly soft robustness appears familiar and stands out in its own right. A statement of balance and good spirits – charming and stylish.

5-year manufacturer’s warranty (except on wearing parts)

Your claim to customer service during the warranty period will be settled individually by arrangement.




Sottile 1 bathroom

KERAMISCHE DICHTUNG

Single lever faucet. With ceramic cartridge. With drain fitting Klick-Komfort.

- swivel range 360°
- drill Ø 35 mm

5011293 chrome, high pressure	276.53 €
5011294 black matt, high pressure	368.28 €



Sottile 2 bathroom

KERAMISCHE DICHTUNG

Single lever faucet. With ceramic cartridge. With drain fitting Klick-Komfort. Particularly suitable for use with top mounted washbasins.

- swivel range 360°
- drill Ø 35 mm

5011295 chrome, high pressure	296.25 €
5011296 black matt, high pressure	384.01 €




Kardon

Elegant and stylish design brought straight to the point. Straightforward, simple and therefore visually suited to any basin.

5 years manufacturer's warranty (except on wearing parts)

Your entitlement to customer service within the warranty period is arranged individually in consultation with us.




Kardon 1 bathroom



Single lever faucet. With pop-up rod waste fitting 1 ¼", ceramic cartridge, **ECO function** (CLICK cartridge) and **scald protection**.  
— drill Ø 35 mm

5011084 chrome, high pressure 140.08 €



Kardon 2 bathroom



Single lever faucet. With pop-up rod waste fitting 1 ¼" and ceramic cartridge.  
— drill Ø 35 mm

5011086 chrome, high pressure 172.08 €

5011095 black matt, high pressure 204.50 €




**Ceraflex bathroom**

Enjoy the perfect balance between elegance and innovation. Clever functions combined with safety make bathroom fittings from Ideal Standard what they are.

**5 years manufacturer's warranty**

**Works customer service**


**Ceraflex bathroom**

Single lever faucet. With pop-up rod waste fitting 1 1/4", ceramic cartridge and ECO function (with temperature control and 5 l aerator).

- drill Ø 35 mm
- EASY-FIX mounting system

**5024077** chrome, high pressure

**183.32 €**


**Ceraplan bathroom**

Single lever faucet. With pop-up rod waste fitting 1 1/4", ceramic cartridge and ECO function (with temperature control and 5 l aerator).

- drill Ø 35 mm
- EASY-FIX mounting system

**5024078** chrome, high pressure

**242.11 €**

**Cerafine O bathroom**

Single lever faucet. With pop-up rod waste fitting 1 1/4", ceramic cartridge and ECO function (with temperature control and 5 l aerator).


- drill Ø 35 mm
- EASY-FIX mounting system

**5024079** chrome, high pressure

**222.23 €**

**5024071** black matt, high pressure

**296.60 €**

**Connect Air bathroom**

Single lever faucet. With pop-up rod waste fitting 1 1/4", ceramic cartridge and ECO function (with CLICK cartridge, temperature control and 5 l aerator).

- drill Ø 35 mm
- EASY-FIX mounting system

**5024029** chrome, high pressure

**298.33 €**






## Zenta bathroom

The bathroom ranges by Kludi impress with their high functionality and comprehensive product diversity.

5 years manufacturer's warranty (except on wearing parts)

Works customer service




## Zenta bathroom



Single lever faucet. With pop-up rod waste fitting 1 1/4", ceramic cartridge and moveable aerator s-pointer.  
— drill Ø 33 mm

5023080 chrome, high pressure

265.46 €




## Pure & Easy bathroom



Single lever faucet. With pop-up rod waste fitting 1 1/4" and ceramic cartridge.  
— drill Ø 35 mm

5023102 chrome, high pressure

177.27 €




## Objekta bathroom



Single lever faucet. With pop-up rod waste fitting 1 1/4" and ceramic cartridge.  
— drill Ø 35 mm

5023082 chrome, high pressure

253.36 €



## Pure & Solid bathroom



Single lever faucet. With pop-up rod waste fitting 1 1/4" and ceramic cartridge.  
— drill Ø 35 mm

5023101 chrome, high pressure

242.11 €

Faucets

# ARMATE®

## Storage water heater

Hot water – immediately!



- Q5 5 litre storage water heater Page 116
- Under-sink device Small U5 Page 117
- Under-sink device TR 1500 Page 118
- Undersink unit w. drip and pressure stop TR 3500 Page 119




### Q5 5 litre storage water heater

The Q5 5 litre storage water heater is an innovation in the area of small under-sink storage water heaters. This storage water heater makes it possible to use any high-pressure faucet, even if only a cold water connection is available in the kitchen. Restrictions in the choice of faucet are a thing of the past. The new type of insulation of the appliance reduces the supply costs of the hot water compared to a 5-litre small under-sink storage heater. The Q5 storage water heater guarantees uniform water pressure for hot, cold and mixed water.

**At a water pressure of more than 4 bar, a pressure reducer has to be installed on site in front of the safety group.**

**Maximum water pressure 5 bar.**



### Q5 5 liters storage water heater



Storage water heater. The small Q5 5 litre storage heater immediately draws attention with its compact design. Its height is only 145 mm. The special thing about the Q5 is that it can be installed **in or under** practically all kitchen cabinets in a variety of ways. The unit can be mounted horizontally or vertically. Your fitter installs the water heater invisibly behind the skirting board and positions it horizontally or vertically on the side or rear wall.

**Advantages** of the Q5 5-litre storage water heater over connection to a central hot-water supply system:

- no waiting time
- saves water
- saves energy
- saves money
- no low-pressure faucet necessary

The Q5 also has other advantages over a conventional small under-sink storage water heater:

- **as a pressure-resistant storage heater in high-grade stainless steel, normal high-pressure faucets can be connected**
- **NO annoying dripping from the faucet!**
- thermostat adjustable from the outside
- can be mounted invisibly behind the skirting board
- different installation options
- overall concept, including pressure-resistant safety group and connection set

#### Warranty

We grant 5 years manufacturer's warranty on the internal stainless steel tank of the storage heater. The other parts are covered by 2 years manufacturer's warranty. For conditions see [www.naber.com/en/garantie/](http://www.naber.com/en/garantie/).


#### Technical data:

- connection and temperature controller on the side
- 5 litres filling capacity
- power 2200 watt
- setting range 30-80 °C
- heating up time to 65 °C 18 min
- standby loss 21 Watt
- 145 x 540 x 215 mm (H x W x D)

**Installation height of the wall outlet (on-site) 400 mm from the top edge of the floor.**

**6012007** black matt/grey, for connection in DE, AT, LU


**1005.72 €**





Under-sink device Small U5


For connection of low-pressure faucets.  
Thanks to rapid heating, the water and electricity consumption can be kept low.  
Space-saving under-sink water heater makes good use of the space under the sink.



Under-sink device Small U5





- Storage water heater.
- **installation depth only 155 mm**
  - small water heater 5 litres, white. Open (pressure-free).
  - container material in plastic
  - compact insulation
  - continuous temperature setting of 30–85 °C
  - mixed water volume 40 °C 7.5 l
  - the outlet of a faucet should always be free
  - if possible, do not use a shower fitting
  - with earthing contact plug and wall mounting strip
  - safety temperature limiter can be reset by pulling the mains plug
  - contact/moisture protection IP24
  - power supply 230 V, 50 Hz, 10 A
  - ready to plug in, connected load 2 kW
  - weight with water 7.4 kg
  - device dimensions 365 x 230 x 155 mm (H x W x D)
  - **maximum water pressure 4 bar**
  - **max.water flow 5 l / min.**

6011044 white 	230.88 €
<b>Optional accessories</b>	
6011045 Flow meter, red	61.66 €



Under-sink device

For connection of low-pressure faucets.



Under-sink device TR 1500



- Water heater.
- small water heater 5 litres, white. Open (pressure-free)
  - container material in plastic
  - high-quality compact insulation
  - continuous temperature setting of 35–85 °C
  - with frost protection setting "f" and energy-saving setting "e"
  - temperature setting can be limited to stage "l" or stage "e"
  - power indicator lamp
  - mixed water volume 40 °C 9.5 l
  - the outlet of a faucet should always be free
  - if possible, do not use a shower fitting
  - lowest standby power consumption (about 0,2 kWh at 65 °C/24 h)
  - with fastening material, mounting bracket
  - switchable safety temperature limiter
  - contact/moisture protection IP24D
  - power supply 220–240 V
  - ready to plug in, connected load 2.2 kW
  - weight with water 7.5 kg
  - device dimensions (H x W x D) 390 x 258 x 245 mm

6011041 white 233.47 €

Optional accessories




6011045 Flow meter, red 61.66 €





### Undersink unit with drip and pressure stop

For connection of low-pressure faucets.  
Not a drop from the faucet outlet during heating, no waste of water, clean and environmentally conscious. The pressure stop shows the calcification and recognizes the wrong water connection from 0.25 MPa (2.5 bar). In these cases, the pressure stop function blocks the cold water supply, and thus indicates the excess pressure. The pressure stop function works similar to a fuse. Once the fault is corrected and the excess pressure eliminated, it can be reset and the small tank is immediately available again for use.



### Undersink unit TR 3500



Drip stop prevents dripping during heating, saves water and reduces lime scale.  
The pressure stop shows the calcification and recognises incorrect water connection from 0.25 MPa (2.5 bar).

- small water heater 5 litres, white. Open (pressure-free).
- with drip and pressure stop
- CLICKFIX assembly technology saves time and money
- container material in plastic with high-quality EPS expanded polystyrene insulation
- temperature continuously variable from approx. 35 °C to 85 °C with engaged positions at "°", "I" and "e" • frost protection setting
- power indicator lamp
- power-saving cover plate
- mixed water volume display on the power-saving cover plate
- the outlet of a faucet should always be free
- if possible, do not use a shower fitting
- high mixed water quantity 14 liters 40 °C hot water
- grounding contact easily accessible from the outside for the electrical safety testing according to BGV A3
- lowest standby power consumption of only 0.18 kWh/d
- secure metal water connections in brass, colour-coded
- switchable safety temperature limiter
- contact/moisture protection IP24D
- electricity supply 230 V, ready to plug in, connected load 2.2 kW
- weight with water 7.7 kg
- device dimensions (H x W x D) 435 x 270 x 240 mm

6011043 white 4 376.15 €

#### Optional accessories

6011045 Flow meter, red 61.66 €

Faucets