
## SELECTAkit®

Waste collectors



## Intelligence





Clean waste separation conserves natural resources. At the same time, keeping the base cabinet well organised saves time and is conveniently sustainable. In this way, SELECTAkit® waste separation systems make responsible ecological thinking simple!

Because the SELECTAkit® waste collector range, creatively developed over many years, provides the optimum waste separation system with precisely fitting storage space organisation for every kitchen base unit. They are highly practical, versatile and flexible: Cox® Base, Cox StandUP®, Cox Clan®, Cabbi® ... And with Cox Base-Board® and Cox Work® you have tailor-made organisation and storage systems on top.

That means: undreamt-of storage possibilities for accessories and utensils, combined with highly functional and ergonomic design.

# SELECTAkit® Waste collectors

Innovative technology is developed from new thinking













SELECTAkit®
Pull-out technology for front pull-outs
The sophisticated
pull-out technology Page 133–170

SELECTAkit®
Pull-out technology for existing pull-outs
The flexible
waste system
Page 171–204

SELECTAkit®
Pull-out technology for rotating doors
The perfect supplement for
functionality and ergonomics Page 205–230

SELECTAkit®
Swivel technology for rotating doors
The technology
of shorter distances
Page 231–240

SELECTAkit®
Free-standing containers/
waste disposal units
Extremely practical
and shapely

Page 241-244

## Collectors overview

#### Pull-out technology for front pull-out

Page 133-170





Full front Front panel with one division

Depth 320 mm

Cox® Base 360 K Cox Base-Board®	146–147, 149 141–142, 148
Depth 400 mm	Page
Cox® Base 360 S	135-137, 143-144
Cox® Base Q+	139
Cox® Base Q	140
Cox Base-Board®	141-142, 148
Cox Base-Board® 900	145
Cox® Base 360 S/900-	4 145
Cox Cick-E® 600	144
Cox Cick-E® 600 K	149
Cox® Base 460 S	150-152
Cox Cick®	153
LED foot kick Libero 3.0	153
Cox Work®	154-156
Cox® Base 360 R	1 <i>57</i> –1 <i>5</i> 8
Cox® Base 460 R	159–160
D .I 400	_

Depth > 400 mm	Page
Cox Clan®	161–165
Cox Cick®	163
Bio Double 30 BM	168
Tandem 2	168
Müllex Comfort 35/5/4/4	168
Müllex Comfort 35/17/4/4	169
Müllex Oekonom 35/2/2	169
Müllex Boxx 55/60-R Bio	169
Müllex Euro Boxx 55/60 R	170
StopMatic	170
KickMatic	170

#### Pull-out technology for existing pull-outs

Page 171-204





Full front	Front pan
	with one
	division

Depth 310 mm

Page

nt panel Front panel Front panel with one division

with two division

Page

Cox Stand-UP® 350 K Cox® Box 235 K Cox® Box 275 K	182–183 188–190 193–195
Depth 400 mm	Page
Cox Stand-UP® 250 S Cox Stand-UP® 280 S Cox Stand-UP® 350 S Cox® Box 235 S Cox® Box 275 S Cox® Box 360 S Cox® Box 350 S	173–175 176–178 179–181 185–187 191–192 197–198 199–200
Depth > 400 mm	Page
Cox® Giallo X-LINE	201 202–203

#### Pull-out technology for rotating doors

Page 205-230





Front panel with one division Full front

	Page
Clap 1–3	206-208
Double 1/Double deluxe	209
Double 3	209
Trenta 1	210
Double Shorty/Trio Shorty	211
Double Shorty plus	212
Double 4	212
Trenta 5	212
Quarta 1	213
Double 2	213
Trenta 6	213
Bio Single 30 DT	214
Big Boy 30/40	214
Double Master/Bio Double Master	215
Trio Master/Bio Master Double Master Maxi 40 DT	215–216
Dooble III doloi III doloi II doloi	216 216
Bio Trio Maxi 40 DT	210
Bio Double 30 DT Bio Trio DT	217
Kitchen Box	217
Solo 3635/3636	217
Tandem 7	218
Trenta 7/8	219
Cleaning agent pullout Carry	220
Tandem 7 K/S	220–222
Easy Cargo 1	223
Big Double	223
Double Master 2 DS	228
Trio Master 3 DS	229
Double 2 DS	229
Trenta 6 DS	229

Page	
224	
225-226	
227-228	

## Collectors overview

## Swivel technology for rotating doors

Page 231-240

## Free-standing containers, waste disposal units

Page 241-244





Full front Front panel with one division

	Page
Cabbi® junior	232-233
Cabbi <sup>®</sup>	234-235
Cox® Beep	236
Müllex Single 35	237
Müllex Euro Flexx	237
Vario	237-238
Öko 1	239
Uno 3418	239
Duo 3416	239






	Page
Kickboy	242
Pushboy	242
Beta	242
Alpha	243
Dassa	243
Evolution 100	244
Model 56	244

## **SELECTAkit®**

## Pull-out technology for front pull-out

### The sophisticated pull-out technology



Cox® Base 460 S

Cox Cick®


Page 149

Page 153

Page 150-152



LED foot kick Libero 3.0	Page 153
Cox Work®	Page 154-156
Cox® Base 360 R	Page 1 <i>57</i> -1 <i>5</i> 8
Cox® Base 460 R	Page 159-160
Cox Clan® 490	Page 161-163
Cox Cick®	Page 163
Cox Clan® 580	Page 164-165
Replacement bucket and	
lid overview	Page 166-167
Bio Double 30 BM	Page 168
Tandem 2	Page 168
Müllex	Page 168-170
StopMatic	Page 170
KickMatic	Page 1 <i>7</i> 0



### SELECTAkit®

# Pull-out technology with front pull-out



is the sophisticated built-in waste collector solution, convincing due to high quality, convenient handling and perfect pull-out technology.

- GRASS self-retractable full pull-out technology with sychronization, Airmatic soft-impact proven in long-term tests
- smooth operation and lateral stability even under full load (load bearing capacity 40 kg)
- reinforced metal housing frame for container holder, powder-coated
- extractable metal lid with grip clip, may be used as an additional deposit, powder-coated
- available for four cupboard widths as well as with standard and XXL containers, installation depth of only 400 mm
- optional 10 I container with bio-lid and activated charcoal filter
- exactly fitting assembly using the "quick & easy" quick assembly frame

Cox® Base – competitive edge due to perfectly attenuated pull-out technology









## Cox® Base convinces due to easy assembly:



1. Insert GRASS-guide 470 mm into the side part and assemble flush with the body (quick & easy).



2. Slide depositing lid into the plastic sliding bearing.



3. Insert pull-out frame into the pullout rails.



4. Install front attachment using the template.



Insert front plate into the pullout frame and fasten it.



6. Insert container. Finished!



#### Cox® Base 360 S

Order no. Item/


Waste collector as front pull-out system with soft retraction and damping.

- installation height 360 mm
- installation depth 400 mmdepth of the guide rail 470 mm

Description

- "quick&easy" installation frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

		Contain	ner fitting sy	stem/litres	
Cabinetbody	400	450	500	600	900
	10		16 10	10 22	22 22 10
	22	16 16	16 22	22 22	2,7 2,7 1,2
				10 10 10 10	



#### Cox® Base 360 S/400-1


With pull-out complete lid.

— guide rail depth 470 mm

— waste capacity 22 liters

- technology: full drawerfitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012310</b> light grey, H 360 mm	300.00 €
<b>8013310</b> anthracite, H 360 mm	300.00 €




#### Cox® Base 360 S/400-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 20 (2 x 10) liters
  technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012300 without bio lid, light grey, H 360 mm	300.00 €
8013300 without bio lid, anthracite, H 360 mm	300.00 €
<b>8012313</b> with bio lid, light grey, H 360 mm	304.56 €
8013313 with bio lid, anthracite, H 360 mm	304.56 €

<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €



#### Cox® Base 360 S/450-2

Item/

With pull-out complete lid.


Order no.

- guide rail depth 470 mm
- waste capacity 32 (2 x 16) liters
  technology: full pull-out

Description

- fitting: cabinet wall and front panel
  with soft retraction and damping

<b>8012301</b> light grey, H 360 mm	317.14€
<b>8013301</b> anthracite, H 360 mm	317.14€
Optional accessories	
8012367 Cox Cick® dark grev/chrome matt	66.47 €




#### Cox® Base 360 S/500-2

With pull-out complete lid.

- guide rail depth 470 mmwaste capacity 38 (1 x 16/1 x 22) liters
- technology: full pull-outfitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

325.21 €
325.21 €
66.47 €



#### Cox® Base 360 S/500-3

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 36 (2 x 10/1 x 16) liters
  technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping

8011178 Bio-filter retrofitting set, black

8012367 Cox Cick®, dark grey/chrome matt

. •	
8012302 without bio lid, light grey, H 360 mm	325.21 €
8013302 without bio lid, anthracite, H 360 mm	325.21 €
<b>8012314</b> with bio lid, light grey, H 360 mm	329.80 €
8013314 with bio lid, anthracite, H 360 mm	329.80 €
Optional accessories	
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €

7.39 €

66.47 €

326.05 €




#### Cox® Base 360 S/600-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 44 (2 x 22) liters
  technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012304</b> light grey, H 360 mm	325.21 €
<b>8013304</b> anthracite, H 360 mm	325.21 €
Optional accessories	
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €
8012367 Cox Cick®, dark grey/chrome matt	66.47 €



#### Cox® Base 360 S/600-3

With pull-out complete lid.

- guide rail depth 470 mmwaste capacity 42 (2 x 10/1 x 22) liters

8012305 without bio lid, light grey, H 360 mm

- technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013305 without bio lid, anthracite, H 360 mm	326.05 €
<b>8012315</b> with bio lid, light grey, H 360 mm	340.84 €
8013315 with bio lid, anthracite, H 360 mm	340.84 €
Optional accessories	
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €
8012367 Cox Cick®, dark grev/chrome matt	66.47 €



#### Cox® Base 360 S/600-4

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 40 (4 x 10) liters
  technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012316 without bio lid, light grey, H 360 mm	365.63 €
8013316 without bio lid, anthracite, H 360 mm	365.63 €
8012317 with bio lid, light grey, H 360 mm	368.06 €
8013317 with bio lid, anthracite, H 360 mm	368.06 €
Optional accessories	
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set black	7.39 €

 $8012368~\text{Cox}~\text{Cick-E}^{\otimes}~600,~\text{W}~600~\text{mm},~\text{dark}~\text{grey/chrome}~\text{matt}$ 

469.83 €

### SELECTAkit®

# Uittrektechniek met frontuittreksysteem



Afvalverzamelaarsystemen van Naber combineren een optimale organisatie van de opbergruimte met maximaal comfort bij de hantering. Cox® Base Q+/Cox® Base Q maakt het mogelijk dat afvalcontainers en Quooker waterreservoirs plaatsbesparend in de onderkast van de spoelunit ondergebracht worden.

Het comfortabele tappen van kokend heet en gekoeld sprankelend water gewoon door de Quooker kraan te bedienen, is gebaseerd op waterreservoir plus slangen en wateraansluitingen. Met Cox® Base Q+/Cox® Base Q vindt de uitrusting een plekje in een stabiel frame naast de afvalverzamelaars.

Cox® Base Q+/Cox® Base Q biedt minstens 20 liter afvalvolume. In één variant is de draagbare box voor benodigdheden Cox Work® te integreren, in een andere het speciale deksel voor composteerbaar biologisch afval. Het afvalsysteem is uitgerust met een compleet deksel, waarop er benodigdheden opgeborgen kunnen worden.

- onderbrenging van het reservoir voor kokend water Quooker PRO3, COMBI, COMBI+ en van het reservoir voor koud water Quooker CUBE met CO<sub>2</sub>-cilinder
- inclusief een ordehulpmiddel voor de kabel- en slanggeleiding
- met een afzonderlijke houder voor de Quooker waterfilter
- voor 600 mm brede onderkasten
- techniek: compleet uittreksysteem met soft intreksysteem en demping
- kleur van frame/onderstel/geleider/ compleet deksel: antraciet
- montage aan kastwand, kastbodem en frontpaneel
- aansluiting van het Quooker reservoir en van de kraan op het hoekventiel vindt plaats vóór het meubel. Daarna wordt het frame-element met CUBE, PRO3 reservoir, COMBI, COMBI+ en CO<sub>2</sub>cilinder ingeschoven en door schroeven bevestigd.
- eenvoudige demontage door het losdraaien van twee schroeven voor onderhoudswerkzaamheden



Cox® Base Q+ 360 S/370-1



Cox® Base Q 360 S/400-2



#### Cox® Base Q+

Item/

Description

Order no.

#### Quooker<sup>.</sup>


The Cox $^{\rm @}$ -Base-Q+ system is ideally suited for mounting a Cox $^{\rm @}$  Base 360 S together with the Quooker CUBE, PRO3, COMBI and COMBI+. The perfectly coordinated modules provide for the space-saving arrangement of all the necessary components in a sink base unit in a 600 mm wide sink base unit.

The fitting is carried out in just a few steps, and it is possible to respond to the given installation situation with maximum flexibility. In the rear area there is sufficient space for water connections as well as hose and cable routing. In addition, the reserviors can be positioned on the left or on the right of the

A holder to accommodate the cube filter can be ordered as an option.

Container fitting system/litres		
Cabinet body	600	
	22	
	10	









#### Cox® Base Q+ 360 S/370-1




For positioning in a sink base unit with a width of 600 mm.

- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox® Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 22 litres
- waste system with soft retraction and damping

<b>8013378</b> anthracite, H 360 mm	498.33 €
Optional accessories	
1051017 Space-saving connector, white	5.63 €
8013367 Holder for CUBE filter, anthracite	68.07 €
VERLEQ60 extension of the boiling water hose from the PRO3 to the	e tap, 600 mm
VERLCUBE extension of the supply line CUBE, 1500 mm	





#### Cox® Base Q+ 360 S/370-2

Quooker<sup>\*</sup>

For positioning in a sink base unit with a width of 600 mm.


- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox® Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- $\boldsymbol{-}$  Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 20 (2 x 10) litres
- waste system with soft retraction and damping

<b>8013379</b> anthracite, H 360 mm	498.33 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
1051017 Space-saving connector, white	5.63 €
8013367 Holder for CUBE filter, anthracite	68.07 €
VERLEQ60 extension of the boiling water hose from the PRO3 to the to	ap, 600 mm
VERICURE extension of the supply line CUBE, 1500 mm	













#### Cox® Base Q 360 S/400-1


Quooker<sup>®</sup>

For positioning in a sink base unit with a width of 600 mm.

- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox® Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 22 litres
- waste system with soft retraction and damping

<b>8013347</b> anthracite, H 360 mm	498.33 €
Optional accessories	
1051017 Space-saving connector, white	5.63 €
8013367 Holder for CUBE filter, anthracite, anthracite	68.07 €
<b>VERLKALT</b> supply line extension for the PRO3, 700 mm	
VERLEQ60 extension of the boiling water hose from the PRO3 to the tap, 600 mm	
<b>VERLCUBE</b> extension of the supply line CUBE, 1500 mm	





#### Cox® Base Q 360 S/400-2

Quooker<sup>1</sup>

For positioning in a sink base unit with a width of 600 mm.

- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox® Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 20(2 X 10) litres
- waste system with soft retraction and damping

<b>8013348</b> anthracite, H 360 mm	498.33 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
1051017 Space-saving connector, white	5.63 €
8013367 Holder for CUBE filter, anthracite, anthracite	68.07 €
VERLKALT supply line extension for the PRO3, 700 mm	
VERLEQ60 extension of the boiling water hose from the PRO3 to the tap, 600 mm	
VERLCUBE extension of the supply line CUBE, 1500 mm	



### SELECTAkit®

# Pull-out technology with front pull-out

## COX Base-Board®

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology.

- GRASS self-retracting full pull-out technology with self-closing and Airmatic soft-impact proven in long-term tests
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimum fit of the plastic containers
- perfect use of space in the base cabinet due to flexible positioning of the containers
- available for cupboard widths 500 mm, 600 mm and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!











## Cox Base-Board® convinces due to easy assembly:



 Pull out the depositing lid of the existing Cox® Base waste system.



2. Insert GRASS guide into the mounting plate, attach to the existing Cox® Base plastic rail and mount flush to the body ("quick & easy").



3. Replace the depositing lid of the existing Cox® Base waste system.



4. Mount the metal frame on the pull-out rails.



5. Attach container to the metal frame with the supplied brackets.



6. Mount the pull-out frame on the pull-out rails with the front connection. Finished!







#### Cox Base-Board®

Item/

Description

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology:


- H 100 mm

Order no.

- depth of the guide rail 470 mm
- GRASS self-retracting full pull-out technology with Airmatic soft-impact, proven
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimal utilisation of space of storage boxes by flexible positioning of the boxes by means of separate brackets
- available for cupboard widths 500, 600 and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!





















#### Cox Base-Board® 500

- height 100 mm
- guide rail depth 470 mm
   1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- with soft retraction and damping

8012360 silver	222.77 €
8013360 anthracite	222.77 €
Optional accessories	
8012362 Storage box, dark grey, 2.7 liters	13.87 €
<b>8013362</b> Storage box, anthracite, 2.7 liters	13.87 €
8012363 Storage box, dark grey, 1.2 liters	11.51 €
8013363 Storage box, anthracite, 1.2 liters	11.51 €
8012364 Bracket for storage box, silver	2.10 €


















#### Cox Base-Board® 600

- height 100 mm
- guide rail depth 470 mm
- 1 x 2.7 | and 1 x 1.2 | storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- with soft retraction and damping

8012361 silver	222.77 €
<b>8013361</b> anthracite	222.77 €
Optional accessories	
8012362 Storage box, dark grey, 2.7 liters	13.87 €
<b>8013362</b> Storage box, anthracite, 2.7 liters	13.87 €
<b>8012363</b> Storage box, dark grey, 1.2 liters	11.51 €
<b>8013363</b> Storage box, anthracite, 1.2 liters	11.51 €
8012364 Bracket for storage box, silver	2.10 €















#### Cox® Base 360 S/500-2 with Base-Board

— guide rail depth 470 mm

Item/


Description

Order no.

- waste capacity 38 (1 x 16/1 x 22) liters
- technology: full pull-out
   fitting: cabinet wall and front panel
- with soft retraction and damping
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included

512.36 €
512.36 €
66.47 €


















#### Cox® Base 360 S/500-3 with Base-Board

- guide rail depth 470 mm
- waste capacity 36 (2 x 10/1 x 16) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included

8012371 without bio lid, light grey, H 460 mm	512.36 €
8013371 without bio lid, anthracite, H 460 mm	512.36 €
<b>8012372</b> with bio lid, light grey, H 460 mm	524.78 €
8013372 with bio lid, anthracite, H 460 mm	524.78 €
Optional accessories	
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8012367 Cox Cick®, dark grey/chrome matt	66.47 €















#### Cox® Base 360 S/600-2 with Base-Board


- guide rail depth 470 mm
- waste capacity 44 (2 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel

8012367 Cox Cick®, dark grey/chrome matt

- with soft retraction and damping
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included suitable for Cox Work® utensils box (see catalogue 1 pages 154−156/24 EN)
- **8012373** light grey, H 460 mm 523.32 € 523.32 € 8013373 anthracite, H 460 mm **Optional accessories** 8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt 469.83 €



66.47 €



#### Cox® Base 360 S/600-3 with Base-Board

- guide rail depth 470 mm


Order no. Item/


- waste capacity 42 (2 x 10/1 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping

Description

- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8012374 without bio lid, light grey, H 460 mm	524.12 €
8013374 without bio lid, anthracite, H 460 mm	524.12 €
<b>8012375</b> with bio lid, light grey, H 460 mm	541.07 €
8013375 with bio lid, anthracite, H 460 mm	541.07 €
Optional accessories	
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €
8012367 Cox Cick®, dark grey/chrome matt	66.47 €















#### Cox® Base 360 S/600-4 with Base-Board

- guide rail depth 470 mm
- waste capacity 40 (4 x 10) liters
- technology: full drawer
- fitting: cabinet wall and front panel
- with soft retraction and damping
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included

8012376 without bio lid, light grey, H 460 mm	547.21 €
8013376 without bio lid, anthracite, H 460 mm	547.21 €
<b>8012377</b> with bio lid, light grey, H 460 mm	565.49 €
8013377 with bio lid, anthracite, H 460 mm	565.49 €
Optional accessories	
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €





#### Cox Cick-E® 600

electric ejector for Cox® waste collectors

- suitable for Cox® Base waste collector with 400 mm installation depth and

- space-saving and invisible installation behind the waste collectors
- activation of pull-out mechanism by gently touching the pull-out front
- alternative mounting positions to avoid obstacles on site (e.g. water connection)
- attachment of the crossbar to existing holes of the Cox® waste collector
- 230 V electrical connection
- compatible waste collectors: 8012304, 8013304, 8012305, 8013305, 8012315, 8013315, 8012308, 8013308, 8012316, 8013316, 8012317, 8013317, 8012373, 8013373, 8012374, 8013374, 8012375, 8013375, 8012377, 8013377, 8012376, 8012376, 8012406, 8013406, 8012446, 8013446, 8012354, 8013354

8012368 W 600 mm, dark grey/chrome matt

469.83 €

Œ







#### Cox Base-Board®

Item/

Description

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology:


- H 100 mm

Order no.

- depth of the guide rail 470 mm
- GRASS self-retracting full pull-out technology with Airmatic soft-impact, proven
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimal utilisation of space of storage boxes by flexible positioning of the boxes by means of separate brackets
- available for cupboard widths 500, 600 and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board  $^{\circ}$  – competitive edge due to perfectly attenuated pull-out technology!















400

900

#### Cox Base-Board® 900

- height 100 mm
- guide rail depth 470 mm
  2 x 2.7 l and 2 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- with soft retraction and damping

8012551 silver	242.52 €
8013551 anthracite	242.52 €
Optional accessories	
8012362 Storage box, dark grey, 2.7 liters	13.87 €
8013362 Storage box, anthracite, 2.7 liters	13.87 €
8012363 Storage box, dark grey, 1.2 liters	11.51 €
8013363 Storage box, anthracite, 1.2 liters	11.51 €
8012364 Bracket for storage box, silver	2.10 €















#### Cox® Base 360 S/900-4

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 64 (2 x 10/2 x 22) liters
- technology: full drawer
- fitting: cabinet wall and front panel
- with soft retraction and damping

Optional accessories	
8013552 with bio lid, anthracite, H 360 mm	447.12 €
<b>8012552</b> with bio lid, light grey, H 360 mm	447.12 €
8013550 without bio lid, anthracite, H 360 mm	435.71 €
8012550 without bio lid, light grey, H 360 mm	435.71 €

<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
8012367 Cox Cick®, dark grey/chrome matt	66.47 €










#### Cox® Base 360 K

Waste collector as front pull-out system with soft retraction and damping.

- installation height 360 mm
- installation depth 320 mm
- due to the reduced depth, devices can be installed behind (e.g. boiler)
- depth of the guide rail 470 mm
- "quick&easy" installation frame for various cabinet thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

Contair	ner fitting sy	stem/litres
Cabinet body	500	600
	12 15.5	15.5 15.5




#### Cox® Base 360 K/500-2

With pull-out complete lid.

- guide rail depth 470 mmwaste capacity 27.5 (1 x 15.5/1 x 12) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping
- installation depth 320 mm

317.14€
317.14€
326.86 €
326.86 €
16.39 €
16.39 €
10.39 £



#### Cox® Base 360 K/600-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 31 (2 x 15.5) liters
  technology: full pull-out
- fitting: cabinet wall and front panel


8012367 Cox Cick®, dark grey/chrome matt

- with soft retraction and damping
- installation depth 320 mm

8012402 without bio lid, light grey, H 360 mm	325.21 €
8013402 without bio lid, anthracite, H 360 mm	325.21 €
<b>8012403</b> with bio lid, light grey, H 360 mm	335.18 €
8013403 with bio lid, anthracite, H 360 mm	335.18 €
6013403 Willi bio ila, driiriidale, 11 300 Illili	000110 0
Optional accessories	
, , , , , , , , , , , , , , , , , , ,	16.81 €
Optional accessories	

66.47 €















#### Cox® Base 360 K/600-3

- With pull-out complete lid.

   guide rail depth 470 mm

   waste capacity 30,5 (1 x 15.5/2 x 7.5) liters

   technology: full pull-out

   fitting: cabinet wall and front panel

   with soft retraction and damping

   installation depth 320 mm

8012489 without bio lid, light grey, H 360 mm	325.21 €
8013489 without bio lid, anthracite, H 360 mm	325.21 €
<b>8012509</b> with bio lid, light grey, H 360 mm	334.77 €
8013509 with bio lid, anthracite, H 360 mm	334.77 €
Optional accessories	
<b>8012497</b> Bio lid, light grey, for 7.5 litres	16.39 €
8013497 Bio lid, anthracite, for 7.5 liters	16.39 €
8012369 Cox Cick-E® 600 K, dark grey/chrome matt	472.52 €








#### Cox Base-Board®

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology:

- H 100 mm
- depth of the guide rail 470 mm
- GRASS self-retracting full pull-out technology with Airmatic soft-impact, proven
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimal utilisation of space of storage boxes by flexible positioning of the boxes by means of separate brackets
- available for cupboard widths 500, 600 and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!





















#### Cox Base-Board® 500

- height 100 mm
- guide rail depth 470 mm
   1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- with soft retraction and damping

<b>8012360</b> silver	222.77 €
<b>8013360</b> anthracite	222.77 €
Optional accessories	
8012362 Storage box, dark grey, 2.7 liters	13.87 €
<b>8013362</b> Storage box, anthracite, 2.7 liters	13.87 €
8012363 Storage box, dark grey, 1.2 liters	11.51€
<b>8013363</b> Storage box, anthracite, 1.2 liters	11.51 €
8012364 Bracket for storage box, silver	2.10 €

















#### Cox Base-Board® 600


- height 100 mm
- guide rail depth 470 mm
- 1 x 2.7 | and 1 x 1.2 | storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- with soft retraction and damping

<b>8012361</b> silver	222.77 €
8013361 anthracite	222.77 €
Optional accessories	
8012362 Storage box, dark grey, 2.7 liters	13.87 €
8013362 Storage box, anthracite, 2.7 liters	13.87 €
8012363 Storage box, dark grey, 1.2 liters	11.51€
8013363 Storage box, anthracite, 1.2 liters	11.51 €
8012364 Bracket for storage box, silver	2.10 €



















#### Cox® Base 360 K/500-2 with Base-Board


- guide rail depth 470 mm

Order no. Item/

- waste capacity 27.5 (1 x 15.5/1 x 12) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- with soft retraction and damping
- installation depth 320 mm
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included

8012800 without bio lid, light grey, H 460 mm	506.17 €
8013800 without bio lid, anthracite, H 460 mm	506.17 €
<b>8012801</b> with bio lid, light grey, H 460 mm	515.97 €
8013801 with bio lid, anthracite, H 460 mm	515.97 €
Optional accessories	
<b>8012343</b> Bio-lid, light grey, for 7.5/9/12 liters	16.39 €
<b>8013343</b> Bio lid, anthracite, for 7.5/9/12 liters	16.39 €















#### Cox® Base 360 K/600-2 with Base-Board

- guide rail depth 470 mm
- waste capacity 31 (2 x 15.5) liters
- technology: full pull-out
- fitting: cabinet wall and front panel

8012802 without bio lid, light grey, H 460 mm

- with soft retraction and damping
- installation depth 320 mm
- 1x2.7 l and 1x1.2 l storage boxes and 4 brackets included

8013802 without bio lid, anthracite, H 460 mm	524.69 €
<b>8012803</b> with bio lid, light grey, H 460 mm	536.55 €
8013803 with bio lid, anthracite, H 460 mm	536.55 €
Optional accessories	
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €
<b>8013344</b> Bio lid, anthracite, for 10/12/15.5 liters	16.81 €
8012369 Cox Cick-E® 600 K, dark grey/chrome matt	472.52 €





#### Cox Cick-E® 600 K

- electric ejector for Cox® waste collectors
- suitable for Cox® Base waste collector with reduced installation depth (320 mm) and 600 mm width
- space-saving and invisible installation behind the waste collectors
- activation of pull-out mechanism by gently touching the pull-out front
- alternative mounting positions to avoid obstacles on site (e.g. water connection)
- attachment of the crossbar to existing holes of the  $\mathsf{Cox}^{\scriptscriptstyle{(\!0\!)}}$  waste collector
- 230 V electrical connection
- compatible waste collectors: 8012402, 8013402, 8012403, 8013403, 8012489, 8013489, 8012509, 8013509, 8012802, 8013802, 8012803, 8013803

8012369 dark grey/chrome matt

472.52 €

CE

524.69 €



#### Cox® Base 460 S

Order no.

Waste collector as front pull-out system with soft retraction and damping.

- installation height 460 cm


Item/

Description

- installation depth 400 cm
  depth of the installation frame 470 mm
- "quick&easy"-installation frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

	Conto	iner fitting	system/litre	es
Cabinet body	400	450	500	600
	28		21 28	28 28
	12.5	21 21	21 12.5	12.5 12.5







#### Cox® Base 460 S/400-1

With pull-out complete lid.

- guide rail depth 470 mmwaste capacity 28 liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)


**8012311** light grey, H 460 mm

338.66 €









#### Cox® Base 460 S/400-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 25 (2 x 12.5) liters
  technology: full pull-out
- frame/guide silver
- complete lid silver
  fitting: cabinet wal fitting: cabinet wall and front panel
- with soft retraction and damping

**8012356** light grey, H 460 mm

340.50 €







#### Cox® Base 460 S/450-2

With pull-out complete lid.

Order no. Item/

- guide rail depth 470 mm
- waste capacity 42 (2 x 21) liters
  technology: full pull-out


Description


- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012306 light grey, H 460 mm

341.34 €







With pull-out complete lid.

- guide rail depth 470 mmwaste capacity 49 (1 x 21/1 x 28) liters
- technology: full pull-outframe/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)


**8012307** light grey, H 460 mm

348.57 €









#### Cox® Base 460 S/500-3

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 46 (1 x 21/2 x 12.5) liters
  technology: full pull-out
- frame/guide silver
- complete lid silverfitting: cabinet wall and front panel
- with soft retraction and damping

**8012355** light grey, H 460 mm

358.40 €







#### Cox® Base 460 S/600-2

Item/

With pull-out complete lid.


Order no.

- guide rail depth 470 mm
- waste capacity 56 (2 x 28) liters
  technology: full pull-out

Description

- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping
- suitable for Cox Work® utensils box (see catalogue 1 pages 154−156/24 EN)

<b>8012308</b> light grey, H 460 mm	346.72 €
<b>8013308</b> anthracite, H 460 mm	346.72 €
Optional accessories	
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €



#### Cox® Base 460 S/600-3

With pull-out complete lid.

- guide rail depth 470 mmwaste capacity 53 (1 x 28/2 x 12.5) liters
- technology: full pull-outframe/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping
   suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012354</b> light grey, H 460 mm	356.64 €
<b>8013354</b> anthracite, H 460 mm	356.64 €
Optional accessories	
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €





#### Cox® Base single bucket

Optional accessories for all waste collectors of the group pull-out technology with front pull-out.

- waste capacity 4 liters
   144 x 230 x 191 mm (H x W x D)

<b>8012309</b> light grey	19.83 €
8013309 anthracite	19.83 €











#### **Bio-lid**

Order no.


Item/

Description

Includes 4 activated carbon filters (assumed annual requirement) as retrofitting set for Cox® Base replacement bucket 4, 6, 7, 10 and 12.5 liters.

<b>8011312</b> light grey, for 4/6/7/10/12.5 liters	14.79 €
<b>8013312</b> anthracite, for 4/6/7/10/12.5 liters	14.79 €





#### Cox Cick®

Cox Cick® is a manual foot pedal that enables effortless access to the Cox® Base and Cox Clan® waste collectors. Thanks to the ergonomically pleasantly designed pedal position, the waste system opens completely with little force. After operation, the opening mechanism automatically returns to its original position with the aid of a spring. In this way, near-silent operation is guaranteed when opening and closing. The assembly is simple and quick due to two moulded lugs with position fixing. The necessary drilling points are easily found by means of a plastic assembly aid.

- bracket projection on 16 gauge front 34 mm - bracket projection on 19 gauge front 31 mm

8012367 dark grey/chrome matt

66.47 €







#### LED foot kick Libero 3.0 with voice control

Motor-controlled ejector for all pull-outs with front extension.

Compatible with Alexa (Amazon) voice control systems. Installation in the front area of the bottom of the cupboard.

Required base recess from cabinet edge: ca. 50 mm, base height min. 100 mm Power supply: up to 230 volts, conventional sockets with 2000 mm cable USB-C/USB plug, drip-proof according to IP21.

- simple operation by foot sensor and/or voice control
- for base units from 300-1200 mm wide
- integrated LED indicator lighting, dimmable, can be switched off
- ejector strength adjustable, sensor sensitivity adjustable
- intelligent control, detects obstacles thanks to sliding clutch
- product dimensions: 33 x 157 x 300 mm (H x W x D)
- cut-out dimensions: 127 x 286 mm (W x D)

Setting and configuration via web browser.

8011212 white 392.02 €

## SELECTAkit® Container system

## Cox Work® – all your utensils at your fingertips

The many useful little things of everyday life also need a place where they are always to hand. Cox Work® was developed as a practical kitchen aid and has quickly established itself as a well-designed standard supplementary tool in the Cox container programme.

Aesthetic and constructive "stand-alone qualities" and an intelligent division system extend the range of applications far beyond the kitchen and household. In the office, in the workshop, in the garden and in many other hobby areas, Cox Work® saves unnecessary time spent searching for the right utensil.

- Cox Work® includes the following system parts (scope varies per set): box, small part box, 2 U-dividers and 2 V-dividers
- Cox Work® can be fittingly inserted into the 13, 16, 22 and 28 litre containers of the Cox®-container system with the system dimension 230 x 382 mm  $(W \times D)$
- Cox Work® is available in the colours light grey and anthracite
- material: ABS plastic
- dimensions H x W x D 161.5 x 361 x 209 mm





#### **Applications**

- · toolbox insert for the Cox® container system
- office utensils box
- toolbox
- hobby box
- garden helper box
- BBQ cleaner box
- bottle box




reddot award 2019













#### Cox Work®


Order no. Item/

Description

Functional and well-organised storage space is becoming increasingly important, not only at the kitchen workplace. The well-designed Cox Work® utensil box is a practical organisation aid and can be intelligently used as a free-standing element or behind front pull-outs in Cox® systems for the orderly placement of various work materials and accessories.

Cox Work® is offered in three different versions:

- Version 1 includes Cox Work  $^{\! @}$  Box in the desired colour.
- Version 2 includes a small parts box, in addition to the Cox Work® Box, which is elegantly fitted via the integrated handle and provides space for many little
- Version 3 also includes two V- and U-shaped dividers. These subdivide Cox Work® and create clearly structured storage space.



#### Cox Work® Concrete

Utensil box. For storage of, e.g. brushes, cleaners, tabs and cloths.


- mobile utensil box, light grey
- various applications
   can be integrated into all Cox® container systems with Cox® system dimensions 230 x 382 mm

<b>8012530</b> Cox Work® Box	57.06 €
8012531 set 1, incl. small parts box	71.60 €
<b>8012532</b> set 2, incl. small parts box, 2 x U-divider/V-divider	118.57 €
Optional accessories 8012533 small parts box Concrete/Carbon	16.64 €
8012534 U-divider Concrete/Carbon	5.21 €
8012535 V-divider Concrete/Carbon	21.85 €

5.21 €

21.85 €











#### Cox Work® Carbon

8012534 U-divider Concrete/Carbon

8012535 V-divider Concrete/Carbon

- Utensil box. For storage of, e.g. brushes, cleaners, tabs and cloths.

   mobile utensil box, anthracite

   various applications

   can be integrated into all Cox® container systems with Cox® system dimensions 230 x 382 mm

<b>8012540</b> Cox Work® Box	57.06 €
<b>8012541</b> set 1, incl. small parts box	71.60€
8012542 set 2, incl. small parts box, 2 x U-divider/V-divider	118.57 €
Optional accessories	
8012533 small parts box Concrete/Carbon	16.64 €

Naboc	156/2/	1 EN

















#### Top frame with clamping hook for Cox® Base 360 R

Waste collector as front pull-out system with soft retraction and damping.

- installation height 360 mm
- installation depth 400 mm
- depth of the guide rail 470 mm
- "quick&easy" installation frame for various cabinet thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

Order no.

with top frame for several bags

#### Top frame with clamping hook for Cox® base 360 R:

#### Cox® top frame with clamping hook

As a practical accessory for the large-volume waste container the optional two-piece top frame makes it possible to conveniently insert rubbish bags of various sizes into the plastic containers. Individual and practical for every requirement.

#### Cox® top frame for bag attachment

The innovative two-piece clamping frame system enables the use of different sizes of rubbish bag.

Depending on your preferences, two small or one large bag can be clamped in.

#### Mounting in a jiffy


Clip the two halves of the top frame onto the top edge of the waste collector. After inserting the rubbish bag into the container, the rubbish bag is pulled down through the support frame and fastened on the outside with the corresponding clamping hooks. Finished!

#### **Especially for Swiss garbage bags**

The Cox® Base 460 R waste container with top frame is ideally suited for standard Swiss garbage bags with 35 litres.

Container fitting system/litres			
Cabinet body	500	600	
	29	16 29	





#### Cox® Base 360 R/500-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 29 liters
- technology: full pull-out
- frame/guide silver
- complete lid silver fitting: cabinet wall and front panel
- incl. top frame for bag attachment
- with soft retraction and damping

8012405 light grey, H 360 mm

340.50 €









#### Cox® Base 360 R/600-2

- With pull-out complete lid.

  guide rail depth 470 mm

  waste capacity 45 (1 x 29/1 x 16) liters

  technology: full pull-out
  frame/guide silver

  complete lid silver

  fitting: cabinet wall and front panel

  incl. top frame for bag attachment
  with soft retraction and damping

<b>8012406</b> light grey, H 360 mm	377.31 €
<b>8013406</b> anthracite, H 360 mm	377.31 €
Optional accessories	
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €
8012367 Cox Cick®, dark grey/chrome matt	66.47 €







#### Cox® Base 460 R

Order no. Item/

Waste collector as front pull-out system with soft retraction and damping.


- installation height 460 mm
- installation depth 400 mmdepth of the guide rail 470 mm

Description

- "quick&easy" installation frame for various cabinet thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design
- 39 litre bucket ideal for Swiss bags (bin bags)
- with insertion frame for several bags

Container fitting system/litres				
Cabinet body	400	450	500	600
	39	39	39	21 39





#### Cox® Base 460 R/400-1

With pull-out complete lid.

— guide rail depth 470 mm

— waste capacity 39 liters

- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- incl. top frame for bag attachment
- with soft retraction and damping


8012443 light grey, H 460 mm

344.03 €









#### Cox® Base 460 R/450-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 39 literstechnology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- incl. top frame for bag attachment
- with soft retraction and damping

8012444 light grey, H 460 mm

344.03 €







#### Cox® Base 460 R/500-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 39 liters
   technology: full pull-out
   frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- incl. top frame for bag attachment
- with soft retraction and damping

**8012445** light grey, H 460 mm

344.03 €



#### Cox® Base 460 R/600-2

- With pull-out complete lid.

   guide rail depth 470 mm

   waste capacity 60 (1 x 39/1 x 21) liters
- technology: full pull-outframe/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- incl. top frame for bag attachment
- with soft retraction and damping

<b>8012446</b> light grey, H 460 mm	388.07 €
<b>8013446</b> anthracite, H 460 mm	388.07 €
Optional accessories	
8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt	469.83 €

## **SELECTAkit®**

# Pull-out technology for front pull-out

## Cox Clan® – Waste collectors for large waste volume

The sophisticated waste collector Cox Clan® is the continuation of the success story of the Cox® system series. As the "big brother" of the Cox® Base systems, it is ideally suited for holding high volumes of waste.

- GRASS full pull-out and over-extension technology with self-retraction and Airmatic soft-impact, proven in long-term tests
- smooth operation and lateral stability even under full load
- reinforced metal housing frame for container holder, powder-coated
- equipped with metal lid, powder-coated
- suitable for 16 mm and 19 mm side thicknesses
- available for five cupboard widths and in various heights
- installation depth amounts to 516 mm





## Cox Clan® convinces due to easy assembly:



 Transfer the mounting points in the body using the template.



Mount the pull-out rails and locating pins for the depositing lid.



 Place the depositing lid on the pins and hook the pull-out frame into the pull-out rails.



4. Mount the front attachment using the template.



Hang the front plate into the pull-out frame and fasten it, then clip on the plastic covers.



6. Insert containers. Finished!





#### Cox Clan® 490

Order no. Item/

Waste collector front pull-out system for large waste capacity with soft retraction and impact attenuation.


- installation height 490 mminstallation depth 516 mm
- depth of the installation frame 510 mm

Description

- "quick&easy" installation frame for different body thicknesses (16/19 mm)
- functional design

Container fitting system/litres			
Cabinet body	450	500	600
	29.5	29.5	29.5 21
	29.5	29.5	29.5












#### Cox Clan® 490/450-2

- guide rail depth 510 mm
- waste capacity 59 (2 x 29.5) liters
- technology: over extension
- frame/guide silver
- complete lid silverfitting: cabinet wall and front panel
- with soft retraction and damping

8012381 light grey, H 490 mm

408.74 €





#### Cox Clan® 490/500-2

- guide rail depth 510 mm
- waste capacity 59 (2 x 29.5) liters
- technology: over extension
   frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012382 light grey, H 490 mm


411.43€
















- guide rail depth 510 mm
- waste capacity 80 (2 x 29.5/1 x 21) liters
- technology: over extensionframe/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012384 light grey, H 490 mm

453.61 €





### Cox Cick®


Cox Cick $^{\!\scriptscriptstyle(\!0\!)}$  is a manual foot pedal that enables effortless access to the Cox $^{\!\scriptscriptstyle(\!0\!)}$  Base and Cox Clan® waste collectors. Thanks to the ergonomically pleasantly designed pedal position, the waste system opens completely with little force. After operation, the opening mechanism automatically returns to its original position with the aid of a spring. In this way, near-silent operation is guaranteed when opening and closing. The assembly is simple and quick due to two moulded lugs with position fixing. The necessary drilling points are easily found by means of a plastic assembly aid.

- bracket projection on 16 gauge front 34 mm
  bracket projection on 19 gauge front 31 mm

8012367 dark grey/chrome matt

66.47 €







### Cox Clan® 580

Order no. Item/

Waste collector front pull-out system for large waste capacity with soft retraction and impact attenuation.


- installation height 580 mm

Description

- installation depth 516 mm
- depth of the installation frame 510 mm
- "quick&easy" installation frame for different body thicknesses (16/19 mm)
- functional design

	(	Containe	fitting sys	stem/litres		
Cabinetbody	300	400	450	500	60	0
	1.2	1.2	35	35	35	21
32	35	35	35	35	1_	












### Cox Clan® 580/300-2

- guide rail depth 510 mm
- waste capacity 33.2 (1 x 32/1 x 1.2) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012386 light grey, H 580 mm

366.55 €





### Cox Clan® 580/400-2

- guide rail depth 510 mm
- waste capacity 36.2 (1 x 35/1 x 1.2) liters
- technology: full pull-outframe/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping


8012387 light grey, H 580 mm

375.46 €










### Cox Clan® 580/450-2


- guide rail depth 510 mm
- waste capacity 70 (2 x 35) liters
- technology: over extensionframe/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping

**8012388** light grey, H 580 mm

415.04 €









- guide rail depth 510 mm
- waste capacity 70 (2 x 35) liters
  technology: over extension
- frame/guide silver
- complete lid silverfitting: cabinet wall and front panel
- with soft retraction and damping


8012389 light grey, H 580 mm


415.04 €











- guide rail depth 510 mmwaste capacity 91 (2 x 35/1 x 21) liters
- technology: over extension
   frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- with soft retraction and damping

8012391 light grey, H 580 mm

467.14 €








## Replacement bucket and lid overview for Cox® series

Width mm	102	2	113		183		183	3	204	4	230	)
Depth mm	204		382		302		382		204		191	
	Order no.	€ per pc. excl. VAT	Order no.	€ per pc. excl. VAT	Order no.	€ per pc. excl. VAT	Order no.	€ per pc. excl. VAT	Order no.	€ per pc. excl. VAT	Order no.	€ per po excl. VA
82	8013363* 8012363	11.51							8013362* 8012362	13.87		
144											8013309* 8012309	19.83
216			5,5/ 8013325* 8012325	25.55	8013327* 8012327	30.42	8013329* 8012329	32.77			8013326* 8012326	26.89
256					8012493	32.27	8013492* 8012492	37.31			8013491* 8012491	28.0
326			851	31.60	8013333* 8012333	37.56	8013321* 8012321	40.25			8013320* 8012320	32.86
426							8013323* 8012323	44.79			8013319 8012319	37.4
460												• • • • • • • • • • • • • • • • • • • •
550												
Cealing lid					8013339* 8012339	8.74	8013341* 8012341	8.74			8013338* 8012338	5.93
Bil lid					8013343* 8012343	16.39					8013312* 8011312	14.79

## Replacement bucket and lid overview for Cox® series

Width mm	230	230	230	230	250	315	Accessor	ries
Depth mm	302	151	340	382	340	382		
	Order no. € per pc. excl. VTA	Order no.	€ per po excl. VA					
82							Non-slip mat	
144							up to 600 mm 8013352* 8012352 up to 1200 mm 8013353* 8012353	11.93 11.93 23.70 23.70
216	8012328			8013330* 8012330		8013331* 8012331	Complete lid	
256 E	33.19 8012494			38.49 8013490* 8012490		43.95	Width 400 mm 8013153* 8010153 Width 450 mm 8013154*	79.7
326	37.31 8013334* 8012334	8013495° 8012495		8013322* 8012322		8013335* 8012335	8010154 Width 500 mm 8013145* 8010145 Width 600 mm	95.2
426	39.66	29.58		8013324*		8013336*	8013146* 8010146 Width 800 mm 8013356* 8012347	98.8 73.1
				8013324 8012324 48.99		8012336 57.73	Width 900 mm 8013357* 8012348	78.4
460					8012395		Width 1000 mi <b>8012349</b> Width 1200 mi	<b>85.4</b> m
550			22/		52.02		8012350 Width 500 mm Depth 320 mm 8013345* 8012345	
Sealing lid/ top frame	[0]		8012398 54.62		8012397 56.39		Width 600 mm Depth 320 mm <b>8013346*</b> <b>8012346</b>	
Bio lid	8012340 9.41			8013342* 8012342 9.41		8012337 24.54	Width 600 mm Depth 400 mm 	
	8013344* 8012344 16.81	8013497* 8012497 16.39					Width 300 mm Depth 516 mm <b>8010160</b>	,

\*anthracite



### Bio Double 30 BM

Order no. Item/

- waste capacity 30 (1 x 20/1 x 10) liters
- technology: full pull-outfitting: cabinet bottom and front panel

Description

8012093 anthracite

183.28 €





### Tandem 2


- waste capacity 30 (2 x 15) liters
- technology: for existing pull-outsfitting: on tray pull-out or in a drawer


8011053 graphite grey

138.32 €











— guide rail depth 530 mm

- bio-bucket 5 l with lid and carrying handle - two 4-l containers with 2 lids and carrying handles

- waste container 35 l with closing-lid as deposit for cleaning things

- pull-out shelves with positioning elements for the containers

— for 35-l and 17-l bags

- technology: full pull-out

- fitting: cabinet bottom and front panel

Müllex Comfort 35/5/4/4 - low-noise, sturdy pull-out system waste capacity 48 (35/5/4/4) liters


- max. cabinet width 600 mm

8011021 anthracite/green


478.99 €












- low-noise, sturdy pull-out system
- waste capacity 60 (35/17/4/4) liters
- two waste containers for 35-l and 17-l bags
- two 4-l containers with lid and carrying handle
- closing-lid as deposit for cleaning things
- technology: full pull-out
- pull-out shelves with positioning elements for the containers
- guide rail depth 530 mm
- lid black
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011054 black/light grey

478.99 €










- low-noise, sturdy pull-out system
- waste capacity 39 (35/2/2) liters
- waste container 35 l with flap for 35-l and 17-l bags
- two 2-l containers
- closing-lid as deposit for cleaning things
- in comparison to müllex comfort 30 mm shorter, allowing more space for sanitary installations
- technology: full pull-out
- pull-out shelves with positioning elements for the containers
- guide rail depth 500 mm
- lid black
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011055 black

357.14 €





### Müllex Boxx 55/60-R Bio

- low-noise, sturdy pull-out system
- waste capacity 47 (41/5/1) liters
- container with round filling of the 35-l bin bag, extended with additional container and bio-bucket 5 l
- optional two 17-l bin bags
- technology: full pull-out
- pull-out cover drawer
- in case of bulky siphon, the rear wall of the drawer can be adjusted
- adapter for 600 mm body supplied
- retraction damping as standard
- guide rail depth 520 mm
- lid anthracite
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

**8011049** anthracite

537.82 €










### Müllex Euro Boxx 55/60 R - low-noise, sturdy pull-out system

- waste capacity 56 (1  $\times$  40/1  $\times$  16) liters
- container with round filling of the 35-1 bin bag
- optional two 17-l bin bags
- technology: full pull-out
- pull-out cover drawer
- in case of bulky siphon, the rear wall of the drawer can be adjusted
- extended with 16-l additional container
- adapter for 600 mm body supplied
- retraction damping as standard
- guide rail depth 520 mmlid anthracite
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

**8011019** anthracite

508.40 €





### **StopMatic**

The pull-out systems Müllex Comfort and Müllex Oekonom can be optionally equipped with the StopMatic accessories. A damper with "self-closing function" which can be inserted into the rail profile slows the pull-out just before it reaches the final position.

StopMatic and KickMatic are not combinable.

**8011066** light grey

37.39 €



### **KickMatic**

The pull-out systems Müllex Comfort, Müllex Oekonom and Müllex Boxx can be equipped with the KickMatic accessories on request.

Press lightly with your foot and the bucket slides gently out of the bottom cabinet. So you have both hands free.

StopMatic and KickMatic are not combinable.

8011070 chrome


122.69 €

# SELECTAkit® Pull-out technology for existing pull-outs



The flexible waste system

Cox Stand-UP® 250 S Page 172-175 Cox Stand-UP® 280 S Page 176-178 Cox Stand-UP® 350 S Page 179-181 Cox Stand-UP® 350 K Page 182-183 Cox® Box 235 S Page 184-187 Cox® Box 235 K Page 188-190 Cox® Box 275 S Page 191-192 Cox® Box 275 K Page 193-195 Cox® Box 360 S Page 196-198 Cox® Box 350 S Page 199-200 Cox® Giallo Page 201 X-LINE Page 202-203



## SELECTAkit®

# Pull-out technology for existing pull-outs



### Cox Stand-UP®

Kitchen base cabinets with front pullout are available in several widths and various frame and front heights for kitchen planning. Naber provides waste collector combinations that make perfect use of the storage space in a comparable range of sizes.

- The waste system Cox Stand-UP® offers three container heights and can be configured for four different cabinet widths.
- Cox Stand-UP® is quick and easy to install; existing front pull-outs can also be equipped without any problems.

To provide kitchen users with the largest possible container volume, Cox Stand-UP® is highly flexible in design and adapts to any cabinet situation with or without a water connection.

- The complete lid of the system can also be installed behind the top front to save space and thus maximise the total possible volume.
- Note: 350 mm high waste collectors can be safely accommodated behind a 390 mm high cabinet front.

The high-quality containers are securely positioned in a floor-mounted frame. As optional accessories, sealing lids – also in the version for organic waste – make domestic waste and recycling management even easier.



Cox Stand-UP® 250 S



Cox Stand-UP® 280 S



Cox Stand-UP® 350 S



Cox Stand-UP® 350 K



### Cox Stand-UP® 250 S


Item/

Description

Order no.

The Cox-Stand-UP® waste system 250 is ideally suited for quick installation on existing pull-outs with a nominal depth of 450 mm and 500 mm. The total height of the system is 250 mm, whereby the clear installation height is only 240 mm. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 145 mm. The Cox-Stand-UP® waste system is available in different heights, cabinet widths and bucket combinations.

Container fitting system/litres										
Cabinet body	60	00	800				900			
	13	13	13	10	13		13	13	13	
	13	6	13	10	6		13	13	6	




### Cox Stand-UP® 250 S/600-2

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- $-\,$  minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 26(2 x 13) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8013380</b> anthracite, H 250 mm	192.27 €
Optional accessories	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €




### Cox Stand-UP® 250 S/600-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 25(1 X 13/2 x 6) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013381 without bio lid, anthracite, H 250 mm	209.33 €
8013382 with bio lid, anthracite, H 250 mm	221.32 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013338</b> Closing-lid. anthracite. for 4/6/7/10/12.5 liters	5.97 €

800 mm



### Cox Stand-UP® 250 S/800-3

Description

Item/

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400  $\mbox{mm}$
- waste volume  $36(1 \times 10/2 \times 13)$  litres
- total height 250 mm

Order no.

- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8013383</b> anthracite, H 250 mm	281.18 €		
Optional accessories			
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €		
<b>8013341</b> Closing-lid, anthracite, for 10/12/16/21 liters	8.74 €		




### Cox Stand-UP® 250 S/800-4

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 35 (1  $\times$  13/1  $\times$  10/2  $\times$  6) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154-156/24 EN)

8013384 without bio lid, anthracite, H 250 mm	298.24 €
8013385 with bio lid, anthracite, H 250 mm	310.68 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013341</b> Closing-lid, anthracite, for 10/12/16/21 liters	8.74 €
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €



### Cox Stand-UP® 250 S/900-3


For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 39(3 X 13) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8013386</b> anthracite, H 250 mm	298.24 €
Optional accessories	
<b>8013342</b> Closina-lid, anthracite, for 13 / 16 / 22 / 28 liters	9.41 €









### Cox Stand-UP® 250 S/900-4

For mounting on existing pull-outs with a nominal depth of  $450\ \mathrm{mm}$  and  $500\ \mathrm{mm}$ .

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 38 (2 X 13/ 2 x 6) litrestotal height 250 mm
- installation height without complete lid 240 mm
- $\boldsymbol{-}$  complete lid can be mounted behind the upper front to save space
- bucket height 216 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013387 without bio lid, anthracite, H 250 mm	316.22 €
8013388 with bio lid, anthracite, H 250 mm	328.53 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €



### Cox Stand-UP® 280 S

Item/

Description

Order no.

The Cox-Stand-UP waste system 280 is ideally suited for guick installation on existing pull-outs with a nominal depth of 450 mm and 500 mm. The total height of the system is 280 mm, whereby the clear installation height is only 270 mm. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 175 mm. The Cox-Stand-UP waste system is available in different heights, cabinet widths and bucket combinations.

Container fitting system/litres										
Cabinet body	600	600 800			I	900				
	16 16		16	12	16		16	16	16	
	16 7		16	12	7		16	16	7	




### Cox Stand-UP® 280 S/600-2

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 32 (2 X 16) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8013389</b> anthracite, H 280 mm	199.41 €
Optional accessories	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €



### Cox Stand-UP® 280 S/600-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 30(1 X 16/2 x 7) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013390 without bio lid, anthracite, H 280 mm	212.94 €	
8013391 with bio lid, anthracite, H 280 mm	224.88 €	
Optional accessories		
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €	
8011178 Bio-filter retrofitting set, black	7.39 €	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €	
<b>8013338</b> Closing-lid anthracite for 4/6/7/10/12.5 liters	5.97 €	





### Cox Stand-UP® 280 S/800-3

Description

Item/

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400  $\mbox{mm}$
- waste volume 44(2 X 16/1 x 12) litres
- total height 280 mm

Order no.

- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8013393</b> anthracite, H 280 mm	290.17 €
Optional accessories	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013341</b> Closing-lid, anthracite, for 10/12/16/21 liters	8.74 €



### Cox Stand-UP® 280 S/800-4

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- $-\,$  minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 42 (1 x 16/1 x 12/2 x 7) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154-156/24 EN)

8013394 without bio lid, anthracite, H 280 mm	303.61 €
8013395 with bio lid, anthracite, H 280 mm	315.22€
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013341</b> Closing-lid, anthracite, for 10/12/16/21 liters	8.74 €
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €



### Cox Stand-UP® 280 S/900-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 48 (3 x 16) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8013396</b> anthracite, H 280 mm	310.84 €
Optional accessories	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €





### Cox Stand-UP® 280 S/900-4

Description

For mounting on existing pull-outs with a nominal depth of  $450\ \mathrm{mm}$  and  $500\ \mathrm{mm}$ .

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 46 (2 x  $\frac{16}{2}$  x 7) litres
- total height 280 mm

Order no. Item/

- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013397 without bio lid, anthracite, H 280 mm	323.36 €
8013398 with bio lid, anthracite, H 280 mm	334.77 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €



### Cox Stand-UP® 350 S

Item/


Description

Order no.

The Cox-Stand-UP® waste system 350 is ideally suited for quick installation on existing pull-outs with a nominal depth of 450 mm and 500 mm. The total height of the system is 350 mm, whereby the clear installation height is only 340 mm. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 245 mm. The Cox-Stand-UP® waste system is available in different heights, cabinet widths and bucket combinations.

	Container fitting system/litres						
Cabinet Body	500		500	600		60	00
	16 10	16	22	22	0	22	22
Cabinet Body	800			900		900	
	22 16	10 10	22	22 10	22	22	22








### Cox Stand-UP® 350 S/500-2

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- $-\,$  minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 38 (1 x 16/1 x 22) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

<b>8013423</b> anthracite, H 350 mm	204.79 €
Optional accessories	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €








### Cox Stand-UP® 350 S/500-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 36 (2 x 10/1 x 16) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

<b>8013399</b> anthracite, H 350 mm	212.94 €
Optional accessories	
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €
<b>8013341</b> Closing-lid, anthracite, for 10/12/16/21 liters	8.74 €

220.08 €



### Cox Stand-UP® 350 S/600-2

Description

Item/

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400  $\mbox{mm}$
- waste volume 44 (2 x 22) litres
- total height 350 mm

Order no.

- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm
- suitable for Cox Work® utensils box (see catalogue 1 page 154-156/24 EN)

communication continued to the continued continued to the continued continued to the continued c	
209.30 €	
9.41 €	



### Cox Stand-UP® 350 S/600-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 42 (2 x 10/1 x 22) litres
- total height 350 mm
- installation height without complete lid 340 mm

8013410 without bio lid, anthracite, H 350 mm

- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013411 with bio lid, anthracite, H 350 mm	232.52 €	
Optional accessories		
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €	
8011178 Bio-filter retrofitting set, black	7.39 €	
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €	



### Cox Stand-UP® 350 S/800-4


For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 58 (2 x 10/1 x 22/1 x 16) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013412 without bio lid, anthracite, H 350 mm	314.45 €
8013413 with bio lid, anthracite, H 350 mm	326.77 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013338</b> Closing-lid, anthracite, for 4/6/7/10/12.5 liters	5.97 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013341</b> Closing-lid, anthracite, for 10/12/16/21 liters	8.74 €

335.04 €









Item/

Description

Order no.

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 66 (3 x 22) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154-156/24 EN)

8013414 without bio lid, anthracite, H 350 mm	323.36 €
Optional accessories	
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €





For mounting on existing pull-outs with a nominal depth of  $450 \ \text{mm}$  and  $500 \ \text{mm}$ .

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- $-\,$  minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 64 (2 x 22/2 x 10) litres
- total height 350  $\dot{\text{mm}}$
- installation height without complete lid 340 mm

8013415 without bio lid, anthracite, H 350 mm

- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8013416 with bio lid, anthracite, H 350 mm	347.21 €
Optional accessories	
<b>8013312</b> Bio-lid, anthracite, for 4/6/7/10/12.5 liters	14.79 €
8011178 Bio-filter retrofitting set, black	7.39 €
<b>8013342</b> Closing-lid, anthracite, for 13/16/22/28 liters	9.41 €
<b>8013338</b> Closing-lid. anthracite, for 4/6/7/10/12.5 liters	5.97 €



### Cox Stand-UP® 350 K

Item/

Description

Order no.

The Cox-Stand-UP® waste system 350 is ideally suited for quick installation on existing pull-outs with a nominal depth of 400 mm. The total height of the system is 350 mm, whereby the clear installation height is only 340 mm. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 245 mm.

The Cox-Stand-UP® waste system is available in different heights, cabinet widths and bucket combinations.

Container fitting system/litres					
Cabinet Body	500K	600K			
	12 <b>7,5 7,5</b>	15,5 <b>7,5 7,5</b>			



### Cox Stand-UP® 350 K/500-3

For mounting on existing pull-outs with a shortened nominal depth of 400 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- $-\,$  minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 27 (2 X 7.5/1 x 12) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

224.54 €		
16.39 €		
8.74 €		



### Cox Stand-UP® 350 K/600-3


For mounting on existing pull-outs with a shortened nominal depth of 400 mm.

The 600 mm-wide Cox®-Stand-UP® waste system is supplied with a matching fixed complete lid for the cabinet. This creates additional practical storage space alongside the waste system in the pull-out.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 30.5 (2  $\times 7.5/1 \times 15.5$ ) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

<b>8013420</b> anthracite, H 350 mm	262.04 €		
Optional accessories			
8013497 Bio lid, anthracite, for 7.5 liters	16.39 €		
<b>8013344</b> Bio lid, anthracite, for 10/12/15.5 liters	16.81 €		







### Cox Stand-UP® 350 K/800-3

Description

Item/

For mounting on existing pull-outs with a shortened nominal depth of 400 mm.

The 800 mm-wide Cox®-Stand-UP® waste system is supplied with a matching fixed complete lid for the cabinet. This creates additional practical storage space alongside the waste system in the pull-out.


- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 30.5 (2 x 7.5/1 x 15.5) litres
- total height 350 mm

Order no.

- installation height without complete lid 340 mm
- installation depth of the complete lid 400 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

<b>8013421</b> anthracite, H 350 mm	265.22 €		
Optional accessories			
8013497 Bio lid, anthracite, for 7.5 liters	16.39 €		
<b>8013344</b> Bio lid, anthracite, for 10/12/15.5 liters	16.81 €		







### Cox Stand-UP® 350 K/900-3

For mounting on existing pull-outs with a shortened nominal depth of 400 mm. The 900 mm-wide  $Cox^{\circ}$ -Stand-UP $^{\circ}$  waste system is supplied with a matching fixed complete lid for the cabinet. This creates additional practical storage space alongside the waste system in the pull-out.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 30.5 (2  $\times 7.5/1 \times 15.5$ ) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400 mm
- complete lid can be mounted behind the upper front to save space
  bucket height 326 mm


271.16€
16.39 €
16.81 €

# SELECTAkit® Pull-out technology for existing pull-outs

### Cox® Box 235/275

Cox® Box 235 S is the sophisticated individual built-in waste collector solution for existing pull-out technology.

- suitable for existing pull-outs from all manufacturers
- individual container-configuration for many applications
- easy installation due to cut-to-size anti-slip mat under the containers
- continuous fixed metal lid over all the containers, powder-coated
- available for eight cabinet widths and for low container height 216/256 mm, installation height with metal lid 235/275 mm
- optional single closing lid or bio lid with activated carbon filter



# The Cox® Box convinces due to easy assembly:



 Measure the bottom of the pullout and cut anti-slip insert mat to size



2. Insert anti-slip insert mat.



3. Place the container in the pull-out.



Measure the container height and transfer to body.



5. Drill and insert the lid locating pins into the side of the body.



6. Mount the depositing lid on the locating pins. Finished!



### Cox® Box 235 S

Order no. Item/

The Cox® Box waste collection system is ideally suited for a multi-part front.


- with fixed silver-coloured metal lid

Description

- with non-slip mat, TPE-coated on both sides
- for installation on existing pull-outs
- the height of the entire system is only 235 mm
- The total lid can be mounted behind the top front to save space.

Container fitting system/litres														
Cabinet body	1000					1000					1200			
	13	10	10	13	6	<b>→</b> 10	10	13	6	10	13	10	13	
Bio	10	10	10	13	6	10	10	13	6	10	13	10	13	








### Cox® Box 235 S/1000-4

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 46 (2 x  $13/2 \times 10$ ) liters
- bucket height 216 mm
- total height 235 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154-156/24 EN)

consists for continuous son too caranges : pages :	0 : :00, = : =: :,
8012440 light grey	260.49 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €



### Cox® Box 235 S/1000-4 Bio


For installation on existing pull-outs. With non-slip inlay mat, fixed complete lid and single bio-lid.

- waste capacity 43 (1  $\times$  13/2  $\times$  10/1  $\times$  10) liters
- bucket height 216 mm
- total height 235 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012448</b> light grey	273.95 €		
Optional accessories			
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €		
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €		
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €		



1.000



### Cox® Box 235 S/1000-5

Description

Item/


For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 45 (1 x 13/2 x 10/2 x 6) liters
- bucket height 216 mm

Order no.

- total height 235 mm
- The total lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012438</b> light grey	262.97 €		
Optional accessories			
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €		
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €		
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €		




### Cox® Box 235 S/1000-5 Bio

For installation on existing pull-outs. With non-slip inlay mat, fixed complete lid

- waste capacity 45 (1 x 13/2 x 10/2 x 6) liters
- bucket height 216 mm
- total height 235 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012439</b> light grey	276.83 €		
Optional accessories			
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €		
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €		
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €		





### Cox® Box 235 S/1200-6

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 58 (2 x 13/2 x 10/2 x 6) liters
- bucket height 216 mm
- total height 235 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work  $\!^{\circ}$  utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012441</b> light grey	304.05 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €








### Cox® Box 235 S/1200-6 Bio

For installation on existing pull-outs. With non-slip inlay mat, fixed complete lid and single bio-lid.

- waste capacity 58 (2 x 13/2 x 10/2 x 6) liters
  bucket height 216 mm
  total height 235 mm

- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012442</b> light grey	314.29 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €



### Cox® Box 235 K

Order no. Item/

The Cox® Box waste collection system is ideally suited for a multi-part front.


- with fixed silver-coloured metal lid

Description

- with non-slip mat, TPE-coated on both sides
- for installation on existing pull-outs
- the height of the entire system is only 235 mm
- The total lid can be mounted behind the top front to save space.
- for drawers with a depth of 400 mm

		Container fitting	system/litres			
Cabinet body	Cabinet body 600		900	900		
	10 10	10 10 10	10 10 10	7.5 7.5 7.5 7.5		
Cabinet body 1000			1200			
	10 7	.5 7.5 10	10 7.5 1	0 7.5 10		










### Cox® Box 235 K/600-2

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 20 (2 x 10) liters
- bucket height 216 mm
- total height 235 mm
- The total lid can be mounted behind the top front to save space.

8012450 without bio lid, light grey	142.86 €	
8012451 with bio lid, light grey	150.89 €	
Optional accessories		
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €	
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €	





For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 30 (3 x 10) liters


Cox® Box 235 K/800-3


- bucket height 216 mm
- total height 235 mm
- The complete lid can be mounted behind the top front to save space.

	•
8012452 without bio lid, light grey	192.27 €
8012453 with bio lid, light grey	
Optional accessories	
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €









Item/

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

waste capacity 30 (3 x 10) litersbucket height 216 mm

Description


- total height 235 mm

Order no.

- The complete lid can be mounted behind the top front to save space.

8012454 without bio lid, light grey	184.61 €
8012455 with bio lid, light grey	205.46 €
Optional accessories	
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €











### Cox® Box 235 K/900-4

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 30 (4 x 7.5) liters
- bucket height 216 mm
- total height 235 mm
- The complete lid can be mounted behind the top front to save space.

8012456 without bio lid, light grey	209.32 €
8012457 with bio lid, light grey	224.04 €
Optional accessories	
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €
<b>8012343</b> Bio-lid, light grey, for 7.5/ 9/ 12 liters	16.39 €










### Cox® Box 235 K/1000-4

For installation on existing pull-outs. With non-slip inlay mat and fixed complete lid.

- waste capacity 35 (2  $\times$  10/2  $\times$  7.5) liters
- bucket height 216 mmtotal height 235 mm
- The complete lid can be mounted behind the top front to save space.

8012458 without bio lid, light grey	220.42 €	
8012459 with bio lid, light grey	233.18 €	
Optional accessories		
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €	
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €	
<b>8012343</b> Bio-lid, light grey, for 7.5/9/12 liters	16.39 €	
<b>8012344</b> Bio-lid, light grev, for 10/12/15.5 liters	16.81 €	

310





Description

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

Order no. Item/

waste capacity 45 (3 x 10/2 x 7.5) liters
bucket height 216 mm
total height 235 mm
The complete lid can be mounted behind the top front to save space.

8012460 without bio lid, light grey	255.36 € 273.37 €	
8012461 with bio lid, light grey		
Optional accessories		
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €	
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €	
<b>8012343</b> Bio-lid, light grey, for 7.5/9/12 liters	16.39 €	
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €	



### Cox® Box 275 S

Order no. Item/

The Cox® Box waste collection system is ideally suited for a multi-part front.


- with fixed silver-coloured metal lid

Description

- with non-slip mat, TPE-coated on both sides
- for installation on existing pull-outs
- the height of the entire system is only 275 mm
- The total lid can be mounted behind the top front to save space.

Container fitting system/litres										
Cabinet body 1000						1200				
	16	12	12	16		7	12	16	12	16
Bio	7	12	12	16		7	12	16	12	16









### Cox® Box 275 S/1000-4

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 56 (2 x 16/2 x 12) liters
- bucket height 256 mm
- total height 275 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8012470 light grey	270.58 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €








### Cox® Box 275 S/1000-5 Bio

For installation on existing pull-outs. With non-slip inlay mat, bio-lid and fixed complete lid.

- waste capacity 54 (1 x 16/2 x 12/2 x 7) liters
- bucket height 256 mm
- total height 275 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012471</b> light grey	286.68 €	
Optional accessories		
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €	
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €	
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €	



### Cox® Box 275 S/1200-6

Description


For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 70 (2 x 16/2 x 12/2 x 7) liters
  bucket height 256 mm
- total height 275 mm

Order no. Item/

- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

<b>8012472</b> light grey	313.93 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €



### Cox® Box 275 S/1200-6 Bio

For installation on existing pull-outs. With non-slip inlay mat, bio-lid and fixed

- waste capacity 70 (2 x 16/2 x 12/2 x 7) liters
- bucket height 256 mm
- total height 275 mm
- The complete lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8012473 light grey	326.30 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €



### Cox® Box 275 K

Order no. Item/

The Cox® Box waste collection system is ideally suited for a multi-part front.


- with fixed silver-coloured metal lid

Description

- with non-slip mat, TPE-coated on both sides
- for installation on existing pull-outs
- the height of the entire system is only 275 mm
- The total lid can be mounted behind the top front to save space.
- for drawers with a depth of 400 mm

			Conte	ainer	fitting	syste	m/lit	res				
Corps	60	00		800	- 0		900			90	00	
	12	12	12	12	12	12	12	12	9	9	9	9
Corps		1000		T		120	0					
	12	9	9 12		12	9 12	9	12				










### Cox® Box 275 K/600-2


For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 24 (2 x 12) liters
- bucket height 256 mm
- total height 275 mm
- The complete lid can be mounted behind the top front to save space.

8012474 without bio lid, light grey	142.63 €
8012475 with bio lid, light grey	157.58 €
Optional accessories	
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €









Cox® Box 275 K/800-3

- bucket height 256 mm total height 275 mm

- waste capacity 36 (3 x 12) liters






— The complete lid can be mounted behind the top front to save space.

For installation on existing pull-outs. With non-slip inlay mat and fixed complete







### Cox® Box 275 K/900-3

Description

Item/


For installation on existing pull-outs. With non-slip inlay mat and fixed complete


- waste 36 (3 x 12) liters
- bucket height 256 mm
- total height 275 mm

Order no.

- The total lid can be mounted behind the top front to save space.

195.38 €	
208.99 €	
9.41 €	
16.81 €	











### Cox® Box 275 K/900-4

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

- waste capacity 36 (4 x 9) liters
- bucket height 256 mm
- total height 275 mm
- The complete lid can be mounted behind the top front to save space.

8012480 without bio lid, light grey	217.97 €	
8012481 with bio lid, light grey	230.94 €	
Optional accessories		
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €	
<b>8012343</b> Bio-lid, light grey, for 7.5/ 9/ 12 liters	16.39 €	





### Cox® Box 275 K/1000-4


For installation on existing pull-outs. With non-slip inlay mat and fixed complete


- waste capacity 42 (2 x 12/2 x 9) liters
  bucket height 256 mm
- total height 275 mm
- The complete lid can be mounted behind the top front to save space.

8012482 without bio lid, light grey	226.59 €	
8012483 with bio lid, light grey	246.57 €	
Optional accessories		
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €	
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €	
<b>8012343</b> Bio-lid, light grey, for 7.5/9/12 liters	16.39 €	
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €	













### Cox<sup>®</sup> Box 275 K/1200-5

Description

For installation on existing pull-outs. With non-slip inlay mat and fixed complete

Order no. Item/

waste capacity 54 (3 x 12/2 x 9) liters
bucket height 256 mm
total height 275 mm
The complete lid can be mounted behind the top front to save space.

8012484 without bio lid, light grey	267.19 €
8012485 with bio lid, light grey	276.68 €
Optional accessories	
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €
<b>8012340</b> Closing-lid, light grey, for 10/12/15.5 liters	9.41 €
<b>8012343</b> Bio-lid, light grey, for 7.5/ 9/ 12 liters	16.39 €
<b>8012344</b> Bio-lid, light grey, for 10/12/15.5 liters	16.81 €

# SELECTAkit®

# Pull-out technology for existing pull-outs

### Cox® Box 360/350

Cox® Box 360/350 is the sophisticated individual built-in waste collector solution for existing pull-out technology.

- suitable for existing pull-outs from all manufacturers
- individual container-configuration for many applications
- easy installation due to cut-to-size anti-slip mat under the containers
- pull-out\* metal lid can be used as an additional depositing surface, powder-coated
- available for eight cabinet widths and for low container height 326 mm, installation height with metal lid 360/350 mm
- optional single closing lid or bio lid with activated carbon filter



# The Cox® Box convinces due to easy assembly:



 Measure the bottom of the pull-out and cut anti-slip insert mat to size.



2. Insert anti-slip insert mat.



3. Place the container in the pull-out.



4. Measure the container height and transfer to body.




5. Mount the lid holder on the cabinet sides.



6. Insert the depositing lid into the holder. Finished!

<sup>\*</sup>with Cox® Box 360



### Cox® Box 360 S

Order no. Item/

The Cox® Box waste collection system is ideally suited for a multi-part front.


- the height of the entire system is 360 mm
- with non-slip mat, TPE-coated on both sides
  for installation on existing pull-outs

Description

- available with extractable metal lid

Container fitting system/litres							
Cabinet body	400	400	450	450	600		
	12	16 8,5	16 16	8,5 10	29 16		







### Cox® Box 360 S/400-1

For all standard drawers. With non-slip inlay mat and pull-out complete lid.


— waste capacity 24.5 (1 x 16/1 x 8.5) liters

— bucket height 326 mm

- total height 360 mm
  The complete lid can be mounted behind the top front to save space.

<b>8012407</b> light grey	149.22 €
Optional accessories	
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €






### Cox® Box 360 S/400-2

For all standard drawers. With non-slip inlay mat and pull-out complete lid.

- waste capacity 24 (2 x 12) liters
- bucket height 326 mm
- total height 360 mm
- The coplete lid can be mounted behind the top front to save space.

8012408 without bio lid, light grey	154.29 €
8012409 with bio lid, light grey	164.87 €
Optional accessories	
<b>8012343</b> Bio-lid, light grey, for 7.5/ 9/ 12 liters	16.39 €
<b>8012339</b> Closing-lid, light grey, for 7.5/9/12 liters	8.74 €





### Cox® Box 360 S/450-2

Item/

For all standard drawers. With non-slip inlay mat and pull-out complete lid.

- waste capacity 32 (2 x 16) liters

Description


- bucket height 326 mm
- total height 360 mm

Order no.

- The complete lid can be mounted behind the top front to save space.

<b>8012412</b> light grey	155.38 €	
Optional accessories		
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €	







### Cox® Box 360 S/450-3

For all standard drawers. With non-slip inlay mat and pull-out complete lid.


— waste capacity 28.5 (2 x 10/1 x 8.5) liters

— bucket height 326 mm

- total height 360 mm
- The complete lid can be mounted behind the top front to save space.

171.64€	
184.66 €	
5.97 €	
14.79 €	






### Cox® Box 360 S/600-2

For all standard drawers. With non-slip inlay mat, top frame for bag attachment and pull-out complete lid.

- waste capacity 45 (1 x 29/1 x 16) litersbucket height 326 mm
- total height 360 mm
- The complete lid can be mounted behind the top front to save space.

<b>8012417</b> light grey	212.94 €
Optional accessories	
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €





#### Cox® Box 350 S

Order no. Item/


The Cox® Box waste collection system is ideally suited for a multi-part front.


- the height of the entire system is 350 mm
- with non-slip mat, TPE-coated on both sides
  for installation on existing pull-outs

Description

- available with fixed metal lid

Container fitting system/litres				
Cabinet body	800	1000	1000	1200
	16 29 16	22 16 16 22	10 16 16 22	10 16 22 16 22








#### Cox® Box 350 S/800-3

For all standard drawers. With non-slip inlay mat, top frame for bag attachment and fixed complete lid.

- waste capacity 61 (1 x 29/2 x 16) liters
- bucket height 326 mm
- total height 350 mm
- The compete lid can be mounted behind the top front to save space.

8012420 light grey	218.33 €
Optional accessories	
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €






#### Cox® Box 350 S/1000-4

For all standard drawers. With non-slip inlay mat and fixed complete lid.

- waste capacity 76 (2 x 22/2 x 16) liters
- bucket height 326 mm
- total height 350 mm
- The total lid can be mounted behind the top front to save space.
- suitable for Cox Work® utensils box (see catalogue 1 pages 154-156/24 EN)

<b>8012426</b> light grey	234.69 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €





#### Cox® Box 350 S/1000-5

Description

For all standard drawers. With non-slip inlay mat and fixed complete lid.


- waste capacity 74 (1 x 22/2 x 16/2 x 10) liters
- bucket height 326 mm
  total height 350 mm

Order no. Item/

- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8012424 without bio lid, light grey	249.09 €
8012425 with bio lid, light grey	263.67 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €







1.000 CABINET

#### Cox® Box 350 S/1200-6

For all standard drawers. With non-slip inlay mat and fixed complete lid.

- waste capacity 96 (2 x 22/2 x 16/2 x 10) liters
  bucket height 326 mm
- total height 350 mm
- suitable for Cox Work® utensils box (see catalogue 1 pages 154–156/24 EN)

8012427 without bio lid, light grey	294.09 €
8012428 with bio lid, light grey	307.22 €
Optional accessories	
<b>8012342</b> Closing-lid, light grey, for 13/16/22/28 liters	9.41 €
<b>8012341</b> Closing-lid, light grey, for 10/12/16/21 liters	8.74 €
<b>8012338</b> Closing-lid, light grey, for 4/6/7/10/12.5 liters	5.97 €
<b>8011312</b> Bio-lid, light grey, for 4/6/7/10/12.5 liters	14.79 €




#### Cox® Giallo

Order no. Item/

Description

 $\mathsf{Cox}^{\otimes}$  Giallo lets the bin bag disappear elegantly and invisibly behind the front. An integrated clamping bracket fixes the bin bag. The collecting tray below the bin bag ensures that, if the worst comes to the worst, no liquids get into the furniture body. The integrated metal lid minimises odours.







#### Cox® Giallo

Pullout box frame for the bin bag, for mounting on existing pull-outs.

- for all common pulloutswaste volume approx. 43 liters

- total height 620 mm

   metal lid (side wall mounting)

   mounting: pull-out base and front panel
- with removable collecting tray and foldable holding clamp
  The clear internal width of the pullout must not be less than 180 mm.

8012378 silver 287.48 €




#### X-LINE

Order no.

Item/


Description

The X-LINE series for existing drawer pull-outs combines practical advantages with space-saving design. The waste separation systems can be quickly installed and are also easy to remove. This makes cleaning as simple as possible. With the adjustable ratchet included, the waste system can be used in all drawers with a depth of 400-500 mm. This ensures that the storage space is optimally utilised, and the system adapts seamlessly to the different widths, heights and depths of the kitchen installations.












#### X-LINE 600/M7 with Basic drawer

For mounting on existing pull-outs. Drawer with part pull-out on plastic runners.

- variable installation depth 366–494 mminstallation height 367 mm
- waste volume  $50 (1 \times 35/1 \times 15)$  liters

<b>8011295</b> anthracite	263.53 €
Optional accessories	
8011084 X-LINE Dividing strip, anthracite	37.82 €








#### X-LINE 600/M5 with Basic drawer

For mounting on existing pull-outs. Drawer with part pull-out on plastic runners.

- variable installation depth 366-494 mm
- installation height 367 mm
- waste volume 48 (1 x 35/1 x 8/1 x 5) liters + two additional containers  $(1 \times 1/1 \times 0.5 I)$

322.71 €
37.82 €







#### X-LINE 600/M7 with Premium drawer

For mounting on existing pull-outs. Drawer with full pull-out on ball bearing runners, rotating back panel and two additional bowls (0.9/1.3 l).

- variable installation depth 366–494 mm
  installation height 367 mm


Description

Order no. Item/

- waste volume  $50 (1 \times 35/1 \times 15)$  liters

8011296 anthracite	325.21 €
Optional accessories	
8011084 X-LINE Dividing strip, anthracite	37.82 €







#### X-LINE 600/M5 with Premium drawer

For mounting on existing pull-outs. Drawer with full pull-out on ball bearing runners, rotating back panel and two additional bowls (1.3/1.3 l).

- variable installation depth 366-494 mm
- installation height 367 mm
- waste volume  $48 (1 \times 35/1 \times 8/1 \times 5)$  liters + two additional containers  $(1 \times 1/1 \times 0.5 I)$

<b>8011294</b> anthracite	388.76 €
Optional accessories	
8011084 X-LINE Dividing strip, anthracite	37.82 €

**Naber** 204/24 EN

### SELECTAkit®


# Pull-out technology for rotating doors

### The perfect supplement for functionality and ergonomics



Clap	Page 206-208
Double	Page 209
Trenta 1	Page 210
Double Shorty 1	Page 211
Trio Shorty	Page 211
Double Shorty plus	Page 212
Double 4	Page 212
Trenta 5	Page 212
Quarta 1	Page 213
Double 2	Page 213
Trenta 6	Page 213
Bio Single 30 DT	Page 214
Big Boy 30	Page 214
Big Boy 40	Page 214
Double Master	Page 215
Bio Double Master	Page 215
Trio Master	Page 215
Bio Master	Page 216
Double Master Maxi 40 DT	Page 216
Bio Trio Maxi 40 DT	Page 216
Bio Double 30 DT	Page 217

Bio Trio DT	Page 217
Kitchen Box	Page 217
Solo	Page 218
Tandem 7	Page 218
Trenta 8/7	Page 219
Cleaning agent pullout	
Carry	Page 220
Tandem 7 K	Page 220
Tandem S	Page 221-222
Tandem 4/5	Page 222
Easy Cargo	Page 223
Big Double	Page 223
Corner Boy	Page 224
Rondo plus	Page 225-226
Rondo plus deflector for	
hoses with shower head	Page 226
Rolling cart DS	Page 227-229
Double Master 2 DS	Page 228
Trio Master 3 DS	Page 229
Double 2 DS	Page 229
Trenta 6 DS	Page 229





#### Clap


Order no.


Item/

Description

The successful combination of convenience properties in smooth-running design with the optional versatility of waste separation down to fractions makes Clap an all-rounder in its class. Ultimately, its attractivity is not only defined by its economic construction and design. Corresponding to the Naber product concept "the next generation", all materials employed are fully recyclable.

- fitted with telescopic full pull-out with ball bearings
- sturdy plastic containers for individual separation of recyclable materials
- covering of the body structure may be used for storage of dishwashing paraphernalia
- easy installation due to simple mounting on the cabinet floor










#### Clap 1/300-1

- waste capacity 15 liters
- technology: full pull-out
- fitting: cabinet bottom
- the ideal space saver with an installation height of only 337 mm

8011450 anthracite

88.07 €








- waste capacity 15 (2 x 7.5) liters
- technology: full pull-out
- fitting: cabinet bottom
  the ideal space saver with an installation height of only 337 mm

8011451 anthracite


102.44 €











Order no. Item/


- waste capacity 30 (2 x 15) liters


Description

- technology: full pull-out
- fitting: cabinet bottom
  the ideal space saver with an installation height of only 344 mm

**8011452** anthracite

105.97 €









#### Clap 2/450-3

- waste capacity 30 (2 x 7.5/1 x 15) liters
  technology: full pull-out
  fitting: cabinet bottom
  the ideal space saver with an installation height of only 344 mm

**8011453** anthracite

125.80 €




#### Clap 3

Space-saving built-in waste collection system with full pull-out technology for rotating doors.

- installation height 339 mm and installation depth 327 mm

Ideally suited for installation with sub-frame appliances, water connections and siphon in the floor cabinet.

- despite its shortness 30 l filling volume
- minimum cabinet width 500 mm
- simple floor mounting




#### Clap 3/500-2

- waste capacity 30 (2 x 15) liters
- technology: full pull-outfitting: cabinet bottom
- the ideal space saver with an installation height of only 339 mm
- only 327 mm installation depth

**8011454** anthracite

114.96€





#### Clap 3/500-3


- waste capacity 30 (2 x 7.5/1 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
   the ideal space saver with an installation height of only 339 mm
- only 327 mm installation depth

**8011455** anthracite

123.11 €











#### Double 1

- waste capacity 30 (2 x 15) liters
- technology: partial drawerfitting: cabinet bottom

8011026 anthracite/grey

96.13€



#### Double deluxe

- waste capacity 30 (2 x 15) liters
  technology: full pull-out
  fitting: cabinet bottom

8011012 anthracite

116.81 €










- waste capacity 30 (1 x 20/1 x 10) literstechnology: full pull-out
- fitting: cabinet bottom

8011112 aluminium grey

151.85€





#### Trenta 1

- waste capacity 30 (3 x 10) liters
  technology: full pull-out
  fitting: cabinet bottom

8011027 aluminium grey

143.70 €




#### **Double Shorty**

Order no.

Built-in waste collector with full pull-out technology for rotating doors.

- installation height only 345 mm and installation depth only 325 mm! Therefore creates space for siphon, water connections and sub-frame
- despite the shortness 30 I capacity
- minimum cabinet width 500 mm
- quick and easy floor installation










#### **Double Shorty 1**

- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
- with an installation height of only 345 mm and an installation depth of only 325 mm the ideal space saver

8011058 aluminium grey

121.26 €





#### **Trio Shorty**

- waste capacity 30 (2 x 7.5/1 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
  with an installation height of only 345 mm and an installation depth of only 325 mm the ideal space saver


8011188 aluminium grey

136.55 €











- waste capacity 30 (2 x 15) liters
- technology: full pull-out

- fitting: cabinet bottom
  complete with cam for rotating doors
  a door opening angle of 110° is required
  the ideal space saver with an installation height of only 335 mm

8011208 anthracite

209.33 €








- waste capacity 40 (2 x 20) liters
  technology: full pull-out
  fitting: cabinet bottom

8011115 aluminium grey

175.21 €








#### Trenta 5

- waste capacity 40 (2 x 10/1 x 20) literstechnology: full pull-out
- fitting: cabinet bottom

8011113 aluminium grey	178.74 €
Optional accessories	
<b>8011195</b> Closing-lid, aluminium grey, for 7, 8, 10 liters	10.92 €

10.92 €







#### Quarta 1

Order no. Item/

- waste capacity 40 (4 x 10) liters

8011195 Closing-lid, aluminium grey, for 7, 8, 10 liters

Description

- technology: full pull-out
- fitting: cabinet bottom

8011028 aluminium grey	176.05 €
Optional accessories	








- waste capacity 32 (2 x 16) liters

- technology: full pull-out
  fitting: cabinet bottom
  the ideal space saver with an installation height of only 320 mm

8011111 aluminium grey

138.32 €











With variably employable exchangeable tie bar.


- waste capacity 32 (2 x 8/1 x 16) liters
- technology: full pull-outfitting: cabinet bottom
- the ideal space saver with an installation height of only 320 mm

151.85 €
10.92 €









#### **Bio Single 30 DT**

- waste capacity 26 or 32 liters

- technology: full pull-out
   frame/guide silver
   complete lid aluminium grey
   fitting: cabinet bottom

<b>8011010</b> aluminium grey, 26 l, H 470 mm	161.68 €
<b>8011014</b> aluminium grey, 32 l, H 570 mm	167.98 €




#### Big Boy 30

- waste capacity 30 liters
  technology: full pull-out
  frame/guide silver

- complete lid aluminium greyfitting: cabinet bottom

8011044 aluminium grey

167.98 €



#### Big Boy 40


- waste capacity 40 literstechnology: full pull-out

- frame/guide silver
   complete lid aluminium grey
   fitting: cabinet bottom


8011018 aluminium grey

177.90 €










- waste capacity 32 (2 x 16) liters
- technology: full pull-out

- frame/guide silver
  complete lid anthracite
  fitting: cabinet bottom
  the ideal space saver with an installation height of only 320 mm

8012086 anthracite

142.86 €







- waste capacity 24 (1 x16/1 x 8) liters
- technology: full pull-outframe/guide silver
- complete lid anthracitefitting: cabinet bottom
- the ideal space saver with an installation height of only 320 mm

8012075 with bio lid, anthracite

170.67 €











#### **Trio Master**

With variably employable exchangeable tie bar.

- waste capacity 32 (1  $\times$  16/2  $\times$  8) liters
- technology: full pull-outframe/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- the ideal space saver with an installation height of only 320 mm

8012087 with bio lid, anthracite

170.67 €



#### **Bio Master**

Order no. Item/

— waste capacity 24 (3 x 8) liters

Description


- technology: full pull-out
- frame/guide silver

- ratine/ guide silver
  complete lid anthracite
  fitting: cabinet bottom
  the ideal space saver with an installation height of only 320 mm

8012088 with bio lid, anthracite

167.06 €





#### **Double Master Maxi 40 DT**

- waste capacity 40 (2 x 20) liters
  technology: full pull-out
  installat. height 38.5 cm


- frame/guide silver
- complete lid anthracitefitting: cabinet bottom

8012077 anthracite

196.72 €








#### Bio Trio Maxi 40 DT

- waste capacity 40 (1 x 20/2 x 10) literstechnology: full pull-out
- installat. height 38.5 cmframe/guide silver
- complete lid anthracitefitting: cabinet bottom

**8012078** anthracite

196.72 €










#### **Bio Double 30 DT**

- waste capacity 30 (1 x 20/1 x 10) liters
- technology: full pull-out
- installat. height 38.5 cmframe/guide silver
- complete lid anthracite
- fitting: cabinet bottom

8012074 with bio lid, anthracite

176.05 €





#### **Bio Trio DT**

- waste capacity 30 (3 x 10) liters
- technology: full pull-out
- installat. height 38.5 cm
- frame/guide silver
- complete lid anthracitefitting: cabinet bottom

8012089 with bio lid, anthracite

163.53 €







#### **Kitchen Box**

Optimal accessories. Multifunctional container as additional container for attaching to door fronts or placing on the work surface. Universally employable as a bio-waste container or for storing e.g. cleaning utensils.

— 185 x 248 x 185 mm (H x W x D)

8012001 anthracite

20.92 €



#### Solo 3635

Order no. Item/


Description

- waste capacity 20 liters
   technology: full pull-out
   frame/guide silver
   complete lid graphite grey
   fitting: cabinet bottom

8011263 graphite grey

116.81 €








- incl. cam
- waste capacity 20 liters
   technology: full pull-out incl. cam
   frame/guide silver
   complete lid graphite grey
   fitting: cabinet bottom

8011264 graphite grey

120.42 €












#### Tandem 7

- waste capacity 30 (2 x 15) liters— technology: full pull-out
- fitting: cabinet bottom

8011067 graphite grey

154.54 €




#### Trenta 8

- waste capacity 30 (3 x 10) liters
  technology: full pull-out
  fitting: cabinet bottom

8011216 graphite grey

158.07 €



#### Trenta 7

- waste capacity 29 (2 x 7/1 x 15) liters
  technology: full pull-out
  fitting: cabinet bottom

8011042 graphite grey

164.37 €



















#### Cleaning agent pullout Carry

- Mobile and flexible pull-out.

   carrying baskets can be clipped onto the pull-out system with self-closing mechanism and attenuation - closes gently and quietly
- With the mobile utensils baskets e.g. cleaning agents can be carried to where you need them.
- simple floor mounting

Also for combination with waste separation systems in cabinets from 600 mm.

**8011023** light grey 313.53 €



#### Tandem 7 K

- incl. dustpan set
  waste capacity 30 (2 x 15) liters
  technology: full pull-out
  fitting: cabinet bottom

**8011034** light grey

211.09€




#### Tandem S

Built-in waste collector with full pull-out technology for rotating doors, ideal for saving space!

- Offers the right model for every requirement:

   for floor cabinets with a width of at least 500 mm
- Ideal space saver with only 350 mm installation height and 330 mm installation depth! Therefore creates space for siphon, water connections and sub-frame equipment.
- quick and easy floor installation










#### Tandem S 2

- waste capacity 30 (1 x 12/1 x 18) liters
- technology: full pull-out
- fitting: cabinet bottom
- the ideal space saver with an installation height of only 350 mm and an installation depth of 330 mm

**8011217** light grey

167.06 €





#### Tandem S 3


- waste capacity 28 (2 x 8/1 x 12) liters— technology: full pull-out
- fitting: cabinet bottom
- incl. cover lid for 8 liters bin
- the ideal space saver with an installation height of only 350 mm and an installation depth of 330 mm

**8011218** light grey

176.97 €







#### Tandem S 2 plus

Order no.

Complete with cam for rotating doors.

Description

- waste capacity 30 (1 x 18 $\overset{\checkmark}{/}$ 1 x 12) liters


Item/

- technology: full pull-out
   fitting: cabinet bottom/side wall (lid)
- the ideal space saver with an installation height of only 376 mm

**8011219** light grey

236.22 €










#### Tandem 4

- waste capacity 36 (2 x 18) liters
- technology: full pull-outfitting: cabinet bottom
- the ideal space saver with an installation height of only 336 mm

**8011157** light grey

194.96 €



#### Tandem 5

Including closing lid for bio waste container.

- waste capacity 34 (2 x 8/1 x 18) liters
- technology: full pull-outfitting. cabinet bottom
- incl. cover lid for 8 litre bin
- the ideal space saver with an installation height of only 336 mm

**8011158** light grey

194.96 €




#### Easy Cargo 1

- waste capacity 42 liters
- technology: full pull-outfitting: cabinet bottom

**8011254** aluminium grey

257.82 €





#### **Big Double**

- waste capacity 52 (2 x 26) liters
  technology: full pull-out
  frame/guide aluminium grey
  complete lid aluminium grey
  fitting: cabinet bottom

8011222 aluminium grey

212.02€







#### **Corner Boy**


Order no. Item/

Advantages:


- two large, detachable, sturdy containers for cleaning agents, with full pull-outs for drawing out
- plastic pans detachable

Description

- simple removal and insertion of the lateral containers possible by swivelling the waste collector









#### Corner Boy 2 (for diagonal corner cupboards)

Complete with two plastic pans.


For corner cabinets from 900 x 900 mm.

- waste capacity 32 (2 x 16) liters
- technology: full pull-out/swivelling
- frame/guide silver
- complete lid aluminium grey
- minimum door span 380 mm
- fitting: cabinet bottom/rotatable (22° to each side)
- the ideal space saver with an installation height of only 335 mm
- plastic pans may be drawn out

8012083 aluminium grey

313.53 €





#### Corner Boy 3 (for diagonal corner cupboards)

Complete with bio-lid and two plastic pans. For corner cabinets from 900 x 900 mm.

- waste capacity 32 (2 x 8/1 x 16) liters
  technology: full pull-out/swivelling
- frame/guide silver
- complete lid aluminium grey
- minimum door span 380 mm
- fitting: cabinet bottom/rotatable (22° to each side)
- the ideal space saver with an installation height of only 335 mm
- plastic pans may be drawn out

8012084 aluminium grey

319.83 €



FULL DRAWER



#### Rondo plus


Order no. Item/

- for corner cabinets from 900 x 900 mm
- manual pull-out with handle faceplate

Description

- waste bucket optionally for 2-fold, 3-fold or 4-fold separation
- additional lid with handle recess against bothersome odours for one 8 liter organic waste bucket
- telescopic rails on ball bearings glide very easily and ensure full pull-out of the waste bucket
- pans for paraphernalia, for instance for cleaning paraphernalia, the pans may easily be removed for cleaning
- metal parts with high-quality finish





#### Rondo 1 plus

For corner cabinets from 900 x 900 mm.

waste capacity 36 (2 x 18) liters

#### Extra equipment:

- multi-functional bucket (12 liters) with perforated lid
- 2 pans for paraphernalia
- complete lid with depositing surface
- technology: full pull-out/rotatable
- fitting: cabinet bottom/360° rotatable
- the ideal space saver with an installation height of only 351 mm

**8011161** light grey

371.01 €







For corner cabinets from 900 x 900 mm.

waste capacity:  $34 (1 \times 18/2 \times 8)$  liters

#### Extra equipment:


- multi-functional bucket (12 litres) with perforated lid
- 2 pans for paraphernalia
- complete lid with depositing surface
- technology: full pull-out, rotatable
- fitting: cabinet bottom, 360 ° rotatable
- the ideal space saver with an installation height of only 351 mm

**8011162** light grey

381.76€









#### Rondo 3 plus

For corner cabinets from 900 x 900 mm.

waste capacity 32 (4 x 8) liters


#### Extra equipment:

- multi-functional bucket (12 liters) with perforated lid
- 2 pans for paraphernalia
- complete lid with depositing surface
- technology: full pull-out/rotatable
- fitting: cabinet bottom/360° rotatable
- the ideal space saver with an installation height of only 351 mm

**8011163** light grey

397.06 €





#### Rondo plus deflector for hoses with shower head

For all common hose fittings with shower head.

- easy installation by screwing to the floor cupboard
   forced routing of the hose in the remaining free spaces, right, left, rear, top
- installed appliances are not impaired in their function
- metal yoke, powder coated with epoxy resin
  optimal accessory for Rondo plus

8011175 white 19.83 €

## SELECTAkit® Corner solutions



#### Rolling cart DS

### Optimum utilisation of space down to the last corner

"How can I use the corners?" is a question some kitchen planners may ask. Especially when every centimetre is precious. You can achieve optimum space usage down to the last corner by employing the rolling cart DS for all rotating door built-in waste collectors and separating systems (see next page). Using the cart, which may be moved all the way back, the spaces to the sides of the waste collector remain accessible and may be used as storage space for cleaning paraphernalia and other items.



#### **Pulled-out position**

Pulled-out all the way to the front, the waste collector can be comfortably filled from above.



#### Parking position

The waste collector takes up very little space in parking position. From this basic position, it may be slid to the front as well as, after shortly lifting it, to the back.



#### **Resting position**

Lifting the waste collector releases the lock of the rolling cart. Now, it may be pushed all the way back. The lateral storage spaces are therefore easily accessible.









#### **Rolling cart DS**

Installation in diagonal corner cabinets with a door span of at least 355 mm. Also suitable for cabinets underneath sinks.

— 55 x 355 x 410/606 mm (H x W x D)

- sturdy, powder-coated steel plate

8011134 white	75.46 €
8011136 aluminium grey	75.46 €



#### **Double Master 2 DS**

- Including rolling cart DS.

   waste capacity 32 (2 x 16) liters

   technology: full pull-out

   frame/guide silver

   complete lid anthracite

   the ideal space saver with an installation height of only 330 mm

8010186 anthracite 205.77 €



#### Trio Master 3 DS


Complete with bio-lid. incl. rolling cart DS.

- waste capacity 32 (2 x 8/1 x 16) liters
- wasie capacity 32 (2 x
  technology: full pull-out
  frame/guide silver
  complete lid anthracite

- the ideal space saver with an installation height of only 330 mm

8010187 anthracite

237.52 €





Including rolling cart DS.

- waste capacity 32 (2 x 16) literstechnology: full pull-out

- fitting: cabinet bottom
   the ideal space saver with an installation height of only 330 mm


8010111 aluminium grey

197.21 €









#### Trenta 6 DS

Including rolling cart DS.

- waste capacity 32 (2 x 8/1 x 16) liters
- technology: full pull-outfitting: cabinet bottom
- the ideal space saver with an installation height of only 330 mm

8010116 aluminium grey	209.13 €
Optional accessories	
8011195 Closing-lid, aluminium grey, for 7, 8, 10 liters	10.92 €

Waste collectors


### SELECTAkit®

# Swivel technology for rotating doors

The technology of shorter distances



Cabbi® junior Page 232-233 Cabbi® Page 234-235 Cox® Beep Page 236 Müllex Single 35 Page 237 Müllex Euro Flexx Page 237 Vario Page 237-238 Öko Page 239 Uno Page 239 Duo Page 239



# SELECTAkit® Swivel technology for rotating doors



#### Cabbi® & Cabbi® junior

An intelligent solution with easy handling for collecting organic waste without bothersome odours. A tightly fitting biolid with detachable perforated cartridge, which is fitted with an activated charcoal polyester fleece as odour filter.

Overall, the Cabbi® concept is convincing due to its extraordinary quality and a large variety of performance characteristics:

- very sturdy carrying axle construction
- may be easily installed
- optimum use of space
- easy-action cam
- lid with raising/lowering technology
- easy access to the floor cupboard
- clamping strips ensure fixed position
- environmentally compatible basic materials
- convenient wire basket as accessory
- tightly fitting bio-lid

### Cabbi® & Cabbi® junior are easily installed:



 Assemble rotating support and pipe support bracket.



2. Complete and insert rotating rods.



3. Install cam.



4. Install basket in rotating bar.




5. Clip lid on.





6. Insert containers.








#### Cabbi® junior 1

- waste capacity 18 liters
- technology: swivel technologyfitting: cabinet bottom/-wall

**8013200** anthracite

121.85 €






#### Cabbi® junior 2


- waste capacity 18 (2 x 9) liters
  technology: swivel technology
  fitting: cabinet bottom/-wall

121.85 € **8013201** anthracite









Complete with bio-lid and 4 activated charcoal filters (about one year's supply).

— waste capacity 18 (2 x 9) liters

- technology: swivel technologyfitting: cabinet bottom/-wall


8013202 anthracite

131.67 €














#### Cabbi® 3

- waste capacity 39 (1 x 18/1 x 9/1 x 12) liters
- technology: swivel technologyfitting: cabinet bottom/-wall

**8013171** anthracite

208.40 €











#### Cabbi® 3 plus

Complete with bio-lid and 4 activated charcoal filters (about one year's supply).

— waste capacity 39 (1 x 18/1 x 9/1 x 12) liters

— technology: swivel technology

— fitting: cabinet bottom/-wall

**8013173** anthracite

211.30€








- waste capacity 39 (3 x 9/1 x 12) liters— technology: swivel technology
- fitting: cabinet bottom/-wall

8013170 anthracite

208.40 €









#### Cabbi® 4 plus

Complete with bio-lid and 4 activated charcoal filters (about one year's supply).

- waste capacity 39 (3  $\times$  9/1  $\times$  12) liters
- technology: swivel technologyfitting: cabinet bottom/-wall

**8013172** anthracite

211.30 €



#### Cabbi® bio-lid

Optimal accessories for Cabbi® junior 2, Cabbi® 3 and Cabbi® 4. Including 4 activated charcoal filters (assumed annual requirement).

**8011177** for 9 liters

16.39 €



#### **Bio-filter retrofitting set**

Replacement. For Cabbi® junior 2 plus, Cabbi® 3 plus, Cabbi® 4 plus, Cox® Base 360 S/400-2, Cox® Base 360 S/500-3, Cox® Base 360 S/600-3, Cox® Base 360 S/600-4, Cox® Base 360 K, Cox® Base 360 S/900-4, Stand-UP and

Consisting of 4 activated charcoal filters (assumed annual requirement).

**8011178** black

7.39 €



#### Cox® Beep 400

- waste volume 10 liters
- technology: swivel technology
- lid plastic
- assembly: cabinet bottom/wall
- The cam is attached to the back of the door and is suitable for both frame and panel door mounting.
- can be used right/left

8013002 light grey, H 390 mm, 10 liters

63.28 €





#### Cox® Beep 450

- waste volume 15.5 liters
- technology: swivel technology
- lid plastic
- assembly: cabinet bottom/wall
  The cam is attached to the back of the door and is suitable for both frame and panel door mounting.
- can be used right/left

8013004 light grey, H 390 mm, 15.5 liters

72.10 €







#### Müllex Single 35

For a lot of rubbish in little space. Container for 35 I standard bags. Bin bag roll and pan, wiper, etc. can be stored practically on the lid. Holding rack with draw hook for swinging out – without straining the hinge fittings.

— waste capacity 35 liters


— technology: full drawer

— complete lid black

- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

**8011020** black 129.41 €








#### **Müllex Euro Flexx**

- waste capacity 35 liters
- waste container for 35-l- and 17-l-bags
  technology: swivel technology
- lid with storage recess
- arresting hook prevents strain on the hinges
  fitting cabinet wall, can be mounted left or right

8011030 anthracite

155.46 €






#### Vario 1

- waste capacity 19 liters
- technology: swivel technology
- fitting: cabinet wall

8011226 aluminium grey	87.14 €
Optional accessories	
<b>8011016</b> Bio Boy with separating wall, grey, 5 liters	21.60 €










#### Vario 1 plus

- waste capacity 19 liters incl. 5 | Bio Boy
- technology: swivel technologyfitting: cabinet wall

8011227 aluminium grey

101.51 €







#### Vario 4


- waste capacity 19 liters
- technology: swivel technologyfitting: cabinet wall

8011085 stainless steel	138.32 €
Optional accessories	

8011016 Bio Boy with separating wall, grey, 5 liters

21.60 €








#### Vario 4 plus

- waste capacity 19 liters incl. 5 | Bio Boytechnology: swivel technology
- fitting: cabinet wall

8011087 stainless steel

150.92 €








#### Öko 1

- waste capacity 29 (1 x 19/1 x 10) liters
  technology: swivel technology
  fitting: cabinet wall

8011088 aluminium grey	160.84 €
Optional accessories	
<b>8011016</b> Bio Boy with separating wall, grey, 5 liters	21.60 €








#### **Uno 3418**

- waste capacity 18 literstechnology: swivel technologyfitting: cabinet wall

8011265 white	98.82€
8011267 stainless steel	116.81 €







#### **Duo 3416**

- waste capacity 16 (2 x 8) liters
  technology: swivel technology
- fitting: cabinet wall

8011268 white	100.59 €
8011270 stainless steel	118.57 €

# Waste collectors

# SELECTAkit® Free-standing containers/waste disposal units

Extremely practical and shapely



Kickboy
Page 242
Pushboy
Page 242
Beta
Alpha
Page 243
Dassa
Page 243
Evolution 100
Page 244
Model 56
Page 244







#### **Kickboy**

Classic design supplemented by the practical pedal, which opens the flap. Body in high-grade steel sheet, flap stainless steel, insert metal.

- waste capacity 40 liters

<b>8012063</b> red	271.26 €
8012064 nickel silver	271.26 €
<b>8012066</b> almond	271.26 €








#### Pushboy

This classic item is not easily left in a corner.

- waste capacity 50 liters

<b>8012042</b> nickel silver	256.05 €
<b>8012041</b> red	256.05 €
<b>8012133</b> almond	256.05 €





#### Beta

Double waste collector with two inserts. Body made of powder-coated sheet steel and plastic insert. Lid, ring and pedal made of plastic. Perfectly shaped.

- D 360 mmwaste capacity 30 (2 x 15) liters

8011080 silver 127.56 €



#### Alpha

Pedal waste collector. Body and lid made of powder-coated sheet steel. Plastic insert, sturdy plastic bottom ring and plastic pedal.


- waste capacity 13 liters

Description

**8012150** nickel silver

Order no. Item/

75.80 €



#### Dassa 2

Quick and handy – installed directly in the working surface. Also suitable for flush installation.

- installation dimension Ø 280 mm
- outside Ø 310 mm
- waste capacity 13 liters

8011059 stainless steel with plastic insert

206.64 €



#### Dassa 4

Quick and handy – installed directly in the working surface. Also suitable for flush installation.

- installation dimension  $\varnothing$  205 mm
- outside Ø 237 mm
- waste capacity 5 liters

8011031 stainless steel with plastic insert	127.56 €
8011032 stainless steel with aluminium insert	167.98 €



#### Waste disposal units


Item/

Description

Order no.

- Simple, time-saving cleaning: Food residue is flushed right down the drain with the wastewater.
- Safe and simple operation: have cold water flowing, switch on the device and throw leftovers down the plughole. The disposal device liquefies the leftovers (without knives and blades), which are pressed to the grinding surface of the outside wall by centrifugal force and disintegrated into minute parts by the
- The disposal device frees the waste bucket of kitchen waste causing disagreeable odours and smeary food residues.
- Disposal of almost all kitchen waste: Even hard bones cannot damage this sturdy device.
- Maintenance-free and self-cleaning: High quality stainless steel and other durable materials. The high-performance motor was developed especially for this disposal device. The disposal device cleans itself through regular use and does not require any chemical cleaning agents.
- Before installing the waste disposal unit, please contact the competent authorities for information on the regional legal regulations!





#### **Evolution 100**

The kitchen waste disposal device may be continuously filled. Automatic change of rotational direction to extend the service life and for trouble-free use. Stainless steel grinding chamber 1 l, low-noise, with enclosed air break switch in chrome and brushed nickel, 2-way grinding process, overload switch with manual reset switch, splash-proof, GS connection, motor with 0.7 hp. Suitable for 3½" drains.


Before installing the waste disposal unit, please contact the competent authorities for information on the regional legal regulations!

- Ø 205 mm
- weight 8.8 kg
- 40 % quieter than standard
- drill Ø for air switch 35 mm
- 520 watt, 1,400 rpm

**8012031** anthracite, H 312 mm

1373.95 €





#### Model 56

Kitchen waste disposer with single-stage grinding technology, can be filled continuously. Food residues are crushed into small particles and washed away in seconds. Durable and compact built-in household solution under the sink, without loss of valuable storage space.

Quick Lock® mounting system for quick and easy installation. Motor with 0.55 hp, stainless steel grinding elements and integrated air switch in chrome and brushed nickel. Overload protection. Suitable for 3½" drains.

Before installing the waste disposal unit, please contact the competent authorities for information on the regional legal regulations!

- Ø 173 mm
- weight 7.2 kg
- capacity of the grinding chamber 980 ml
- connection to the drain pipe 40 mm
- drill Ø for air switch 35 mm
- 380 watt, 1725 rpm

**8012034** anthracite, H 318 mm

862.18 €