


SELECTAkit®

Waste  
collectors



Waste  
collectors

Intelligence



Clean waste separation conserves natural resources. At the same time, keeping the base cabinet well organised saves time and is conveniently sustainable. In this way, SELECTAkit® waste separation systems make responsible ecological thinking simple!

Because the SELECTAkit® waste collector range, creatively developed over many years, provides the optimum waste separation system with precisely fitting storage space organisation for every kitchen base unit. They are highly practical, versatile and flexible: Cox® Base, Cox StandUP®, Cox Clan®, Cabbji® ... And with Cox Base-Board® and Cox Work® you have tailor-made organisation and storage systems on top.

That means: undreamt-of storage possibilities for accessories and utensils, combined with highly functional and ergonomic design.

# SELECTAkit®

## Waste collectors

Innovative technology  
is developed from new thinking



Waste  
collectors



■ SELECTAkit®  
Pull-out technology for front pull-outs  
The sophisticated  
pull-out technology Page 127–170

■ SELECTAkit®  
Pull-out technology for existing pull-outs  
The flexible  
waste system Page 171–196

■ SELECTAkit®  
Pull-out technology for rotating doors  
The perfect supplement for  
functionality and ergonomics Page 197–220

■ SELECTAkit®  
Swivel technology for rotating doors  
The technology  
of shorter distances Page 221–232

■ SELECTAkit®  
Built-in containers/  
Waste disposal units  
Extremely practical  
and shapely Page 233–235

# Collectors overview

## Pull-out technology for front pull-out

Page 127–170



Full front      Front panel with one division

| Depth 320 mm    | Page         |
|-----------------|--------------|
| Cox® Base 360 K | 140–141, 143 |
| Cox Base-Board® | 135–136, 142 |

| Depth 330 mm         | Page    |
|----------------------|---------|
| Pullboy Soft Comfort | 148–152 |
| Pullboy Soft Fusion  | 153–154 |

| Depth 400 mm             | Page             |
|--------------------------|------------------|
| Cox® Base 360 S          | 129–131, 137–138 |
| Cox® Base Q+             | 133              |
| Cox® Base Q              | 134              |
| Cox Base-Board®          | 135–136, 142     |
| Cox Base-Board® 900      | 139              |
| Cox® Base 360 S/900-4    | 139              |
| Cox Cick-E® 600          | 138              |
| Cox Cick-E® 600 K        | 143              |
| Cox® Base 460 S          | 144–146          |
| Cox Cick®                | 147              |
| LED foot kick Libero 3.0 | 147              |
| Cox Work®                | 154–156          |
| Cox® Base 360 R          | 155–156          |
| Cox® Base 460 R          | 157–158          |

| Depth > 400 mm                          | Page    |
|---|---------|
| Cox Clan®                               | 159–163 |
| Cox Cick®                               | 161     |
| Profiline Double-Boy 410 S/300-2        | 166     |
| Traditionline Double-Master 585 S/400-2 | 166     |
| Traditionline Trio-Master 410 S/400-3   | 166     |
| Müllex Comfort 35/5/4/4                 | 167     |
| Müllex Comfort 35/17/4/4                | 167     |
| Müllex Oekonom 35/2/2                   | 167     |
| Müllex Boxx 55/60-R Bio                 | 168     |
| Müllex Euro Boxx 55/60 R                | 168     |

## Pull-out technology for existing pull-outs

Page 171–196



Full front      Front panel with one division      Front panel with one division      Front panel with two divisions

| Depth 310 mm        | Page    |
|---------------------|---------|
| Cox Stand-UP® 350 K | 182–183 |

| Depth 400 mm        | Page    |
|---------------------|---------|
| Cox Stand-UP® 250 S | 173–175 |
| Cox Stand-UP® 280 S | 176–178 |
| Cox Stand-UP® 350 S | 179–181 |
| Cox® Box 235 S      | 185–187 |
| Cox® Box 275 S      | 191–192 |
| Cox® Box 360 S      | 197–198 |
| Cox® Box 350 S      | 199–200 |

| Depth > 400 mm            | Page    |
|---------------------------|---------|
| Pullboy Vario 335 S/300-2 | 185     |
| Pullboy Vario 320 S/400-2 | 185     |
| Pullboy Vario 320 S/450-2 | 186     |
| Pullboy Vario 320 S/500-3 | 186     |
| Pullboy Vario 320 S/600-4 | 186     |
| Pullboy Vario 300 S/800-4 | 187     |
| Pullboy Versa 265 K/500-2 | 189     |
| Pullboy Versa 265 K/500-3 | 189     |
| Pullboy Versa 265 K/600-2 | 190     |
| Pullboy Versa 265 K/600-3 | 190     |
| Pullboy Versa 265 K/600-4 | 190     |
| Pullboy Versa 265 S/500-3 | 191     |
| Pullboy Versa 265 S/500-4 | 191     |
| Pullboy Versa 265 S/600-4 | 192     |
| Cox® Giallo               | 193     |
| X-LINE                    | 194–195 |

## Pull-out technology for rotating doors

Page 197–220



Full front      Front panel with one division

|                                   | Page    |
|-----------------------------------|---------|
| Clap 1–3                          | 198–200 |
| Traditionline Double-Boy 410 X    | 201     |
| Traditionline Double-Boy 410 ECO  | 201     |
| Traditionline Double-Boy 410 S    | 201     |
| Traditionline Trio-Boy 410 S      | 202     |
| Traditionline Single-Boy 485 K    | 202     |
| Traditionline Single-Boy 585 K    | 202     |
| Traditionline Single-Boy 550 S    | 203     |
| Traditionline Double-Master 410 S | 203     |
| Traditionline Trio-Master 410 S   | 203     |
| Traditionline Double-Master 345 S | 204     |
| Traditionline Double-Master 485 S | 204     |
| Traditionline Trio-Master 345 S   | 204     |
| Traditionline Double-Shorty 345 K | 205     |
| Traditionline Trio-Shorty 345 K   | 205     |
| Traditionline Double-Shorty 345 K | 206     |
| Profiline Double-Boy 345 S        | 206     |
| Profiline Double-Boy 410 S        | 206     |
| Profiline Trio-Boy 345 S          | 207     |
| Profiline Trio-Boy 410 S          | 207     |
| Profiline Double-Master 345 S     | 207     |
| Profiline Double-Master 410 S     | 208     |
| Profiline Trio-Master 345 S       | 208     |
| Profiline Trio-Master 410 S       | 208     |
| Solo 3635/3636                    | 209     |
| Tandem 7                          | 209     |
| Cleaning agent pullout Carry      | 210     |
| Tandem 7 K/S                      | 210–211 |
| Tandem 4/5                        | 212     |
| Easy Cargo 1                      | 213     |

| Corner solutions                   | Page    |
|------------------------------------|---------|
| Traditionline Double-Master Corner | 214     |
| Rondo plus                         | 215–216 |
| Rolling cart DS                    | 217–218 |
| Traditionline Double-Master DS     | 218–219 |



# Collectors overview

## Swivel technology for rotating doors

Page 221–232



Full front      Front panel with one division

|                           | Page    |
|---------------------------|---------|
| Cabbi® junior             | 222–223 |
| Cabbi®                    | 224–225 |
| Cox® Beep                 | 226     |
| Müllex Single 35          | 227     |
| Müllex Euro Flexx         | 227     |
| Klassikline Single-Junior | 228     |
| Klassikline Double-Junior | 229     |
| Rondo 2                   | 230     |
| Konsole für Eckschrank    | 230     |
| Uno 3418                  | 231     |
| Duo 3416                  | 231     |

## Built-in containers/ Waste disposal units

Page 233–235



|               | Page |
|---------------|------|
| Dassa         | 234  |
| Evolution 100 | 235  |
| Modell 56     | 235  |



# SELECTAkit®

## Pull-out technology for front pull-out

The sophisticated  
pull-out technology



Waste  
collectors

|                                     |              |  |              |
|-------------------------------------|--------------|--|--------------|
| ■ Cox® Base 360 S                   | Page 129–131 | ■ Pullboy Soft Fusion 320 K            | Page 153     |
| Cox® Base Q                         | Page 132–134 | Pullboy Soft Fusion 480 K              | Page 154     |
| Cox Base-Board®                     | Page 135–136 | Fußkick                                | Page 154     |
| Cox® Base 360 S<br>with Base-Board® | Page 137–138 | Cox® Base 360 R                        | Page 155–156 |
| Cox Cick-E® 600                     | Page 138     | Cox® Base 460 R                        | Page 157–158 |
| Cox Base-Board® 900                 | Page 139     | Cox Clan® 490                          | Page 159–161 |
| Cox® Base 360 S/900-4               | Page 139     | Cox Cick®                              | Page 161     |
| Cox® Base 360 K                     | Page 140–141 | Cox Clan® 580                          |              |
| Cox Base-Board®                     | Page 142     | Replacement bucket and<br>lid overview | Page 164–165 |
| Cox® Base 360 K<br>with Base-Board® | Page 143     | Profiline Double-Boy 410 S             | Page 166     |
| Cox Cick-E® 600 K                   | Page 143     | Traditionline                          |              |
| Cox® Base 460 S                     | Page 144–146 | Double-Master 585 S                    | Page 166     |
| Cox Cick®                           | Page 147     | Traditionline                          |              |
| LED foot kick Libero 3.0            | Page 147     | Trio-Master 410 S                      | Page 166     |
| Pullboy Soft Comfort 335 K          | Page 148–150 | Müllex                                 | Page 167–168 |
| Pullboy Soft Comfort 360 K          | Page 150–151 | StopMatic                              | Page 168     |
| Pullboy Soft Comfort 495 K          | Page 152     | KickMatic                              | Page 169     |

Suitable for the following  
front layouts:



Full front      Front panel  
with one  
division

Please check the heights of the product groups.

# SELECTAkit®

## Pull-out technology with front pull-out

### COX® Base

is the sophisticated built-in waste collector solution, convincing due to high quality, convenient handling and perfect pull-out technology.

- GRASS self-retractable full pull-out technology with synchronization, Airmatic soft-impact proven in long-term tests
- smooth operation and lateral stability even under full load (load bearing capacity 40 kg)
- reinforced metal housing frame for container holder, powder-coated
- extractable metal lid with grip clip, may be used as an additional deposit, powder-coated
- available for four cupboard widths as well as with standard and XXL containers, installation depth of only 400 mm
- optional 10 l container with bio-lid and activated charcoal filter
- exactly fitting assembly using the "quick & easy" quick assembly frame

Cox® Base – competitive edge due to perfectly attenuated pull-out technology



nova  
pro

G\* GRASS



### Cox® Base convinces due to easy assembly:



1. Insert GRASS-guide 470 mm into the side part and assemble flush with the body (quick & easy).



2. Slide depositing lid into the plastic sliding bearing.



3. Insert pull-out frame into the pull-out rails.



4. Install front attachment using the template.



5. Insert front plate into the pull-out frame and fasten it.



6. Insert container. Finished!





## Cox® Base 360 S

Waste collector as front pull-out system with soft retraction and damping.

- installation height 360 mm
- installation depth 400 mm
- **depth of the guide rail 470 mm**
- "quick&easy" installation frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

| Container fitting system/litres |          |       |             |                |         |         |  |  |  |
|---------------------------------|----------|-------|-------------|----------------|---------|---------|--|--|--|
| Cabinet/body                    | 400      | 450   | 500         | 600            | 900     |         |  |  |  |
|                                 | 10<br>10 |       | 16 10<br>10 | 10 22<br>10    | 22 22   | 10      |  |  |  |
|                                 | 22       | 16 16 | 16 22       | 22 22          | 2,7 2,7 | 1,2 1,2 |  |  |  |
|                                 |          |       |             | 10 10<br>10 10 |         |         |  |  |  |

Waste  
collectors







## Cox® Base 360 S/400-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 22 liters
- technology: full drawer
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012310 light grey, H 360 mm 308.70 €

8013310 anthracite, H 360 mm 308.70 €



## Cox® Base 360 S/400-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 20 (2 x 10) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012300 without bio lid, light grey, H 360 mm 308.70 €

8013300 without bio lid, anthracite, H 360 mm 308.70 €

8012313 with bio lid, light grey, H 360 mm 313.39 €



8013313 with bio lid, anthracite, H 360 mm 313.39 €

### Optional accessories

8011312 Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8011178 Bio-filter retrofitting set, black 7.60 €



## Cox® Base 360 S/450-2

With pull-out complete lid.



- guide rail depth 470 mm
- waste capacity 32 (2 x 16) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012301 light grey, H 360 mm 326.34 €

8013301 anthracite, H 360 mm 326.34 €

### Optional accessories

8012367 Cox Click®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/500-2

With pull-out complete lid.



- guide rail depth 470 mm
- waste capacity 38 (1 x 16/1 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012303 light grey, H 360 mm 334.64 €

8013303 anthracite, H 360 mm 334.64 €

### Optional accessories

8012367 Cox Click®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/500-3

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 36 (2 x 10/1 x 16) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012302 without bio lid, light grey, H 360 mm 334.64 €

8013302 without bio lid, anthracite, H 360 mm 334.64 €

8012314 with bio lid, light grey, H 360 mm 339.36 €

8013314 with bio lid, anthracite, H 360 mm 339.36 €

### Optional accessories



8011312 Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8011178 Bio-filter retrofitting set, black 7.60 €

8012367 Cox Click®, dark grey/chrome matt 68.40 €





## Cox® Base 360 S/600-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 44 (2 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**




8012304 light grey, H 360 mm 334.64 €

8013304 anthracite, H 360 mm 334.64 €

### Optional accessories

8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt 483.46 €

8012367 Cox Cick®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/600-3

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 42 (2 x 10/1 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012305 without bio lid, light grey, H 360 mm 335.51 €

8013305 without bio lid, anthracite, H 360 mm 335.51 €

8012315 with bio lid, light grey, H 360 mm 350.72 €

8013315 with bio lid, anthracite, H 360 mm 350.72 €

### Optional accessories



8011312 Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8011178 Bio-filter retrofitting set, black 7.60 €

8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt 483.46 €

8012367 Cox Cick®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/600-4

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 40 (4 x 10) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012316 without bio lid, light grey, H 360 mm 376.23 €

8013316 without bio lid, anthracite, H 360 mm 376.23 €

8012317 with bio lid, light grey, H 360 mm 378.73 €

8013317 with bio lid, anthracite, H 360 mm 378.73 €

### Optional accessories

8011312 Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8011178 Bio-filter retrofitting set, black 7.60 €

8012368 Cox Cick-E® 600, W 600 mm, dark grey/chrome matt 483.46 €



# SELECTAkit®

## Uittreksysteem met frontuittreksysteem

### Cox® Base Q+/ Cox® Base Q

Afvalverzamelersystemen van Naber combineren een optimale organisatie van de opbergruimte met maximaal comfort bij de hantering. Cox® Base Q+ / Cox® Base Q maakt het mogelijk dat afvalcontainers en Quooker waterreservoirs plaatsbesparend in de onderkast van de spoelunit ondergebracht worden.

Het comfortabele tappen van kokend heet en gekoeld sprankelend water gewoon door de Quooker kraan te bedienen, is gebaseerd op waterreservoir plus slangen en wateraansluitingen. Met Cox® Base Q+ / Cox® Base Q vindt de uitrusting een plekje in een stabiel frame naast de afvalverzamelaars.

Cox® Base Q+ / Cox® Base Q biedt minstens 20 liter afvalvolume. In één variant is de draagbare box voor benodigheden Cox Work® te integreren, in een andere het speciale deksel voor composteerbaar biologisch afval. Het afvalstelsel is uitgerust met een compleet deksel, waarop er benodigheden opgeborgen kunnen worden.



Cox® Base Q+ 360 S/370-1



Cox® Base Q 360 S/400-2



- onderbrenging van het reservoir voor kokend water Quooker PRO3, COMBI, COMBI+ en van het reservoir voor koud water Quooker CUBE met CO<sub>2</sub>-cilinder
- inclusief een ordehulpmiddel voor de kabel- en slanggeleiding
- met een afzonderlijke houder voor de Quooker waterfilter
- voor 600 mm brede onderkasten
- techniek: compleet uittreksysteem met soft intreksysteem en demping
- kleur van frame/onderstel/geleider/compleet deksel: antraciet
- montage aan kastwand, kastbodem en frontpaneel
- aansluiting van het Quooker reservoir en van de kraan op het hoekventiel vindt plaats vóór het meubel. Daarna wordt het frame-element met CUBE, PRO3 reservoir, COMBI, COMBI+ en CO<sub>2</sub>-cilinder ingeschoven en door schroeven bevestigd.
- eenvoudige demontage door het losdraaien van twee schroeven voor onderhoudswerkzaamheden



## Cox® Base Q+



Quooker®

The waste system Cox Base Q+ 360 S/370 allows optimum organisation of the storage space in the sink unit. Suitable for the Quooker Cube cold water reservoir and the Pro3 boiling water reservoir as well as for the 7-litre tanks of the Quooker Combi and Combi+ models. The system can be installed in a kitchen cabinet with a width of **600 mm** and a front pull-out. The waste separation system features two waste containers, each with a volume of 10 litres, making the total volume 20 litres. The housing cover is used as a lid, which also doubles as a shelf.

In addition, the waste collection system has **a separate rack for the water tank, which can be positioned either on the right or left of the cabinet**. A hose and cable management system is integrated into this for clear storage. The installation frame also enables quick and easy replacement of the CO<sub>2</sub> cylinder. The waste separation system is easy to operate thanks to its full pull-out technology. The integration of a soft closing mechanism and damping makes for quiet closing. The entire construction is mounted on the side panel, the bottom shelf and the front panel of the cabinet.

| Container fitting system/litres |     |
|---------------------------------|-----|
| Cabinet body                    | 600 |
|                                 | 22  |
|                                 | 10  |
|                                 | 10  |

Waste  
collectors



## Cox® Base Q+ 360 S/370-1

Quooker®

For positioning in a sink base unit with a width of 600 mm.



- **simple, quick and flexible installation**
- **positioning of the reservoirs on the left or on the right of the Cox® Base possible**
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- waste volume 22 litres
- **waste system with soft retraction and damping**

**8013378** anthracite, H 360 mm **512.78 €**

### Optional accessories

**1051017** Space-saving connector, white **5.79 €**

**8013367** Holder for CUBE filter, anthracite, anthracite **70.04 €**



## Cox® Base Q+ 360 S/370-2

Quooker®

For positioning in a sink base unit with a width of 600 mm.

- **simple, quick and flexible installation**
- **positioning of the reservoirs on the left or on the right of the Cox® Base possible**
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- waste volume 20 (2 x 10) litres
- **waste system with soft retraction and damping**


**8013379** anthracite, H 360 mm **512.78 €**

### Optional accessories

**8013312** Biolid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**1051017** Space-saving connector, white **5.79 €**

**8013367** Holder for CUBE filter, anthracite, anthracite **70.04 €**



## Cox® Base Q 360 S/400-1

Quooker®

For positioning in a sink base unit with a width of 600 mm.

- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox® Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 22 litres
- waste system with soft retraction and damping

8013347 anthracite, H 360 mm 512.78 €

### Optional accessories


1051017 Space-saving connector, white 5.79 €

8013367 Holder for CUBE filter, anthracite, anthracite 70.04 €

VERIKALT supply line extension for the PRO3, 700 mm

VERLEQ60 extension of the boiling water hose from the PRO3 to the tap, 600 mm

VERLCUBE extension of the supply line CUBE, 1500 mm



## Cox® Base Q 360 S/400-2

Quooker®

For positioning in a sink base unit with a width of 600 mm.

- simple, quick and flexible installation
- positioning of the reservoirs on the left or on the right of the Cox® Base possible
- sturdy construction for mounting on the cabinet side wall, front panel and on the underside
- integrated hose and cable management
- simple replacement of the CO<sub>2</sub> cylinder
- Quooker system can be set up and connected in front of the cabinet. The extension hoses required for this are listed below as accessories and can be ordered directly from Quooker.
- waste volume 20(2 X 10) litres
- waste system with soft retraction and damping

8013348 anthracite, H 360 mm 512.78 €

### Optional accessories

8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

1051017 Space-saving connector, white 5.79 €

8013367 Holder for CUBE filter, anthracite, anthracite 70.04 €

VERIKALT supply line extension for the PRO3, 700 mm

VERLEQ60 extension of the boiling water hose from the PRO3 to the tap, 600 mm

VERLCUBE extension of the supply line CUBE, 1500 mm

# SELECTAkit®

## Pull-out technology with front pull-out

### COX Base-Board®

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology.

- GRASS self-retracting full pull-out technology with self-closing and Airmatic soft-impact proven in long-term tests
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimum fit of the plastic containers
- perfect use of space in the base cabinet due to flexible positioning of the containers
- available for cupboard widths 500 mm, 600 mm and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!



Waste  
collectors

### Cox Base-Board® convinces due to easy assembly:



1. Pull out the depositing lid of the existing Cox® Base waste system.



2. Insert GRASS guide into the mounting plate, attach to the existing Cox® Base plastic rail and mount flush to the body ("quick & easy").



3. Replace the depositing lid of the existing Cox® Base waste system.



4. Mount the metal frame on the pull-out rails.



5. Attach container to the metal frame with the supplied brackets.



6. Mount the pull-out frame on the pull-out rails with the front connection. Finished!







## Cox Base-Board®

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology:

- H 100 mm
- **depth of the guide rail 470 mm**
- GRASS self-retracting full pull-out technology with Airmatic soft-impact, proven in long-term tests
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimal utilisation of space of storage boxes by flexible positioning of the boxes by means of separate brackets
- available for cupboard widths 500, 600 and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!






## Cox Base-Board® 500

- height 100 mm
- guide rail depth 470 mm
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- **with soft retraction and damping**

|                    |          |
|--------------------|----------|
| 8012360 silver     | 229.23 € |
| 8013360 anthracite | 229.23 € |

### Optional accessories

|   |         |
|---|---------|
| 8012362 Storage box, dark grey, 2.7 liters  | 14.27 € |
| 8013362 Storage box, anthracite, 2.7 liters | 14.27 € |
| 8012363 Storage box, dark grey, 1.2 liters  | 11.84 € |
| 8013363 Storage box, anthracite, 1.2 liters | 11.84 € |
| 8012364 Bracket for storage box, silver     | 2.16 €  |




## Cox Base-Board® 600

- height 100 mm
- guide rail depth 470 mm
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- **with soft retraction and damping**

|                    |          |
|--------------------|----------|
| 8012361 silver     | 229.23 € |
| 8013361 anthracite | 229.23 € |

### Optional accessories

|   |         |
|---|---------|
| 8012362 Storage box, dark grey, 2.7 liters  | 14.27 € |
| 8013362 Storage box, anthracite, 2.7 liters | 14.27 € |
| 8012363 Storage box, dark grey, 1.2 liters  | 11.84 € |
| 8013363 Storage box, anthracite, 1.2 liters | 11.84 € |
| 8012364 Bracket for storage box, silver     | 2.16 €  |



## Cox® Base 360 S/500-2 with Base-Board


- guide rail depth 470 mm
- waste capacity 38 (1 x 16/1 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included**

8012370 light grey, H 460 mm 527.22 €

8013370 anthracite, H 460 mm 527.22 €

### Optional accessories

8012367 Cox Click®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/500-3 with Base-Board

- guide rail depth 470 mm
- waste capacity 36 (2 x 10/1 x 16) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included**

8012371 without bio lid, light grey, H 460 mm 527.22 €

8013371 without bio lid, anthracite, H 460 mm 527.22 €

8012372 with bio lid, light grey, H 460 mm 540.00 €


8013372 with bio lid, anthracite, H 460 mm 540.00 €

### Optional accessories

8011312 Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

8012367 Cox Click®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/600-2 with Base-Board

- guide rail depth 470 mm
- waste capacity 44 (2 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included**



8012373 light grey, H 460 mm 538.50 €

8013373 anthracite, H 460 mm 538.50 €

### Optional accessories

8012368 Cox Click-E® 600, W 600 mm, dark grey/chrome matt 483.46 €

8012367 Cox Click®, dark grey/chrome matt 68.40 €



## Cox® Base 360 S/600-3 with Base-Board

- guide rail depth 470 mm
- waste capacity 42 (2 x 10/1 x 22) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included**

**8012374** without bio lid, light grey, H 460 mm **539.32 €**

**8013374** without bio lid, anthracite, H 460 mm **539.32 €**

**8012375** with bio lid, light grey, H 460 mm **556.76 €**

**8013375** with bio lid, anthracite, H 460 mm **556.76 €**



### Optional accessories

**8011312** Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8012368** Cox Cick-E® 600, W 600 mm, dark grey/chrome matt **483.46 €**

**8012367** Cox Cick®, dark grey/chrome matt **68.40 €**



## Cox® Base 360 S/600-4 with Base-Board

- guide rail depth 470 mm
- waste capacity 40 (4 x 10) liters
- technology: full drawer
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included**

**8012376** without bio lid, light grey, H 460 mm **563.08 €**

**8013376** without bio lid, anthracite, H 460 mm **563.08 €**

**8012377** with bio lid, light grey, H 460 mm **581.89 €**

**8013377** with bio lid, anthracite, H 460 mm **581.89 €**

### Optional accessories

**8011312** Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8012368** Cox Cick-E® 600, W 600 mm, dark grey/chrome matt **483.46 €**



## Cox Cick-E® 600



- **electric ejector for Cox® waste collectors**
- suitable for Cox® Base waste collector with 400 mm installation depth and 600 mm width
- space-saving and invisible installation behind the waste collectors
- activation of pull-out mechanism by gently touching the pull-out front
- alternative mounting positions to avoid obstacles on site (e.g. water connection)
- attachment of the crossbar to existing holes of the Cox® waste collector
- 230 V electrical connection
- compatible waste collectors: 8012304, 8013304, 8012305, 8013305, 8012315, 8013315, 8012308, 8013308, 8012316, 8013316, 8012317, 8013317, 8012373, 8013373, 8012374, 8013374, 8012375, 8013375, 8012377, 8013377, 8012376, 8013376, 8012406, 8013406, 8012446, 8013446, 8012354, 8013354

**8012368** W 600 mm, dark grey/chrome matt **483.46 €**







## Cox Base-Board®

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology:

- H 100 mm
- **depth of the guide rail 470 mm**
- GRASS self-retracting full pull-out technology with Airmatic soft-impact, proven in long-term tests
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimal utilisation of space of storage boxes by flexible positioning of the boxes by means of separate brackets
- available for cupboard widths 500, 600 and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!

Waste  
collectors





## Cox Base-Board® 900

- height 100 mm
- guide rail depth 470 mm
- 2 x 2.7 l and 2 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- **with soft retraction and damping**

|                    |          |
|--------------------|----------|
| 8012551 silver     | 249.55 € |
| 8013551 anthracite | 249.55 € |

### Optional accessories

|   |         |
|---|---------|
| 8012362 Storage box, dark grey, 2.7 liters  | 14.27 € |
| 8013362 Storage box, anthracite, 2.7 liters | 14.27 € |
| 8012363 Storage box, dark grey, 1.2 liters  | 11.84 € |
| 8013363 Storage box, anthracite, 1.2 liters | 11.84 € |
| 8012364 Bracket for storage box, silver     | 2.16 €  |



## Cox® Base 360 S/900-4

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 64 (2 x 10/2 x 22) liters
- technology: full drawer
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

|   |          |
|---|----------|
| 8012550 without bio lid, light grey, H 360 mm | 448.35 € |
| 8013550 without bio lid, anthracite, H 360 mm | 448.35 € |
| 8012552 with bio lid, light grey, H 360 mm    | 460.09 € |
| 8013552 with bio lid, anthracite, H 360 mm    | 460.09 € |

### Optional accessories

|   |         |
|---|---------|
| 8011312 Bio-lid, light grey, for 4/ 6/ 7/ 10/ 12.5 liters | 15.22 € |
| 8013312 Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | 15.22 € |
| 8011178 Bio-filter retrofitting set, black                | 7.60 €  |
| 8012367 Cox Click®, dark grey/chrome matt                 | 68.40 € |




## Cox® Base 360 K

Waste collector as front pull-out system with soft retraction and damping.

- installation height 360 mm
- **installation depth 320 mm**
- **due to the reduced depth, devices can be installed behind (e.g. boiler)**
- **depth of the guide rail 470 mm**
- "quick&easy" installation frame for various cabinet thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

### Container fitting system/litres

| Cabinet body | 500            | 600              |
|--------------|----------------|------------------|
|              | <b>12 15.5</b> | <b>15.5 15.5</b> |



## Cox® Base 360 K/500-2


With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 27.5 (1 x 15.5/1 x 12) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **installation depth 320 mm**

|  |                 |
|--|-----------------|
| <b>8012400</b> without bio lid, light grey, H 360 mm | <b>326.34 €</b> |
| <b>8013400</b> without bio lid, anthracite, H 360 mm | <b>326.34 €</b> |
| <b>8012401</b> with bio lid, light grey, H 360 mm    | <b>336.34 €</b> |
| <b>8013401</b> with bio lid, anthracite, H 360 mm    | <b>336.34 €</b> |

### Optional accessories

|   |                |
|---|----------------|
| <b>8012343</b> Bio-lid, light grey, for 7.5/ 9/ 12 liters | <b>16.87 €</b> |
| <b>8013343</b> Bio lid, anthracite, for 7.5/ 9/ 12 liters | <b>16.87 €</b> |
| <b>8012367</b> Cox Click®, dark grey/chrome matt          | <b>68.40 €</b> |



## Cox® Base 360 K/600-2


With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 31 (2 x 15.5) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **installation depth 320 mm**

|  |                 |
|--|-----------------|
| <b>8012402</b> without bio lid, light grey, H 360 mm | <b>334.64 €</b> |
| <b>8013402</b> without bio lid, anthracite, H 360 mm | <b>334.64 €</b> |
| <b>8012403</b> with bio lid, light grey, H 360 mm    | <b>344.90 €</b> |
| <b>8013403</b> with bio lid, anthracite, H 360 mm    | <b>344.90 €</b> |

### Optional accessories

|   |                 |
|---|-----------------|
| <b>8012344</b> Bio-lid, light grey, for 10/ 12/ 15.5 liters | <b>17.30 €</b>  |
| <b>8013344</b> Bio lid, anthracite, for 10/ 12/ 15.5 liters | <b>17.30 €</b>  |
| <b>8012369</b> Cox Click-E® 600 K, dark grey/chrome matt    | <b>486.22 €</b> |
| <b>8012367</b> Cox Click®, dark grey/chrome matt            | <b>68.40 €</b>  |



Cox® Base 360 K/600-3

- With pull-out complete lid.
- guide rail depth 470 mm
  - waste capacity 30,5 (1 x 15.5/2 x 7.5) liters
  - technology: full pull-out
  - fitting: cabinet wall and front panel
  - **with soft retraction and damping**
  - **installation depth 320 mm**

|         |                                       |          |
|---------|---------------------------------------|----------|
| 8012489 | without bio lid, light grey, H 360 mm | 334.64 € |
| 8013489 | without bio lid, anthracite, H 360 mm | 334.64 € |
| 8012509 | with bio lid, light grey, H 360 mm    | 344.48 € |
| 8013509 | with bio lid, anthracite, H 360 mm    | 344.48 € |

Optional accessories

|         |   |          |
|---------|---|----------|
| 8012497 | Bio lid, light grey, for 7.5 litres       | 16.87 €  |
| 8013497 | Bio lid, anthracite, for 7.5 litres       | 16.87 €  |
| 8012369 | Cox Click-E® 600 K, dark grey/chrome matt | 486.22 € |





## Cox Base-Board®

Cox Base Board® is a perfect supplement to the Cox® Base waste collector, convincing due to high quality, convenient handling and perfect pull-out technology:

- H 100 mm
- **depth of the guide rail 470 mm**
- GRASS self-retracting full pull-out technology with Airmatic soft-impact, proven in long-term tests
- smooth operation and lateral stability even under full load
- stable metal frame, powder-coated
- optimal utilisation of space of storage boxes by flexible positioning of the boxes by means of separate brackets
- available for cupboard widths 500, 600 and 900 mm
- exactly fitting assembly using the "quick & easy" assembly plate, also suitable for the retrofitting of existing Cox® Base waste collectors

Cox Base-Board® – competitive edge due to perfectly attenuated pull-out technology!







## Cox Base-Board® 500

- height 100 mm
- guide rail depth 470 mm
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- **with soft retraction and damping**

|                    |          |
|--------------------|----------|
| 8012360 silver     | 229.23 € |
| 8013360 anthracite | 229.23 € |

### Optional accessories

|   |         |
|---|---------|
| 8012362 Storage box, dark grey, 2.7 liters  | 14.27 € |
| 8013362 Storage box, anthracite, 2.7 liters | 14.27 € |
| 8012363 Storage box, dark grey, 1.2 liters  | 11.84 € |
| 8013363 Storage box, anthracite, 1.2 liters | 11.84 € |
| 8012364 Bracket for storage box, silver     | 2.16 €  |



## Cox Base-Board® 600




- height 100 mm
- guide rail depth 470 mm
- 1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included
- uniform design to Cox® Base
- technology: full pull-out
- fitting: cabinet wall
- **with soft retraction and damping**

|                    |          |
|--------------------|----------|
| 8012361 silver     | 229.23 € |
| 8013361 anthracite | 229.23 € |

### Optional accessories

|   |         |
|---|---------|
| 8012362 Storage box, dark grey, 2.7 liters  | 14.27 € |
| 8013362 Storage box, anthracite, 2.7 liters | 14.27 € |
| 8012363 Storage box, dark grey, 1.2 liters  | 11.84 € |
| 8013363 Storage box, anthracite, 1.2 liters | 11.84 € |
| 8012364 Bracket for storage box, silver     | 2.16 €  |








## Cox® Base 360 K/500-2 with Base-Board

- guide rail depth 470 mm
- waste capacity 27.5 (1 x 15.5/1 x 12) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **installation depth 320 mm**
- **1 x 2.7 l and 1 x 1.2 l storage boxes and 4 brackets included**

|  |                 |
|--|-----------------|
| <b>8012800</b> without bio lid, light grey, H 460 mm | <b>520.85 €</b> |
| <b>8013800</b> without bio lid, anthracite, H 460 mm | <b>520.85 €</b> |
| <b>8012801</b> with bio lid, light grey, H 460 mm    | <b>530.93 €</b> |
| <b>8013801</b> with bio lid, anthracite, H 460 mm    | <b>530.93 €</b> |

### Optional accessories

|   |                |
|---|----------------|
| <b>8012343</b> Bio-lid, light grey, for 7.5/ 9/ 12 liters | <b>16.87 €</b> |
| <b>8013343</b> Bio lid, anthracite, for 7.5/ 9/ 12 liters | <b>16.87 €</b> |



## Cox® Base 360 K/600-2 with Base-Board

- guide rail depth 470 mm
- waste capacity 31 (2 x 15.5) liters
- technology: full pull-out
- fitting: cabinet wall and front panel
- **with soft retraction and damping**
- **installation depth 320 mm**
- **1x2.7 l and 1x1.2 l storage boxes and 4 brackets included**

|  |                 |
|--|-----------------|
| <b>8012802</b> without bio lid, light grey, H 460 mm | <b>539.91 €</b> |
| <b>8013802</b> without bio lid, anthracite, H 460 mm | <b>539.91 €</b> |
| <b>8012803</b> with bio lid, light grey, H 460 mm    | <b>552.11 €</b> |
| <b>8013803</b> with bio lid, anthracite, H 460 mm    | <b>552.11 €</b> |

### Optional accessories

|   |                 |
|---|-----------------|
| <b>8012344</b> Bio-lid, light grey, for 10/ 12/ 15.5 liters | <b>17.30 €</b>  |
| <b>8013344</b> Bio lid, anthracite, for 10/ 12/ 15.5 liters | <b>17.30 €</b>  |
| <b>8012369</b> Cox Cick-E® 600 K, dark grey/chrome matt     | <b>486.22 €</b> |



## Cox Cick-E® 600 K



- **electric ejector for Cox® waste collectors**
- suitable for Cox® Base waste collector with reduced installation depth (320 mm) and 600 mm width
- space-saving and invisible installation behind the waste collectors
- activation of pull-out mechanism by gently touching the pull-out front
- alternative mounting positions to avoid obstacles on site (e.g. water connection)
- attachment of the crossbar to existing holes of the Cox® waste collector
- 230 V electrical connection
- compatible waste collectors: 8012402, 8013402, 8012403, 8013403, 8012489, 8013489, 8012509, 8013509, 8012802, 8013802, 8012803, 8013803

|                                      |                 |
|--------------------------------------|-----------------|
| <b>8012369</b> dark grey/chrome matt | <b>486.22 €</b> |
|--------------------------------------|-----------------|





## Cox® Base 460 S

Waste collector as front pull-out system with soft retraction and damping.

- installation height 460 mm
- installation depth 400 mm
- **depth of the installation frame 470 mm**
- "quick&easy"-installation frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

| Container fitting system/litres |              |       |                 |                 |
|---------------------------------|--------------|-------|-----------------|-----------------|
| Cabinet body                    | 400          | 450   | 500             | 600             |
|                                 | 28           |       | 21 28           | 28 28           |
|                                 | 12.5<br>12.5 | 21 21 | 21 12.5<br>12.5 | 12.5 28<br>12.5 |





## Cox® Base 460 S/400-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 28 liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012311 light grey, H 460 mm

348.48 €




## Cox® Base 460 S/400-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 25 (2 x 12.5) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012356 light grey, H 460 mm

350.37 €




## Cox® Base 460 S/450-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 42 (2 x 21) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012306 light grey, H 460 mm

351.24 €




## Cox® Base 460 S/500-2

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 49 (1 x 21/1 x 28) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012307 light grey, H 460 mm

358.68 €



## Cox® Base 460 S/500-3


With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 46 (1 x 21/2 x 12.5) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012355 light grey, H 460 mm

368.79 €





## Cox® Base 460 S/600-2

With pull-out complete lid.


- guide rail depth 470 mm
- waste capacity 56 (2 x 28) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012308 light grey, H 460 mm 356.77 €

8013308 anthracite, H 460 mm 356.77 €

### Optional accessories

8012368 Cox Click-E® 600, W 600 mm, dark grey/chrome matt 483.46 €



## Cox® Base 460 S/600-3

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 53 (1 x 28/2 x 12.5) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012354 light grey, H 460 mm 366.98 €

8013354 anthracite, H 460 mm 366.98 €

### Optional accessories

8012368 Cox Click-E® 600, W 600 mm, dark grey/chrome matt 483.46 €



## Cox® Base single bucket

Optional accessories for all waste collectors of the group pull-out technology with front pull-out.

- waste capacity 4 liters
- 144 x 230 x 191 mm (H x W x D)

8012309 light grey 20.41 €


8013309 anthracite 20.41 €



## Bio-lid

Includes 4 activated carbon filters (assumed annual requirement ) as retrofitting set for Cox® Base replacement bucket 4, 6, 7, 10 and 12.5 liters.

|   |                |
|---|----------------|
| <b>8011312</b> light grey, for 4/ 6/ 7/ 10/ 12.5 liters | <b>15.22 €</b> |
| <b>8013312</b> anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | <b>15.22 €</b> |




## Cox Cick®

Cox Cick® is a manual foot pedal that enables effortless access to the Cox® Base and Cox Clan® waste collectors. Thanks to the ergonomically pleasantly designed pedal position, the waste system opens completely with little force. After operation, the opening mechanism automatically returns to its original position with the aid of a spring. In this way, near-silent operation is guaranteed when opening and closing. The assembly is simple and quick due to two moulded lugs with position fixing. The necessary drilling points are easily found by means of a plastic assembly aid.

- bracket projection on 16 gauge front 34 mm
- bracket projection on 19 gauge front 31 mm

|                                      |                |
|--------------------------------------|----------------|
| <b>8012367</b> dark grey/chrome matt | <b>68.40 €</b> |
|--------------------------------------|----------------|



## LED foot kick Libero 3.0 with voice control

Motor-controlled ejector for all pull-outs with front extension.

**Compatible with Alexa (Amazon) voice control systems.** Installation in the front area of the bottom of the cupboard.

Required base recess from cabinet edge: ca. 50 mm, **base height min. 100 mm**

Power supply: up to 230 volts, conventional sockets with 2000 mm cable USB-C/USB plug, drip-proof according to IP21.

- simple operation by foot sensor and/or voice control
- for base units from 300–1200 mm wide
- integrated LED indicator lighting, dimmable, can be switched off
- ejector strength adjustable, sensor sensitivity adjustable
- intelligent control, detects obstacles thanks to sliding clutch
- **product dimensions: 33 x 157 x 300 mm (H x W x D)**
- **cut-out dimensions: 127 x 286 mm (W x D)**

Setting and configuration via web browser.

|                      |                 |
|----------------------|-----------------|
| <b>8011212</b> white | <b>403.39 €</b> |
|----------------------|-----------------|



# SELECTAkit®


## Pull-out technology for front pull-out

Pullboy Soft Comfort




### Convincing benefits at a glance


The side-wall mounted waste collector is the ultimate in waste collection convenience:




with full pull-out, incl. pull-out protection




with soft retraction for gentle closing




side-wall mounting




suitable for 16 and 19 mm side walls




The assembly is very simple using a Comfort Plus metal installation template.




optional pedal for pull-outs with self-retracting and damping



The front assembly is easily carried out with the help of a paper template.



3D tilt adjustment



With a low frame depth of just 330 mm (rails 435 mm), there is still enough space for a siphon in the sink cabinet or other under-sink appliances.




With a single lid or alternatively with a lid pull-out system, which includes an anti-slip mat.

### Divisions

**Pullboy Soft Comfort 335 K**  
with fixed lid, installation depth 330 mm



335 K/450-2



335 K/500-2



335 K/600-2



335 K/600-3

**Pullboy Soft Comfort 495 K**  
with fixed lid, installation depth 500 mm



495 K/600-2

**Pullboy Soft Comfort 360 K**  
with lid pull-out system, installation depth 330 mm



360 K/450-2



360 K/500-2



335 K/600-2





360 K/600-3



### Pullboy Soft Comfort

Waste collector as a front pull-out system with soft-closing mechanism and pull-out locking pins. Available with a fixed lid or with a pull-out lid system incl. anti-slip mat.

- full pull-out runners with self-closing mechanism + damper incl. pull-out safety lock, 30 kg load capacity, LGA tested
- due to its low depth of 330 mm, it still leaves enough space in the sink base unit for a siphon and other under-sink appliances
- the installation is very simple using the **Comfort Plus metal installation template**
- 3D positioning makes subsequent adjustment quick and easy





### Pullboy Soft Comfort 335 K/450-2

With a fixed lid. Incl. pull-out locking pins.

- waste volume 22 (2 x 11) litres
- dimensions: 412 x 335 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- waste system with soft retraction and damping
- for 16/19 mm side walls

8011122 anthracite

260.50 €




### Pullboy Soft Comfort 335 K/500-2

With a fixed lid. Incl. pull-out locking pins.

- waste system with soft retraction and damping
- waste volume 28 (17 + 11) litres
- dimensions: 462 x 335 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

8011123 anthracite

265.55 €





### Pullboy Soft Comfort 335 K/600-3

With a fixed lid. Incl. pull-out locking pins.

- waste system with soft retraction and damping
- waste volume 33 (2 x 8/1 x 17) litres
- dimensions: 562 x 335 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

8011124 anthracite

267.50 €




### Pullboy Soft Comfort 335 K/600-2

With a fixed lid. Incl. pull-out locking pins.

- waste system with soft retraction and damping
- waste volume 34 (2 x 17) litres
- dimensions: 562 x 335 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

8011125 anthracite

265.00 €



### Pullboy Soft Comfort 360 K/450-2



With lid pull-out system and pull-out locking pins. Incl. anti-slip mat.

- waste system with soft retraction and damping
- waste volume 22 (2 x 11) litres
- dimensions: 412 x 360 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side wall

8011126 anthracite

278.99 €







### Pullboy Soft Comfort 360 K/500-2

With lid pull-out system and pull-out locking pins. Incl. anti-slip mat.

- waste system with soft retraction and damping
- waste volume 28 (17 + 11) litres
- dimensions: 462 x 360 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

8011127 anthracite

282.35 €





### Pullboy Soft Comfort 360 K/600-3

With lid pull-out system and pull-out locking pins. Incl. anti-slip mat.

- waste system with soft retraction and damping
- waste volume 33 (2 x 8/1 x 17) litres
- dimensions: 562 x 360 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

8011128 anthracite

298.32 €




### Pullboy Soft Comfort 360 K/600-2

With lid pull-out system and pull-out locking pins. Incl. anti-slip mat.

- waste system with soft retraction and damping
- waste volume 34 (2 x 17) litres
- dimensions: 562 x 360 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

8011129 anthracite

292.44 €



**Pullboy Soft Comfort 495 K/600-2**

- With a fixed lid. Incl. pull-out locking pins.
- waste system with soft retraction and damping
  - waste volume 58 (2 x 29) litres
  - dimensions: 562 x 495 x 330 mm (W x H x D)
  - installation: side wall mounting with front panel
  - for 16/19 mm side walls

8011488 anthracite

299.16 €








Pullboy Soft Fusion


The Pullboy Soft Comfort Fusion system is ideally suited for the joint installation of a water conditioning device with a total width of 240 mm and a corresponding waste collection system. The perfectly coordinated modules provide for the space-saving arrangement of all the necessary components in a **600 mm wide** sink base unit.

The installation is completed in just a few steps. And it can be flexibly adapted to the given installation situation. In the rear area there is sufficient space for water connections as well as hose and cable routing.

The reservoirs need to be positioned on the left.

| Container fitting system/litres |   |
|---------------------------------|---|
| Cabinet body                    | 600   |
|                                 |  17     |
|                                 |  8<br>8 |
|                                 |  29     |


Waste collectors



Pullboy Soft Fusion 320 K/600-1

- waste system with soft closing and damping
- waste volume 17 (1 x 17) litres
- incl. single lid
- dimensions: 562 x 320 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls



8011732 anthracite 283.19 €



Pullboy Soft Fusion 320 K/600-2

- waste system with soft closing and damping
- waste volume 16 (2 x 8) litres
- incl. single lid
- dimensions: 562 x 320 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls


8011733 anthracite 294.12 €



Pullboy Soft Fusion 480 K/600-1

- waste system with soft closing and damping
- waste volume 29 (1 x 29) litres
- incl. single lid
- dimensions: 562 x 480 x 330 mm (W x H x D)
- installation: side wall mounting with front panel
- for 16/19 mm side walls

|                    |          |
|--------------------|----------|
| 8011734 anthracite | 326.05 € |
|--------------------|----------|



Pedal

- Retrofittable for all self-retracting waste collectors with dampers.
- min. 90 mm base height
  - min. 60 mm gap between cupboard bottom and insert or pull-out

Accessoires suitable for all waste collectors in the range pull-out technology with front pull-out.

|                         |         |
|-------------------------|---------|
| 8011187 stainless steel | 48.99 € |
|-------------------------|---------|



## Cox® Base 360 R

Waste collector as front pull-out system with soft retraction and damping.

- installation height 360 mm
- installation depth 400 mm
- **depth of the guide rail 470 mm**
- "quick&easy" installation frame for various cabinet thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design
- **with top frame for several bags**

### Top frame with clamping hook for Cox® base 360 R:

#### Cox® top frame with clamping hook

As a practical accessory for the large-volume waste container the optional two-piece top frame makes it possible to conveniently insert rubbish bags of various sizes into the plastic containers. Individual and practical for every requirement.

#### Cox® top frame for bag attachment

The innovative two-piece clamping frame system enables the use of different sizes of rubbish bag.

Depending on your preferences, two small or one large bag can be clamped in.

#### Mounting in a jiffy


Clip the two halves of the top frame onto the top edge of the waste collector. After inserting the rubbish bag into the container, the rubbish bag is pulled down through the support frame and fastened on the outside with the corresponding clamping hooks. Finished!

#### Especially for Swiss garbage bags

The Cox® Base 460 R waste container with top frame is ideally suited for standard Swiss garbage bags with 35 litres.

### Container fitting system/litres

| Cabinet body | 500       | 600          |
|--------------|-----------|--------------|
|              | <b>29</b> | <b>16 29</b> |




## Cox® Base 360 R/500-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 29 liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **incl. top frame for bag attachment**
- **with soft retraction and damping**

8012405 light grey, H 360 mm

350.37 €



Cox® Base 360 R/600-2

- With pull-out complete lid.
- guide rail depth 470 mm
  - waste capacity 45 (1 x 29/1 x 16) liters
  - technology: full pull-out
  - frame/guide silver
  - complete lid silver
  - fitting: cabinet wall and front panel
  - **incl. top frame for bag attachment**
  - **with soft retraction and damping**

|         |                      |          |
|---------|----------------------|----------|
| 8012406 | light grey, H 360 mm | 388.25 € |
| 8013406 | anthracite, H 360 mm | 388.25 € |

Optional accessories

|         |   |          |
|---------|---|----------|
| 8012368 | Cox Click-E® 600, W 600 mm, dark grey/chrome matt | 483.46 € |
| 8012367 | Cox Click®, dark grey/chrome matt                 | 68.40 €  |





## Cox® Base 460 R

Waste collector as front pull-out system with soft retraction and damping.

- installation height 460 mm
- installation depth 400 mm
- **depth of the guide rail 470 mm**
- "quick&easy" installation frame for various cabinet thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design
- **39 litre bucket ideal for Swiss bags (bin bags)**
- **with insertion frame for several bags**

| Container fitting system/litres |     |     |     |       |
|---------------------------------|-----|-----|-----|-------|
| Cabinet body                    | 400 | 450 | 500 | 600   |
|                                 | 39  | 39  | 39  | 21 39 |




## Cox® Base 460 R/400-1

With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 39 liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **incl. top frame for bag attachment**
- **with soft retraction and damping**

8012443 light grey, H 460 mm

354.01 €



## Cox® Base 460 R/450-1




With pull-out complete lid.

- guide rail depth 470 mm
- waste capacity 39 liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **incl. top frame for bag attachment**
- **with soft retraction and damping**

8012444 light grey, H 460 mm

354.01 €





## Cox® Base 460 R/500-1

- With pull-out complete lid.
- guide rail depth 470 mm
  - waste capacity 39 liters
  - technology: full pull-out
  - frame/guide silver
  - complete lid silver
  - fitting: cabinet wall and front panel
  - **incl. top frame for bag attachment**
  - **with soft retraction and damping**

8012445 light grey, H 460 mm

354.01 €

## Cox® Base 460 R/600-2

- With pull-out complete lid.
- guide rail depth 470 mm
  - waste capacity 60 (1 x 39/1 x 21) liters
  - technology: full pull-out
  - frame/guide silver
  - complete lid silver
  - fitting: cabinet wall and front panel
  - **incl. top frame for bag attachment**
  - **with soft retraction and damping**

8012446 light grey, H 460 mm

399.32 €

8013446 anthracite, H 460 mm

399.32 €

### Optional accessories

8012368 Cox Click-E® 600, W 600 mm, dark grey/chrome matt

483.46 €

# SELECTAkit®

## Pull-out technology for front pull-out

### Cox Clan® – Waste collectors for large waste volume

The sophisticated waste collector Cox Clan® is the continuation of the success story of the Cox® system series. As the "big brother" of the Cox® Base systems, it is ideally suited for holding high volumes of waste.

- GRASS full pull-out and over-extension technology with self-retraction and Air-matic soft-impact, proven in long-term tests
- smooth operation and lateral stability even under full load
- reinforced metal housing frame for container holder, powder-coated
- equipped with metal lid, powder-coated
- suitable for 16 mm and 19 mm side thicknesses
- available for five cupboard widths and in various heights
- installation depth amounts to 516 mm



Waste  
collectors

### Cox Clan® convinces due to easy assembly:



1. Transfer the mounting points in the body using the template.



2. Mount the pull-out rails and locating pins for the depositing lid.



3. Place the depositing lid on the pins and hook the pull-out frame into the pull-out rails.




4. Mount the front attachment using the template.



5. Hang the front plate into the pull-out frame and fasten it, then clip on the plastic covers.



6. Insert containers.  
Finished!




## Cox Clan® 490

Waste collector front pull-out system for large waste capacity with soft retraction and impact attenuation.

- installation height 490 mm
- installation depth 516 mm
- **depth of the installation frame 510 mm**
- "quick&easy" installation frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

| Container fitting system/litres |      |      |      |    |
|---------------------------------|------|------|------|----|
| Cabinet/body                    | 450  | 500  | 600  |    |
|                                 | 29.5 | 29.5 | 29.5 | 21 |
|                                 | 29.5 | 29.5 | 29.5 |    |




## Cox Clan® 490/450-2

- guide rail depth 510 mm
- waste capacity 59 (2 x 29.5) liters
- technology: over extension
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012381 light grey, H 490 mm

420.59 €




## Cox Clan® 490/500-2

- guide rail depth 510 mm
- waste capacity 59 (2 x 29.5) liters
- technology: over extension
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012382 light grey, H 490 mm

423.36 €




### Cox Clan® 490/600-3

- guide rail depth 510 mm
- waste capacity 80 (2 x 29.5/1 x 21) liters
- technology: over extension
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012384 light grey, H 490 mm

466.76 €




### Cox Cick®

Cox Cick® is a manual foot pedal that enables effortless access to the Cox® Base and Cox Clan® waste collectors. Thanks to the ergonomically pleasantly designed pedal position, the waste system opens completely with little force. After operation, the opening mechanism automatically returns to its original position with the aid of a spring. In this way, near-silent operation is guaranteed when opening and closing. The assembly is simple and quick due to two moulded lugs with position fixing. The necessary drilling points are easily found by means of a plastic assembly aid.

- bracket projection on 16 gauge front 34 mm
- bracket projection on 19 gauge front 31 mm

8012367 dark grey/chrome matt

68.40 €





## Cox Clan® 580

Waste collector front pull-out system for large waste capacity with soft retraction and impact attenuation.

- installation height 580 mm
- installation depth 516 mm
- **depth of the installation frame 510 mm**
- "quick&easy" installation frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail
- functional design

| Container fitting system/litres |           |           |          |          |                |
|---------------------------------|-----------|-----------|----------|----------|----------------|
| Cabinet/body                    | 300       | 400       | 450      | 500      | 600            |
|                                 | 1.2<br>32 | 1.2<br>35 | 35<br>35 | 35<br>35 | 35<br>35<br>21 |





## Cox Clan® 580/300-2

- guide rail depth 510 mm
- waste capacity 33.2 (1 x 32/1 x 1.2) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012386 light grey, H 580 mm

377.18 €




## Cox Clan® 580/400-2

- guide rail depth 510 mm
- waste capacity 36.2 (1 x 35/1 x 1.2) liters
- technology: full pull-out
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012387 light grey, H 580 mm

386.35 €






## Cox Clan® 580/450-2

- guide rail depth 510 mm
- waste capacity 70 (2 x 35) liters
- technology: over extension
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012388 light grey, H 580 mm

427.08 €




## Cox Clan® 580/500-2

- guide rail depth 510 mm
- waste capacity 70 (2 x 35) liters
- technology: over extension
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012389 light grey, H 580 mm

427.08 €
























## Cox Clan® 580/600-3

- guide rail depth 510 mm
- waste capacity 91 (2 x 35/1 x 21) liters
- technology: over extension
- frame/guide silver
- complete lid silver
- fitting: cabinet wall and front panel
- **with soft retraction and damping**

8012391 light grey, H 580 mm






















480.69 €

# Replacement bucket and lid overview for Cox® series


| Width mm    |     | 102  | 113  | 183  | 183  | 204  | 230  |
|-------------|-----|--|--|--|--|--|--|
| Depth mm    |     | 204  | 382  | 302  | 382  | 204  | 191  |
|             |     | Order no.  | € per pc.<br>excl. VAT   | Order no.  | € per pc.<br>excl. VAT   | Order no.  | € per pc.<br>excl. VAT   |
| Height mm   | 82  | <br>8013363*<br>8012363 11.51 |  |  |  | <br>8013362*<br>8012362 13.87 |  |
|             | 144 |  |  |  |  |  | <br>8013309*<br>8012309 19.83   |
|             | 216 |  | <br>8013325*<br>8012325 25.55 | <br>8013327*<br>8012327 30.42   | <br>8013329*<br>8012329 32.77   |  | <br>8013326*<br>8012326 26.89   |
|             | 256 |  |  | <br>8012493 32.27              | <br>8013492*<br>8012492 37.31  |  | <br>8013491*<br>8012491 28.07  |
|             | 326 |  | <br>8012332 31.60           | <br>8013333*<br>8012333 37.56 | <br>8013321*<br>8012321 40.25 |  | <br>8013320*<br>8012320 32.86 |
|             | 426 |  |  |  | <br>8013323*<br>8012323 44.79  |  | <br>8013319<br>8012319 37.48  |
|             | 460 |  |  |  |  |  |  |
|             | 550 |  |  |  |  |  |  |
| Cealing lid |     |  |  | <br>8013339*<br>8012339 8.74  | <br>8013341*<br>8012341 8.74  |  | <br>8013338*<br>8012338 5.97  |
| Bil lid     |     |  |  | <br>8013343*<br>8012343 16.39 |  |  | <br>8013312*<br>8011312 14.79 |

\*anthracite

# Replacement bucket and lid overview for Cox® series

| Width mm                  |     | 230   | 230   | 230  | 230   | 250  | 315   | Accessories  |                        |
|---------------------------|-----|---|---|--|---|--|---|--|------------------------|
| Depth mm                  |     | 302   | 151   | 340  | 382   | 340  | 382   |  |                        |
|                           |     | Order no.<br>€ per pc.<br>excl. VTA   | Order no.<br>€ per pc.<br>excl. VTA   | Order no.<br>€ per pc.<br>excl. VTA  | Order no.<br>€ per pc.<br>excl. VTA   | Order no.<br>€ per pc.<br>excl. VTA  | Order no.<br>€ per pc.<br>excl. VTA   | Order no.  | € per pc.<br>excl. VAT |
| Height mm                 | 82  |   |   |  |   |  |   | <br><b>Non-slip mat</b><br>up to 600 mm<br><b>8013352*</b> 11.93<br><b>8012352</b> 11.93  |                        |
|                           | 144 |   |   |  |   |  |   |  |                        |
|                           | 216 | <br><b>8012328</b><br>33.19                      |   |  | <br><b>8013330*</b><br><b>8012330</b><br>38.49   |  | <br><b>8013331*</b><br><b>8012331</b><br>43.95   | <br><b>Complete lid</b><br>Width 400 mm<br><b>8013153*</b><br><b>8010153</b> 79.75<br>Width 450 mm<br><b>8013154*</b><br><b>8010154</b> 85.80 |                        |
|                           | 256 | <br><b>8012494</b><br>37.31                     |   |  | <br><b>8013490*</b><br><b>8012490</b><br>40.84  |  |   |  |                        |
|                           | 326 | <br><b>8013334*</b><br><b>8012334</b><br>39.66 | <br><b>8013495*</b><br><b>8012495</b><br>29.58 |  | <br><b>8013322*</b><br><b>8012322</b><br>46.55 |  | <br><b>8013335*</b><br><b>8012335</b><br>49.75 | Width 500 mm<br><b>8013145*</b><br><b>8010145</b> 95.21<br>Width 600 mm<br><b>8013146*</b><br><b>8010146</b> 98.82   |                        |
|                           | 426 |   |   |  | <br><b>8013324*</b><br><b>8012324</b><br>48.99 |  | <br><b>8013336*</b><br><b>8012336</b><br>57.73 | Width 800 mm<br><b>8013356*</b><br><b>8012347</b> 73.19<br>Width 900 mm<br><b>8013357*</b><br><b>8012348</b> 78.49   |                        |
|                           | 460 |   |   |  |   | <br><b>8012395</b><br>52.02 |   | Width 1000 mm<br><b>8012349</b> 85.46<br>Width 1200 mm<br><b>8012350</b> 93.45   |                        |
|                           | 550 |   |   | <br><b>8012398</b><br>54.62 |   | <br><b>8012397</b><br>56.39 |   | Width 500 mm,<br>Depth 320 mm<br><b>8013345*</b><br><b>8012345</b> 93.45<br>Width 600 mm,<br>Depth 320 mm<br><b>8013346*</b><br><b>8012346</b> 95.21   |                        |
| Sealing lid/<br>top frame |     | <br><b>8012340</b><br>9.41                     |   |  | <br><b>8013342*</b><br><b>8012342</b><br>9.41  |  | <br><b>8012337</b><br>24.54                    | Width 600 mm,<br>Depth 400 mm<br><b>8013351*</b><br><b>8012351</b> 69.33   |                        |
| Bio lid                   |     | <br><b>8013344*</b><br><b>8012344</b><br>16.81 | <br><b>8013497*</b><br><b>8012497</b><br>16.39 |  |   |  |   | Width 300 mm,<br>Depth 516 mm<br><b>8010160</b> 74.20  |                        |

\*anthracite




### Profiline Double-Boy 410 S/300-2

- waste capacity 30 (1 x 20/1 x 10) liters
- technology: full pull-out
- fitting: cabinet bottom and front panel

**8012093** anthracite

**188.60 €**




### Traditionline Double-Master 585 S/400-2

- waste capacity 64 (2 x 32) liters
- technology: full pull-out
- fitting: cabinet bottom and front panel

**8011464** aluminium grey

**231.74 €**




### Traditionline Trio-Master 410 S/400-3

- waste capacity 40 (1 x 20/2 x 10) liters
- technology: full pull-out
- fitting: cabinet bottom and front panel

**8011169** aluminium grey

**180.72 €**




## Müllex Oekonom 35/2/2

- low-noise, sturdy pull-out system
- waste capacity 39 (35/2/2) liters
- waste container 35 l with flap for 35-l and 17-l bags
- two 2-l containers
- closing-lid as deposit for cleaning things
- in comparison to müllex comfort 30 mm shorter, allowing more space for sanitary installations
- technology: full pull-out
- pull-out shelves with positioning elements for the containers
- guide rail depth 500 mm
- lid black
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011055 black

367.50 €




## Müllex Comfort 35/5/4/4

- low-noise, sturdy pull-out system
- waste capacity 48 (35/5/4/4) liters
- waste container 35 l with closing-lid as deposit for cleaning things
- for 35-l and 17-l bags
- bio-bucket 5 l with lid and carrying handle
- two 4-l containers with 2 lids and carrying handles
- technology: full pull-out
- pull-out shelves with positioning elements for the containers
- guide rail depth 530 mm
- lid black
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011021 anthracite/green

492.88 €




## Müllex Comfort 35/17/4/4

- low-noise, sturdy pull-out system
- waste capacity 60 (35/17/4/4) liters
- two waste containers for 35-l and 17-l bags
- two 4-l containers with lid and carrying handle
- closing-lid as deposit for cleaning things
- technology: full pull-out
- pull-out shelves with positioning elements for the containers
- guide rail depth 530 mm
- lid black
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011054 black/light grey

492.88 €






## Müllex Boxx 55/60-R Bio

- low-noise, sturdy pull-out system
- waste capacity 47 (41/5/1) liters
- container with round filling of the 35-l bin bag, extended with additional container and bio-bucket 5 l
- optional two 17-l bin bags
- technology: full pull-out
- pull-out cover drawer
- in case of bulky siphon, the rear wall of the drawer can be adjusted
- adapter for 600 mm body supplied
- retraction damping as standard
- guide rail depth 520 mm
- lid anthracite
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011049 anthracite

553.42 €




## Müllex Euro Boxx 55/60 R

- low-noise, sturdy pull-out system
- waste capacity 56 (1 x 40/1 x 16) liters
- container with round filling of the 35-l bin bag
- optional two 17-l bin bags
- technology: full pull-out
- pull-out cover drawer
- in case of bulky siphon, the rear wall of the drawer can be adjusted
- extended with 16-l additional container
- adapter for 600 mm body supplied
- retraction damping as standard
- guide rail depth 520 mm
- lid anthracite
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011019 anthracite

523.14 €



## StopMatic

The pull-out systems Müllex Comfort and Müllex Oekonom can be optionally equipped with the StopMatic accessories. A damper with "self-closing function" which can be inserted into the rail profile slows the pull-out just before it reaches the final position.

**StopMatic and KickMatic are not combinable.**

8011066 light grey

38.47 €



|  |        |          |
|--|--------|----------|
| <b>KickMatic</b>   |        |          |
| The pull-out systems Müllex Comfort, Müllex Oekonom and Müllex Boxx can be equipped with the KickMatic accessories on request. Press lightly with your foot and the bucket slides gently out of the bottom cabinet. So you have both hands free. |        |          |
| <b>StopMatic and KickMatic are not combinable.</b>   |        |          |
| 8011070  | chrome | 126.25 € |

Waste  
collectors

# SELECTAkit®

## Pull-out technology for existing pull-outs

The flexible waste system



Waste  
collectors

|                            |              |
|----------------------------|--------------|
| Cox Stand-UP® 250 S        | Page 172–175 |
| Cox Stand-UP® 280 S        | Page 176–178 |
| Cox Stand-UP® 350 S        | Page 179–181 |
| Cox Stand-UP® 350 K        | Page 182–183 |
| Pullboy Vario 335 S        | Page 185     |
| Pullboy Vario 320 S        | Page 185     |
| Pullboy Vario 300 S        | Page 186     |
| Pullboy Vario 320 S        | Page 186–187 |
| Pullboy Versa 265 K        | Page 188–192 |
| Pullboy Versa complete lid | Page 192     |
| Cox® Giallo                | Page 193     |
| X-LINE                     | Page 194–195 |

Suitable for the following  
front layouts:



Full front    Front panel  
with one  
division    Front panel  
with one  
division    Front panel  
with two  
divisions

Please check the heights of the product groups.

# SELECTAkit®

## Pull-out technology for existing pull-outs



### Cox Stand-UP®

Kitchen base cabinets with front pull-out are available in several widths and various frame and front heights for kitchen planning. Naber provides waste collector combinations that make perfect use of the storage space in a comparable range of sizes.

- The waste system Cox Stand-UP® offers three container heights and can be configured for four different cabinet widths.
- Cox Stand-UP® is quick and easy to install; existing front pull-outs can also be equipped without any problems.

To provide kitchen users with the largest possible container volume, Cox Stand-UP® is highly flexible in design and adapts to any cabinet situation with or without a water connection.

- The complete lid of the system can also be installed behind the top front to save space and thus maximise the total possible volume.
- Note: 350 mm high waste collectors can be safely accommodated behind a 390 mm high cabinet front.

The high-quality containers are securely positioned in a floor-mounted frame. As optional accessories, sealing lids – also in the version for organic waste – make domestic waste and recycling management even easier.



**Cox Stand-UP® 250 S**



**Cox Stand-UP® 280 S**



**Cox Stand-UP® 350 S**



**Cox Stand-UP® 350 K**







### Cox Stand-UP® 250 S

The Cox-Stand-UP® waste system 250 is ideally suited for quick installation on existing pull-outs with a **nominal depth of 450 mm and 500 mm**. The total height of the system is 250 mm, whereby the **clear installation height is only 240 mm**. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 145 mm. The Cox-Stand-UP® waste system is available in different heights, cabinet widths and bucket combinations.

| Container fitting system/litres |           |              |              |
|---------------------------------|-----------|--------------|--------------|
| Cabinet body                    | 600       | 800          | 900          |
|                                 | 13 13     | 13 10 13     | 13 13 13     |
|                                 | 13 6<br>6 | 13 10 6<br>6 | 13 13 6<br>6 |



### Cox Stand-UP® 250 S/600-2



For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 26(2 x 13) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm

**8013380** anthracite, H 250 mm **197.85 €**

#### Optional accessories

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**



### Cox Stand-UP® 250 S/600-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 25(1 X 13/ 2 x 6) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm

**8013381** without bio lid, anthracite, H 250 mm **215.40 €**

**8013382** with bio lid, anthracite, H 250 mm **227.74 €**


#### Optional accessories

**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8011178** Bio-filter retrofitting set, black **7.60 €**

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**

**8013338** Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **6.14 €**



## Cox Stand-UP® 250 S/800-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.


- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 36(1 X 10/ 2 x 13) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm

|                                     |                 |
|-------------------------------------|-----------------|
| <b>8013383</b> anthracite, H 250 mm | <b>289.33 €</b> |
|-------------------------------------|-----------------|

### Optional accessories

|   |               |
|---|---------------|
| <b>8013342</b> Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters | <b>9.68 €</b> |
|---|---------------|

|   |               |
|---|---------------|
| <b>8013341</b> Closing-lid, anthracite, for 10/ 12/ 16/ 21 liters | <b>8.99 €</b> |
|---|---------------|



## Cox Stand-UP® 250 S/800-4

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 35 (1 x 13/1 x 10/2 x 6) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm

|  |                 |
|--|-----------------|
| <b>8013384</b> without bio lid, anthracite, H 250 mm | <b>306.89 €</b> |
|--|-----------------|

|   |                 |
|---|-----------------|
| <b>8013385</b> with bio lid, anthracite, H 250 mm | <b>319.69 €</b> |
|---|-----------------|

### Optional accessories


|  |                |
|--|----------------|
| <b>8013312</b> Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | <b>15.22 €</b> |
|--|----------------|

|   |               |
|---|---------------|
| <b>8011178</b> Bio-filter retrofitting set, black | <b>7.60 €</b> |
|---|---------------|

|   |               |
|---|---------------|
| <b>8013342</b> Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters | <b>9.68 €</b> |
|---|---------------|

|   |               |
|---|---------------|
| <b>8013341</b> Closing-lid, anthracite, for 10/ 12/ 16/ 21 liters | <b>8.99 €</b> |
|---|---------------|

|  |               |
|--|---------------|
| <b>8013338</b> Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | <b>6.14 €</b> |
|--|---------------|



## Cox Stand-UP® 250 S/900-3


For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 39(3 X 13) litres
- total height 250 mm
- installation height without complete lid 240 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 216 mm

|                                     |                 |
|-------------------------------------|-----------------|
| <b>8013386</b> anthracite, H 250 mm | <b>306.89 €</b> |
|-------------------------------------|-----------------|

### Optional accessories

|   |               |
|---|---------------|
| <b>8013342</b> Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters | <b>9.68 €</b> |
|---|---------------|



Cox Stand-UP® 250 S/900-4

- For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.
- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 145 mm
  - minimum installation depth (internal dimension of the drawer) 400 mm
  - waste volume 38 (2 X 13/ 2 x 6) litres
  - total height 250 mm
  - installation height without complete lid 240 mm
  - complete lid can be mounted behind the upper front to save space
  - bucket height 216 mm

|         |                                       |          |
|---------|---------------------------------------|----------|
| 8013387 | without bio lid, anthracite, H 250 mm | 325.39 € |
| 8013388 | with bio lid, anthracite, H 250 mm    | 338.06 € |

Optional accessories

|         |   |         |
|---------|---|---------|
| 8013312 | Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters     | 15.22 € |
| 8011178 | Bio-filter retrofitting set, black                    | 7.60 €  |
| 8013342 | Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters    | 9.68 €  |
| 8013338 | Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | 6.14 €  |



Waste collectors



## Cox Stand-UP® 280 S

The Cox-Stand-UP waste system 280 is ideally suited for quick installation on existing pull-outs with a **nominal depth of 450 mm and 500 mm**. The total height of the system is 280 mm, whereby the **clear installation height is only 270 mm**. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 175 mm. The Cox-Stand-UP waste system is available in different heights, cabinet widths and bucket combinations.

| Container fitting system/litres |           |              |              |
|---------------------------------|-----------|--------------|--------------|
| Cabinet body                    | 600       | 800          | 900          |
|                                 | 16 16     | 16 12 16     | 16 16 16     |
|                                 | 16 7<br>7 | 16 12 7<br>7 | 16 16 7<br>7 |



## Cox Stand-UP® 280 S/600-2



For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 32 (2 X 16) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm

**8013389** anthracite, H 280 mm **205.19 €**

### Optional accessories

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**



## Cox Stand-UP® 280 S/600-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 30 (1 X 16/ 2 x 7) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm

**8013390** without bio lid, anthracite, H 280 mm **219.12 €**

**8013391** with bio lid, anthracite, H 280 mm **231.40 €**


### Optional accessories

**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8011178** Bio-filter retrofitting set, black **7.60 €**

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**

**8013338** Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **6.14 €**



### Cox Stand-UP® 280 S/800-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.


- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 44(2 X 16/ 1 x 12) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm

**8013393** anthracite, H 280 mm **298.58 €**

#### Optional accessories

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**

**8013341** Closing-lid, anthracite, for 10/ 12/ 16/ 21 liters **8.99 €**



### Cox Stand-UP® 280 S/800-4

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 42 (1 x 16/1 x 12/2 x 7) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm

**8013394** without bio lid, anthracite, H 280 mm **312.41 €**

**8013395** with bio lid, anthracite, H 280 mm **324.36 €**

#### Optional accessories


**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **15.22 €**

**8011178** Bio-filter retrofitting set, black **7.60 €**

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**

**8013341** Closing-lid, anthracite, for 10/ 12/ 16/ 21 liters **8.99 €**

**8013338** Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **6.14 €**



### Cox Stand-UP® 280 S/900-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.


- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 48 (3 x 16) litres
- total height 280 mm
- installation height without complete lid 270 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 256 mm

**8013396** anthracite, H 280 mm **319.85 €**

#### Optional accessories

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**





Cox Stand-UP® 280 S/900-4

- For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.
- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 175 mm
  - minimum installation depth (internal dimension of the drawer) 400 mm
  - waste volume 46 (2 x 16/ 2 x 7) litres
  - total height 280 mm
  - installation height without complete lid 270 mm
  - complete lid can be mounted behind the upper front to save space
  - bucket height 256 mm

|         |                                       |          |
|---------|---------------------------------------|----------|
| 8013397 | without bio lid, anthracite, H 280 mm | 332.74 € |
| 8013398 | with bio lid, anthracite, H 280 mm    | 344.48 € |

Optional accessories



|         |   |         |
|---------|---|---------|
| 8013312 | Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters     | 15.22 € |
| 8011178 | Bio-filter retrofitting set, black                    | 7.60 €  |
| 8013342 | Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters    | 9.68 €  |
| 8013338 | Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | 6.14 €  |



### Cox Stand-UP® 350 S

The Cox-Stand-UP® waste system 350 is ideally suited for quick installation on existing pull-outs with a **nominal depth of 450 mm and 500 mm**. The total height of the system is 350 mm, whereby the **clear installation height is only 340 mm**. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 245 mm. The Cox-Stand-UP® waste system is available in different heights, cabinet widths and bucket combinations.

| Container fitting system/litres |                |                |             |       |
|---------------------------------|----------------|----------------|-------------|-------|
| Cabinet Body                    | 500            | 500            | 600         | 600   |
|                                 | 16 10<br>10    | 16 22          | 22 10<br>10 | 22 22 |
| Cabinet Body                    | 800            | 900            | 900         |       |
|                                 | 22 16 10<br>10 | 22 22 10<br>10 | 22 22 22    |       |



### Cox Stand-UP® 350 S/500-2



For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 38 (1 x 16/1 x 22) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013423** anthracite, H 350 mm **210.73 €**

#### Optional accessories

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters **9.68 €**



### Cox Stand-UP® 350 S/500-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.



- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 36 (2 x 10/1 x 16) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013399** anthracite, H 350 mm **219.12 €**

#### Optional accessories

**8013338** Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters **6.14 €**

**8013341** Closing-lid, anthracite, for 10/ 12/ 16/ 21 liters **8.99 €**



## Cox Stand-UP® 350 S/600-2



For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 44 (2 x 22) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013424** 215.37 €

### Optional accessories

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters 9.68 €



## Cox Stand-UP® 350 S/600-3

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 42 (2 x 10/1 x 22) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013410** without bio lid, anthracite, H 350 mm 226.46 €

**8013411** with bio lid, anthracite, H 350 mm 239.26 €



### Optional accessories

**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

**8011178** Bio-filter retrofitting set, black 7.60 €

**8013338** Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 6.14 €

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters 9.68 €



## Cox Stand-UP® 350 S/800-4

For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 58 (2 x 10/1 x 22/1 x 16) litres
- total height 350 mm
- installation height without complete lid 340 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013412** without bio lid, anthracite, H 350 mm 323.57 €

**8013413** with bio lid, anthracite, H 350 mm 336.25 €

### Optional accessories


**8013312** Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 15.22 €

**8011178** Bio-filter retrofitting set, black 7.60 €

**8013338** Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters 6.14 €

**8013342** Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters 9.68 €

**8013341** Closing-lid, anthracite, for 10/ 12/ 16/ 21 liters 8.99 €




Cox Stand-UP® 350 S/900-3

- For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.
- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
  - minimum installation depth (internal dimension of the drawer) 400 mm
  - waste volume 66 (3 x 22) litres
  - total height 350 mm
  - installation height without complete lid 340 mm
  - complete lid can be mounted behind the upper front to save space
  - bucket height 326 mm

|         |                                       |          |
|---------|---------------------------------------|----------|
| 8013414 | without bio lid, anthracite, H 350 mm | 332.74 € |
|---------|---------------------------------------|----------|

|                      |  |        |
|----------------------|--|--------|
| Optional accessories |  |        |
| 8013342              | Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters | 9.68 € |



Cox Stand-UP® 350 S/900-4

- For mounting on existing pull-outs with a nominal depth of 450 mm and 500 mm.
- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
  - minimum installation depth (internal dimension of the drawer) 400 mm
  - waste volume 64 (2 x 22/2 x 10) litres
  - total height 350 mm
  - installation height without complete lid 340 mm
  - complete lid can be mounted behind the upper front to save space
  - bucket height 326 mm

|         |                                       |          |
|---------|---------------------------------------|----------|
| 8013415 | without bio lid, anthracite, H 350 mm | 344.76 € |
|---------|---------------------------------------|----------|

|         |                                    |          |
|---------|------------------------------------|----------|
| 8013416 | with bio lid, anthracite, H 350 mm | 357.28 € |
|---------|------------------------------------|----------|

|                      |   |         |
|----------------------|---|---------|
| Optional accessories |   |         |
| 8013312              | Bio-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters     | 15.22 € |
| 8011178              | Bio-filter retrofitting set, black                    | 7.60 €  |
| 8013342              | Closing-lid, anthracite, for 13/ 16/ 22/ 28 liters    | 9.68 €  |
| 8013338              | Closing-lid, anthracite, for 4/ 6/ 7/ 10/ 12.5 liters | 6.14 €  |




## Cox Stand-UP® 350 K

The Cox-Stand-UP® waste system 350 is ideally suited for quick installation on existing pull-outs with a **nominal depth of 400 mm**. The total height of the system is 350 mm, whereby the **clear installation height is only 340 mm**. Depending on the installation situation, the fixed complete lid can also be mounted behind the upper front to save space. The maximum frame height (dimension from the pull-out shelf to the top edge of the frame) is 245 mm.

The Cox-Stand-UP® waste system is available in different heights, cabinet widths and bucket combinations.

| Container fitting system/litres |               |                 |
|---------------------------------|---------------|-----------------|
| Cabinet Body                    | 500K          | 600K            |
|                                 | 12 7,5<br>7,5 | 15,5 7,5<br>7,5 |



## Cox Stand-UP® 350 K/500-3

**For mounting on existing pull-outs with a shortened nominal depth of 400 mm.**



- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 27 (2 X 7.5/ 1 x 12) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013404** anthracite, H 350 mm **231.05 €**

### Optional accessories

**8013497** Bio lid, anthracite, for 7.5 liters **16.87 €**

**8013339** Closing-lid, anthracite, for 7.5/ 9/ 12 liters **8.99 €**



## Cox Stand-UP® 350 K/600-3

**For mounting on existing pull-outs with a shortened nominal depth of 400 mm.**

The 600 mm-wide Cox®-Stand-UP® waste system is supplied with a matching fixed complete lid for the cabinet. This creates additional practical storage space alongside the waste system in the pull-out.

- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 30.5 (2 x 7.5/1 x 15.5) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400 mm
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm


**8013420** anthracite, H 350 mm **269.64 €**

### Optional accessories

**8013497** Bio lid, anthracite, for 7.5 liters **16.87 €**

**8013344** Bio lid, anthracite, for 10/ 12/ 15.5 liters **17.30 €**





### Cox Stand-UP® 350 K/800-3

**For mounting on existing pull-outs with a shortened nominal depth of 400 mm.** The 800 mm-wide Cox®-Stand-UP® waste system is supplied with a matching fixed complete lid for the cabinet. This creates additional practical storage space alongside the waste system in the pull-out.


- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 30.5 (2 x 7.5/1 x 15.5) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400 mm
- **width of the complete lid 800 mm**
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013421** anthracite, H 350 mm **272.91 €**

#### Optional accessories

**8013497** Bio lid, anthracite, for 7.5 liters **16.87 €**

**8013344** Bio lid, anthracite, for 10/ 12/ 15.5 liters **17.30 €**



### Cox Stand-UP® 350 K/900-3

**For mounting on existing pull-outs with a shortened nominal depth of 400 mm.** The 900 mm-wide Cox®-Stand-UP® waste system is supplied with a matching fixed complete lid for the cabinet. This creates additional practical storage space alongside the waste system in the pull-out.


- maximum frame height (dimension from the bottom of the drawer to the top edge of the frame) 245 mm
- minimum installation depth (internal dimension of the drawer) 310 mm
- waste volume 30.5 (2 x 7.5/1 x 15.5) litres
- total height 350 mm
- installation height without complete lid 340 mm
- installation depth of the complete lid 400 mm
- **width of the complete lid 900 mm**
- complete lid can be mounted behind the upper front to save space
- bucket height 326 mm

**8013422** anthracite, H 350 mm **279.02 €**

#### Optional accessories

**8013497** Bio lid, anthracite, for 7.5 liters **16.87 €**

**8013344** Bio lid, anthracite, for 10/ 12/ 15.5 liters **17.30 €**



### Tandem 2

- waste capacity 30 (2 x 15) liters
- technology: for existing pull-outs
- fitting: on tray pull-out or in a drawer

**8011053** graphite grey **142.33 €**

# SELECTAkit®


## Pull-out technology for existing pull-outs

Pullboy Vario



### Convincing benefits at a glance

Variable solution with anti-slip mats for all common pull-out models.




suitable for cabinets  
from 30 to 120 cm




single lid



The system can be  
adapted to different  
widths by cutting  
an anti-slip mat to  
size.



fixed complete  
lid possible up to  
60 cm wide




2–4 fold separation

### Divisions

#### Pullboy Vario

installation depth 500 mm






Pullboy Vario

The Pullboy Vario waste system for existing pull-outs requires installation heights of between 300 and 335 millimetres. Space-saving container combinations and the practical complete lid provide optimal storage organisation. Up to four waste containers can be securely positioned on the anti-slip mat. Pullboy Vario is designed for various cabinet widths and is quick to assemble.


| Container fitting system/litres |                          |                     |                          |                       |
|---------------------------------|--------------------------|---------------------|--------------------------|-----------------------|
| Cabinet body                    | 300                      | 400                 | 450                      | 500                   |
|                                 | <div>8<br/>17</div>      | <div>8<br/>17</div> | <div>17<br/>17</div>     | <div>8 8<br/>17</div> |
| Cabinet body                    | 600                      |                     | 800/900/100              |                       |
|                                 | <div>17 8<br/>17 8</div> |                     | <div>17 8<br/>17 8</div> |                       |



Pullboy Vario 335 S/300-2

With non-slip inlay plate and complete lid.  
Can be cut to size for all pull-outs with a nominal depth of 500 mm.  
Cutting dimensions of the mat:  
max. 220 x 556 mm (W x D)  
min. 140 x 400 mm (W x D)  
— waste capacity 25 (1 x 17/1 x 8) liters  
— **the ideal space saver with an installation height of only 335 mm**

8011623 aluminium grey 116.81 €




Pullboy Vario 320 S/400-2

With non-slip inlay mat and complete lid.  
Can be cut to size for all pull-outs with a nominal depth of 500 mm.  
Cutting dimensions of the mat:  
max. 368 x 565 mm (W x D)  
min. 230 x 456 mm (W x D)  
— waste capacity 25 (1 x 17/1 x 8) liters  
— **the ideal space saver with an installation height of only 320 mm**

8011605 aluminium grey 99.16 €

Waste collectors





### Pullboy Vario 320 S/450-2

With non-slip inlay mat and complete lid.  
Can be cut to size for all pull-outs with a nominal depth of 500 mm.  
Cutting dimensions of the mat:  
max. 462 x 565 mm (W x T)  
min. 311 x 456 mm (W x T)  
— waste capacity 34 (2 x 17) liters  
— **the ideal space saver with an installation height of only 320 mm**

8012007 aluminium grey

131.09 €





### Pullboy Vario 320 S/500-3

With non-slip inlay mat and complete lid.  
Can be cut to size for all pull-outs with a nominal depth of 500 mm.  
Cutting dimensions of the mat:  
max. 462 x 565 mm (W x D)  
min. 311 x 456 mm (W x D)  
— waste capacity 33 (2 x 8/1 x 17) liters  
— **the ideal space saver with an installation height of only 320 mm**

8012010 aluminium grey

138.40 €




### Pullboy Vario 320 S/600-4

With non-slip inlay mat and complete lid.  
Can be cut to size for all pull-outs with a nominal depth of 500 mm.  
Cutting dimensions of the mat in mm:  
max. 565 x 565 (W x D)  
min. 468 x 456 (W x D)  
— waste capacity 50 (2 x 8/2 x 17) liters  
— **the ideal space saver with an installation height of only 320 mm**

8012006 aluminium grey

173.11 €



|   |                |                 |
|---|----------------|-----------------|
| <b>Pullboy Vario 300 S/800-4</b>  |                |                 |
| With non-slip inlay mat and single lid.                                   |                |                 |
| Can be cut to size for all pull-outs with a nominal depth of 500 mm.      |                |                 |
| Cutting dimensions of the mat:  |                |                 |
| max. 1125 x 565 mm (W x T)  |                |                 |
| min. 468 x 456 mm (W x T)   |                |                 |
| — waste capacity 50 (2 x 8/2 x 17) liters                                 |                |                 |
| — <b>the ideal space saver with an installation height of only 300 mm</b> |                |                 |
| <b>8011640</b>  | aluminium grey | <b>110.08 €</b> |



# SELECTAkit®


## Pull-out technology for existing pull-outs

Pullboy Versa



### Convincing benefits at a glance


System for existing pull-outs with a tray for secure positioning. Ideal for a multi-part front design.




mounting on existing pull-outs for cabinet widths of 500–600 mm




with single lids



with a tray that can be cut to size for secure positioning



optional complete lid can be mounted behind the front in the cabinet body to save space



the height of the entire system is only 265 mm



ideally suited for multi-part front design, can be cut to all pull-outs with a nominal depth of 400 and 500 mm

### Divisions


**Pullboy Versa 265 K**  
installation depth 400 mm




265 K/500-2



265 K/500-3



265 K/600-2



265 K/600-3



265 K/600-4


**Pullboy Versa 265 S**  
installation depth 500 mm



265 S/500-3



265 S/500-4



265 S/600-4z





## Pullboy Versa 265 K

The Pullboy Versa waste system is ideally suited for a front design consisting of several parts and can be cut to size for all pull-outs with a nominal depth of 400 mm.

- with individual lids and the optional fixed complete lid
- with insert tray for secure positioning
- for mounting on existing pull-outs
- the height of the entire system is only 265 mm
- the total lid can be mounted behind the top front to save space

| Container fitting systems/litres |         |          |       |           |            |
|----------------------------------|---------|----------|-------|-----------|------------|
| Cabinet body                     | 500     | 500      | 600   | 600       | 600        |
|                                  | 7<br>15 | 7<br>7 7 | 15 15 | 15 7<br>7 | 7 7<br>7 7 |



## Pullboy Versa 265 K/500-2



For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 22 (1 x 7/1 x 15) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 462 x 400 mm (W x D), can be cut to size

**8011711** orion grey, H 265 mm **79.83 €**

### Optional accessories

**8011718** Pullboy Versa complete lid, 500 mm, orion grey **56.30 €**



## Pullboy Versa 265 K/500-3



For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 21 (3 x 7) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 462 x 400 mm (W x D), can be cut to size

**8011710** orion grey, H 265 mm **89.08 €**

### Optional accessories

**8011718** Pullboy Versa complete lid, 500 mm, orion grey **56.30 €**



### Pullboy Versa 265 K/600-2



For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 30 (2 x 15) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 562 x 400 mm (W x D), can be cut to size

**8011715** orion grey, H 265 mm **84.03 €**

#### Optional accessories

**8011719** Pullboy Versa complete lid, 600 mm, orion grey **59.66 €**



### Pullboy Versa 265 K/600-3



For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 29 (2 x 7/1 x 15) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 562 x 400 mm (W x D), can be cut to size

**8011716** orion grey, H 265 mm **94.12 €**

#### Optional accessories

**8011719** Pullboy Versa complete lid, 600 mm, orion grey **59.66 €**



### Pullboy Versa 265 K/600-4

For mounting on existing pull-outs with a nominal depth of 400 mm.

- minimum installation depth (internal dimension of the drawer) 400 mm
- waste volume 28 (4 x 7) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 562 x 400 mm (W x D), can be cut to size

**8011714** orion grey, H 265 mm **103.36 €**

#### Optional accessories

**8011719** Pullboy Versa complete lid, 600 mm, orion grey **59.66 €**





## Pullboy Versa 265 S

The Pullboy Versa waste system is ideally suited for a front design consisting of several parts and can be cut to size for all pull-outs with a nominal depth of 500 mm.

- with individual lids and the optional fixed complete lid
- with insert tray for secure positioning
- for mounting on existing pull-outs
- the height of the entire system is only 265 mm
- the complete lid can be mounted behind the top front to save space

| Container fitting systems/litres |     |     |     |
|----------------------------------|-----|-----|-----|
| Cabinet body                     | 500 | 500 | 600 |
|                                  |     |     |     |



## Pullboy Versa 265 S/500-3



For mounting on existing pull-outs with a nominal depth of 500 mm.

- minimum installation depth (internal dimension of the drawer) 500 mm
- waste volume 29 (2 x 7/ 1 x 15) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 562 x 500 mm (W x D), can be cut to size

**8011713** orion grey, H 265 mm **94.12 €**

### Optional accessories

**8011718** Pullboy Versa complete lid, 500 mm, orion grey **56.30 €**



## Pullboy Versa 265 S/500-4


For mounting on existing pull-outs with a nominal depth of 500 mm.

- minimum installation depth (internal dimension of the drawer) 500 mm
- waste volume 25 (4 x 7) litres
- incl. individual lid
- total height 265 mm
- optional complete lid can be mounted behind the upper front to save space
- base tray 562 x 500 mm (W x D), can be cut to size

**8011712** orion grey, H 265 mm **103.36 €**

### Optional accessories

**8011718** Pullboy Versa complete lid, 500 mm, orion grey **56.30 €**




**Pullboy Versa 265 S/600-4**

- For mounting on existing pull-outs with a nominal depth of 500 mm.
- minimum installation depth (internal dimension of the drawer) 500 mm
  - waste volume 44 (2 x 7/ 2 x 15) litres
  - incl. individual lid
  - total height 265 mm
  - optional complete lid can be mounted behind the upper front to save space
  - base tray 562 x 500 mm (W x D), can be cut to size

|                                    |                 |
|------------------------------------|-----------------|
| <b>8011717</b> orion grey, H265 mm | <b>119.33 €</b> |
|------------------------------------|-----------------|

**Optional accessories**

|   |                |
|---|----------------|
| <b>8011719</b> Pullboy Versa complete lid, 600 mm, orion grey | <b>59.66 €</b> |
|---|----------------|



**Pullboy Versa complete lid**

- Powder-coated metal lid for installation depths of 400 and 500 mm for optional mounting.
- height 20 mm
  - by removing the rear element, the lid can be shortened from 500 to 400 mm and fitted behind the upper front to save space
  - Side attachment rails can be shortened from 500 to 400 mm by means of predefined breaking points

|                                   |                |
|-----------------------------------|----------------|
| <b>8011718</b> 500 mm, orion grey | <b>56.30 €</b> |
|-----------------------------------|----------------|


|                                   |                |
|-----------------------------------|----------------|
| <b>8011719</b> 600 mm, orion grey | <b>59.66 €</b> |
|-----------------------------------|----------------|





Cox® Giallo

Cox® Giallo lets the bin bag disappear elegantly and invisibly behind the front. An integrated clamping bracket fixes the bin bag. The collecting tray below the bin bag ensures that, if the worst comes to the worst, no liquids get into the furniture body. The integrated metal lid minimises odours.



Cox® Giallo

Pullout box frame for the bin bag, for mounting on existing pull-outs.

- for all common pullouts
- waste volume approx. 43 liters
- total height **620 mm**
- metal lid (side wall mounting)
- mounting: pull-out base and front panel
- with removable collecting tray and foldable holding clamp
- **The clear internal width of the pullout must not be less than 180 mm.**




|                |          |
|----------------|----------|
| 8012378 silver | 295.82 € |
|----------------|----------|



## X-LINE

The X-LINE series for existing drawer pull-outs combines practical advantages with space-saving design. The waste separation systems can be quickly installed and are also easy to remove. This makes cleaning as simple as possible. With the adjustable ratchet included, the waste system can be used in all drawers with a depth of 400–500 mm. This ensures that the storage space is optimally utilised, and the system adapts seamlessly to the different widths, heights and depths of the kitchen installations.

The X-LINE dividing strip is the elegant solution for dividing an X-LINE 35 l waste container for two 17 l waste bags.



## X-LINE 600/M7 with Basic drawer



For mounting on existing pull-outs. Drawer with part pull-out on plastic runners.

- variable installation depth 366–494 mm
- installation height 367 mm
- waste volume 50 (1 x 35/1 x 15) liters

**8011295** anthracite **271.17 €**

### Optional accessories

**8011084** X-LINE Dividing strip, anthracite **38.92 €**



## X-LINE 600/M5 with Basic drawer


For mounting on existing pull-outs. Drawer with part pull-out on plastic runners.

- variable installation depth 366–494 mm
- installation height 367 mm
- waste volume 48 (1 x 35/1 x 8/1 x 5) liters + two additional containers (1 x 1/1 x 0.5 l)

**8011292** anthracite **332.07 €**

### Optional accessories

**8011084** X-LINE Dividing strip, anthracite **38.92 €**



X-LINE 600/M7 with Premium drawer

For mounting on existing pull-outs. Drawer with full pull-out on ball bearing runners, rotating back panel and two additional bowls (0.9/1.3 l).


- variable installation depth 366–494 mm
- installation height 367 mm
- waste volume 50 (1 x 35/1 x 15) liters

|                    |          |
|--------------------|----------|
| 8011296 anthracite | 334.64 € |
|--------------------|----------|

Optional accessories

|   |         |
|---|---------|
| 8011084 X-LINE Dividing strip, anthracite | 38.92 € |
|---|---------|

Waste collectors



X-LINE 600/M5 with Premium drawer

For mounting on existing pull-outs. Drawer with full pull-out on ball bearing runners, rotating back panel and two additional bowls (1.3/1.3 l).

- variable installation depth 366–494 mm
- installation height 367 mm
- waste volume 48 (1 x 35/1 x 8/1 x 5) liters + two additional containers (1 x 1/1 x 0.5 l)

|                    |          |
|--------------------|----------|
| 8011294 anthracite | 400.03 € |
|--------------------|----------|

Optional accessories

|   |         |
|---|---------|
| 8011084 X-LINE Dividing strip, anthracite | 38.92 € |
|---|---------|

Waste  
collectors

# SELECTAkit®

## Pull-out technology for rotating doors

The perfect supplement for  
functionality and ergonomics



Waste  
collectors

|                                   |              |
|-----------------------------------|--------------|
| ■ Clap                            | Page 198–200 |
| Traditionline Double-Boy 410 X    | Page 201     |
| Traditionline Double-Boy 410 ECO  | Page 201     |
| Traditionline Double-Boy 410 S    | Page 201     |
| Traditionline Trio-Boy 410 S      | Page 202     |
| Traditionline Single-Boy 485 K    | Page 202     |
| Traditionline Single-Boy 585 K    | Page 202     |
| Traditionline Single-Boy 550 S    | Page 203     |
| Traditionline Double-Master 410 S | Page 203     |
| Traditionline Trio-Master 410 S   | Page 203     |
| Traditionline Double-Master 345 S | Page 204     |
| Traditionline Double-Master 485 S | Page 204     |
| Traditionline Trio-Master 345 S   | Page 204     |
| Traditionline Double-Shorty 345 K | Page 205     |
| Traditionline Trio-Shorty 345 K   | Page 205     |
| Traditionline Double-Shorty 345 K | Page 206     |
| Profiline Double-Boy 345 S        | Page 206     |
| Profiline Double-Boy 410 S        | Page 206     |
| Profiline Trio-Boy 345 S          | Page 207     |
| Profiline Trio-Boy 410 S          | Page 207     |

|   |              |
|---|--------------|
| ■ Profiline Double-Master 345 S                 | Page 207     |
| Profiline Double-Master 410 S                   | Page 208     |
| Profiline Trio-Master 345 S                     | Page 208     |
| Profiline Trio-Master 410 S                     | Page 208     |
| Solo  | Page 209     |
| Tandem 7  | Page 209     |
| Cleaning agent pullout Carry                    | Page 210     |
| Tandem 7 K                                      | Page 210     |
| Tandem S  | Page 211–212 |
| Tandem 4/5                                      | Page 212     |
| Easy Cargo                                      | Page 213     |
| Traditionline Double-Master Corner              | Page 214     |
| Rondo plus                                      | Page 215–216 |
| Rondo plus deflector for hoses with shower head | Page 216     |
| Rolling cart DS                                 | Page 218     |
| Profiline Double-Master DS 360 S                | Page 218     |
| Traditionline Trio-Master DS 360 S              | Page 219     |

Suitable for the following  
front layouts:



Full front



Front panel  
with one  
division

Please check the heights of the product  
groups.







## Clap

The successful combination of convenience properties in smooth-running design with the optional versatility of waste separation down to fractions makes Clap an all-rounder in its class. Ultimately, its attractiveness is not only defined by its economic construction and design. Corresponding to the Naber product concept "the next generation", all materials employed are fully recyclable.

- fitted with telescopic full pull-out with ball bearings
- sturdy plastic containers for individual separation of recyclable materials
- covering of the body structure may be used for storage of dishwashing paraphernalia
- easy installation due to simple mounting on the cabinet floor




## Clap 345 K/300-1

- waste capacity 15 liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

8011450 anthracite

90.62 €




## Clap 345 K/300-2


- waste capacity 15 (2 x 7.5) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

8011451 anthracite

105.41 €



|   |            |          |
|---|------------|----------|
| <b>Clap 345 S/400-2</b>   |            |          |
| — waste capacity 30 (2 x 15) liters                                       |            |          |
| — technology: full pull-out   |            |          |
| — fitting: cabinet bottom   |            |          |
| — <b>the ideal space saver with an installation height of only 345 mm</b> |            |          |
| 8011452   | anthracite | 109.04 € |



|   |            |          |
|---|------------|----------|
| <b>Clap 345 S/400-3</b>   |            |          |
| — waste capacity 30 (2 x 7.5/1 x 15) liters                               |            |          |
| — technology: full pull-out   |            |          |
| — fitting: cabinet bottom   |            |          |
| — <b>the ideal space saver with an installation height of only 345 mm</b> |            |          |
| 8011453   | anthracite | 129.45 € |

Waste  
collectors




## Clap 3

Space-saving built-in waste collection system with full pull-out technology for rotating doors.

- installation height 345 mm and installation depth 330 mm

Ideally suited for installation with sub-frame appliances, water connections and siphon in the floor cabinet.

- despite its shortness 30 l filling volume
- minimum cabinet width 500 mm
- simple floor mounting




## Clap 345 K/500-2

- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
- the ideal space saver with an installation height of only 345 mm
- only 330 mm installation depth

8011454 anthracite

118.29 €




## Clap 345 K/500-3

- waste capacity 30 (2 x 7.5/1 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
- the ideal space saver with an installation height of only 345 mm
- only 330 mm installation depth

8011455 anthracite

126.68 €






### Traditionline Double-Boy 410 X/300-2

- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom


|                               |                 |
|-------------------------------|-----------------|
| <b>8011916</b> anthracite     | <b>114.29 €</b> |
| <b>8011912</b> aluminium grey | <b>114.29 €</b> |



### Traditionline Double-Boy 410 ECO/300-2

- waste capacity 30 (2 x 15) litres
- technology: full pull-out
- fitting: cabinet bottom


|                      |                |
|----------------------|----------------|
| <b>8011918</b> black | <b>98.99 €</b> |
|----------------------|----------------|



### Traditionline Double-Boy 410 S/300-2

- waste capacity 30 (1 x 20/1 x 10) liters
- technology: full pull-out
- fitting: cabinet bottom

|                               |                 |
|-------------------------------|-----------------|
| <b>8011112</b> aluminium grey | <b>156.25 €</b> |
|-------------------------------|-----------------|




## Traditionline Trio-Boy 410 S/300-3

- waste capacity 30 (3 x 10) liters
- technology: full pull-out
- fitting: cabinet bottom

8011027 aluminium grey

147.87 €




## Traditionline Single-Boy 485 K/300-1

- waste capacity 26 liters
- technology: full pull-out
- frame/guide silver
- complete lid aluminium grey
- fitting: cabinet bottom

8011010 aluminium grey

166.37 €




## Traditionline Single-Boy 585 K/300-1

- waste capacity 32 liters
- technology: full pull-out
- frame/guide silver
- complete lid aluminium grey
- fitting: cabinet bottom

8011014 aluminium grey

172.85 €






### Traditionline Single-Boy 545 S/300-1

- waste capacity 42 liters
- technology: full pull-out
- frame/guide silver
- complete lid aluminium grey
- fitting: cabinet bottom


**8011917** aluminium grey **182.35 €**



### Traditionline Double-Master 410 S/400-2

- waste capacity 40 (2 x 20) liters
- technology: full pull-out
- fitting: cabinet bottom

**8011115** aluminium grey **180.29 €**




### Traditionline Trio-Master 410 S/400-3

- waste capacity 40 (2 x 10/1 x 20) liters
- technology: full pull-out
- fitting: cabinet bottom

**8011113** aluminium grey **183.92 €**

#### Optional accessories

**8011195** Closing-lid, aluminium grey, for 7, 8, 10 liters **11.24 €**




### Traditionsline Double-Master 345 S/400-2

- waste capacity 32 (2 x 16) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

8011111 aluminium grey

142.33 €




### Traditionline Double-Master 485 S/400-2

- waste capacity 52 (2 x 26) liters
- technology: full pull-out
- frame/guide aluminium grey
- complete lid aluminium grey
- fitting: cabinet bottom

8011222 aluminium grey

218.17 €



### Traditionline Trio-Master 345 S/400-3

With variably employable exchangeable tie bar.

- waste capacity 32 (2 x 8/1 x 16) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

8011116 aluminium grey

156.25 €

#### Optional accessories


8011195 Closing-lid, aluminium grey, for 7, 8, 10 liters

11.24 €



### Traditionline Double-Shorty


- Built-in waste collector with full pull-out technology for rotating doors.
- installation height only 345 mm and installation depth only 325 mm!  
Therefore creates space for siphon, water connections and sub-frame equipment
  - despite the shortness – 30 l capacity
  - minimum cabinet width 500 mm
  - quick and easy floor installation



### Traditionline Double-Shorty 345 K/500-2

- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
- **with an installation height of only 345 mm and an installation depth of only 330 mm the ideal space saver**

|         |                |          |
|---------|----------------|----------|
| 8011058 | aluminium grey | 124.78 € |
| 8011958 | anthracite     | 124.78 € |




### Traditionline Trio-Shorty 345 K/500-3

- waste capacity 30 (2 x 7.5/1 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
- **with an installation height of only 345 mm and an installation depth of only 330 mm the ideal space saver**

|         |                |          |
|---------|----------------|----------|
| 8011188 | aluminium grey | 140.51 € |
|---------|----------------|----------|






## Traditionline Double-Shorty 345 K/500-2 with carrier

- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom
- **complete with cam for rotating doors**
- **a door opening angle of 110° is required**
- **with an installation height of only 335 mm and an installation depth of only 330 mm the ideal space saver**

8011208 anthracite

215.40 €




## Profiline Double-Boy 345 S/300-2

- waste capacity 24 (1 x 16/1 x 8) liters
- technology: full pull-out
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

8012075 with bio lid, anthracite

175.62 €




## Profiline Double-Boy 410 S/300-2

- waste capacity 30 (1 x 20/1 x 10) liters
- technology: full pull-out
- installat. height 41,0 cm
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 410 mm**

8012074 with bio lid, anthracite

181.16 €




### Profiline Trio-Boy 345 S/300-3

- waste capacity 24 (3 x 8) liters
- technology: full pull-out
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

**8012088** with bio lid, anthracite

**171.90 €**




### Profiline Trio-Boy 410 S/300-3

- waste capacity 30 (3 x 10) liters
- technology: full pull-out
- installat. height 41,0 cm
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 410 mm**

**8012089** with bio lid, anthracite

**168.27 €**




### Profiline Double-Master 345 S/400-2

- waste capacity 32 (2 x 16) liters
- technology: full pull-out
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

**8012086** anthracite

**147.00 €**




## Profiline Double-Master 410 S/400-2

- waste capacity 40 (2 x 20) liters
- technology: full pull-out
- installat. height 41,0 cm
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 410 mm**

8012077 anthracite

202.42 €





## Profiline Trio-Master 345 S/400-3

With variably employable exchangeable tie bar.

- waste capacity 32 (1 x 16/2 x 8) liters
- technology: full pull-out
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 345 mm**

8012087 with bio lid, anthracite

175.62 €




## Profiline Trio-Master 410 S/400-3

- waste capacity 40 (1 x 20/2 x 10) liters
- technology: full pull-out
- installat. height 41,0 cm
- frame/guide silver
- complete lid anthracite
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 410 mm**

8012078 anthracite

202.42 €






## Solo 3635

- waste capacity 20 liters
- technology: full pull-out
- frame/guide silver
- complete lid graphite grey
- fitting: cabinet bottom

8011263 graphite grey

120.20 €




## Solo 3636

- incl. cam
- waste capacity 20 liters
- technology: full pull-out incl. cam
- frame/guide silver
- complete lid graphite grey
- fitting: cabinet bottom

8011264 graphite grey

123.91 €




## Tandem 7

- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom

8011067 graphite grey

159.02 €



### Cleaning agent pullout Carry


Mobile and flexible pull-out.

- carrying baskets can be clipped onto the pull-out system with self-closing mechanism and attenuation – closes gently and quietly
- With the mobile utensils baskets e.g. cleaning agents can be carried to where you need them.
- simple floor mounting

Also for combination with waste separation systems in cabinets from 600 mm.

8011023 light grey

322.62 €



### Tandem 7 K

- incl. dustpan set
- waste capacity 30 (2 x 15) liters
- technology: full pull-out
- fitting: cabinet bottom

8011034 light grey

217.21 €





### Tandem S

Built-in waste collector with full pull-out technology for rotating doors, ideal for saving space!

Offers the right model for every requirement:

- for floor cabinets with a width of at least 500 mm
- Ideal space saver with only 350 mm installation height and 330 mm installation depth! Therefore creates space for siphon, water connections and sub-frame equipment.
- quick and easy floor installation





### Tandem S 2

- waste capacity 30 (1 x 12/1 x 18) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 350 mm and an installation depth of 330 mm**

8011217 light grey

171.90 €




### Tandem S 3

- waste capacity 28 (2 x 8/1 x 12) liters
- technology: full pull-out
- fitting: cabinet bottom
- **incl. cover lid for 8 liters bin**
- **the ideal space saver with an installation height of only 350 mm and an installation depth of 330 mm**

8011218 light grey

182.10 €




## Tandem S 2 plus

Complete with cam for rotating doors.

- waste capacity 30 (1 x 18/1 x 12) liters
- technology: full pull-out
- fitting: cabinet bottom/side wall (lid)
- **the ideal space saver with an installation height of only 376 mm**

8011219 light grey

243.07 €




## Tandem 4

- waste capacity 36 (2 x 18) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 336 mm**

8011157 light grey

200.61 €




## Tandem 5

Including closing lid for bio waste container.

- waste capacity 34 (2 x 8/1 x 18) liters
- technology: full pull-out
- fitting: cabinet bottom
- **incl. cover lid for 8 litre bin**
- **the ideal space saver with an installation height of only 336 mm**

8011158 light grey

200.61 €



|                             |                |                 |
|-----------------------------|----------------|-----------------|
| <b>Easy Cargo 1</b>         |                |                 |
| — waste capacity 42 liters  |                |                 |
| — technology: full pull-out |                |                 |
| — fitting: cabinet bottom   |                |                 |
| <b>8011254</b>              | aluminium grey | <b>265.30 €</b> |

Waste  
collectors







### Traditionline Master Corner

Advantages:

- two large, detachable, sturdy containers for cleaning agents, with full pull-outs for drawing out
- plastic pans detachable
- simple removal and insertion of the lateral containers possible by swivelling the waste collector



### Traditionline Double-Master Corner 360 S/400-2


Complete with two plastic pans.

For corner cabinets from 900 x 900 mm.

- waste capacity 32 (2 x 16) liters
- technology: full pull-out/swivelling
- frame/guide silver
- complete lid aluminium grey
- minimum door span 380 mm
- fitting: cabinet bottom/rotatable (22° to each side)
- **the ideal space saver with an installation height of only 360 mm**
- **plastic pans may be drawn out**

8012083 aluminium grey

322.62 €



### Traditionline Trio-Master Corner 360 S/400-3

Complete with bio-lid and two plastic pans.

For corner cabinets from 900 x 900 mm.

- waste capacity 32 (2 x 8/1 x 16) liters
- technology: full pull-out/swivelling
- frame/guide silver
- complete lid aluminium grey
- minimum door span 380 mm
- fitting: cabinet bottom/rotatable (22° to each side)
- **the ideal space saver with an installation height of only 360 mm**
- **plastic pans may be drawn out**

8012084 aluminium grey


329.11 €





### Rondo plus

- for corner cabinets from 900 x 900 mm
- manual pull-out with handle faceplate
- waste bucket optionally for 2-fold, 3-fold or 4-fold separation
- additional lid with handle recess against bothersome odours for one 8 liter organic waste bucket
- telescopic rails on ball bearings glide very easily and ensure full pull-out of the waste bucket
- pans for paraphernalia, for instance for cleaning paraphernalia, the pans may easily be removed for cleaning
- metal parts with high-quality finish



### Rondo 1 plus

For corner cabinets from 900 x 900 mm.


- waste capacity 36 (2 x 18) liters

**Extra equipment:**

- **multi-functional bucket (12 liters) with perforated lid**
- **2 pans for paraphernalia**
- **complete lid with depositing surface**
- technology: full pull-out/rotatable
- fitting: cabinet bottom/360° rotatable
- **the ideal space saver with an installation height of only 351 mm**

8011161 light grey

381.77 €



### Rondo 2 plus

For corner cabinets from 900 x 900 mm.

- waste capacity: 34 (1 x 18/2 x 8) liters


**Extra equipment:**

- **multi-functional bucket (12 litres) with perforated lid**
- **2 pans for paraphernalia**
- **complete lid with depositing surface**
- technology: full pull-out, rotatable
- fitting: cabinet bottom, 360° rotatable
- **the ideal space saver with an installation height of only 351 mm**

8011162 light grey

392.83 €





### Rondo 3 plus

For corner cabinets from 900 x 900 mm.

— waste capacity 32 (4 x 8) liters

**Extra equipment:**

- multi-functional bucket (12 liters) with perforated lid
- 2 pans for paraphernalia
- complete lid with depositing surface
- technology: full pull-out/rotatable
- fitting: cabinet bottom/360° rotatable
- the ideal space saver with an installation height of only 351 mm

8011163 light grey

408.57 €


### Rondo plus deflector for hoses with shower head

For all common hose fittings with shower head.

- easy installation by screwing to the floor cupboard
- forced routing of the hose in the remaining free spaces, right, left, rear, top
- installed appliances are not impaired in their function
- metal yoke, powder coated with epoxy resin
- optimal accessory for Rondo plus

8011175 white

20.41 €



# SELECTAkit®

## Corner solutions

### Rolling cart DS

#### Optimum utilisation of space down to the last corner

"How can I use the corners?" is a question some kitchen planners may ask. Especially when every centimetre is precious. You can achieve optimum space usage down to the last corner by employing the rolling cart DS for all rotating door built-in waste collectors and separating systems (see next page). Using the cart, which may be moved all the way back, the spaces to the sides of the waste collector remain accessible and may be used as storage space for cleaning paraphernalia and other items.



Waste  
collectors



#### Pulled-out position

Pulled-out all the way to the front, the waste collector can be comfortably filled from above.





#### Parking position

The waste collector takes up very little space in parking position. From this basic position, it may be slid to the front as well as, after shortly lifting it, to the back.



#### Resting position

Lifting the waste collector releases the lock of the rolling cart. Now, it may be pushed all the way back. The lateral storage spaces are therefore easily accessible.



## Rolling cart DS


Installation in diagonal corner cabinets with a door span of at least 355 mm.

Also suitable for cabinets underneath sinks.

- 55 x 355 x 410/606 mm (H x W x D)
- sturdy, powder-coated steel plate

8011134 white 77.65 €

8011136 aluminium grey 77.65 €




## Profiline Double-Master DS 360 S/400-2

Including rolling cart DS.

- waste capacity 32 (2 x 16) liters
- technology: full pull-out
- frame/guide silver
- complete lid anthracite
- the ideal space saver with an installation height of only 360 mm

8010186 anthracite 211.74 €





## Profiline Trio-Master DS 360 S/400-3



Complete with bio-lid. incl. rolling cart DS.

- waste capacity 32 (2 x 8/1 x 16) liters
- technology: full pull-out
- frame/guide silver
- complete lid anthracite
- **the ideal space saver with an installation height of only 360 mm**

8010187 anthracite

244.41 €

Waste  
collectors





## Traditionline Double-Master DS 360 S/400-2

Including rolling cart DS.

- waste capacity 32 (2 x 16) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 360 mm**

8010111 aluminium grey

202.93 €



## Traditionline Trio-Master DS 360 S/400-3

Including rolling cart DS.

- waste capacity 32 (2 x 8/1 x 16) liters
- technology: full pull-out
- fitting: cabinet bottom
- **the ideal space saver with an installation height of only 360 mm**

8010116 aluminium grey

215.19 €

### Optional accessories

8011195 Closing-lid, aluminium grey, for 7, 8, 10 liters

11.24 €

Waste  
collectors



# SELECTAkit®

## Swivel technology for rotating doors

The technology of  
shorter distances



Waste  
collectors

|                               |              |
|-------------------------------|--------------|
| Cabbi® junior                 | Page 222–223 |
| Cabbi®                        | Page 224–225 |
| Cox® Beep                     | Page 226     |
| Müllex Single 35              | Page 227     |
| Müllex Euro Flexx             | Page 227     |
| Klassikline Single-Junior     | Page 228     |
| Klassikline Single-Junior Bio | Page 228     |
| Klassikline Double-Junior     | Page 229     |
| Rondo 2                       | Page 230     |
| Console for corner cabinet    | Page 230     |
| Uno 3418                      | Page 231     |
| Duo 3416                      | Page 231     |

Suitable for the following  
front layouts:



Full front

Front panel  
with one  
division

Please check the heights of the product  
groups.

# SELECTAkit®


## Swivel technology for rotating doors

### Cabbi® & Cabbi® junior

An intelligent solution with easy handling for collecting organic waste without bothersome odours. A tightly fitting bio-lid with detachable perforated cartridge, which is fitted with an activated charcoal polyester fleece as odour filter.

Overall, the Cabbi® concept is convincing due to its extraordinary quality and a large variety of performance characteristics:

- very sturdy carrying axle construction
- may be easily installed
- optimum use of space
- easy-action cam
- lid with raising/lowering technology
- easy access to the floor cupboard
- clamping strips ensure fixed position
- environmentally compatible basic materials
- convenient wire basket as accessory
- tightly fitting bio-lid



### Cabbi® & Cabbi® junior are easily installed:



1. Assemble rotating support and pipe support bracket.



2. Complete and insert rotating rods.



3. Install cam.




4. Install basket in rotating bar.



5. Clip lid on.



6. Insert containers.




### Cabbi® junior 1

- waste capacity 18 liters
- technology: swivel technology
- fitting: cabinet bottom/-wall

8013200 anthracite

125.38 €




### Cabbi® junior 2

- waste capacity 18 (2 x 9) liters
- technology: swivel technology
- fitting: cabinet bottom/-wall

8013201 anthracite

125.38 €




### Cabbi® junior 2 plus

Complete with bio-lid and 4 activated charcoal filters (about one year's supply).

- waste capacity 18 (2 x 9) liters
- technology: swivel technology
- fitting: cabinet bottom/-wall

8013202 anthracite

135.49 €




## Cabbi® 3

- waste capacity 39 (1 x 18/1 x 9/1 x 12) liters
- technology: swivel technology
- fitting: cabinet bottom/-wall

8013171 anthracite

214.44 €




## Cabbi® 3 plus

Complete with bio-lid and 4 activated charcoal filters (about one year's supply).

- waste capacity 39 (1 x 18/1 x 9/1 x 12) liters
- technology: swivel technology
- fitting: cabinet bottom/-wall

8013173 anthracite

217.43 €




## Cabbi® 4

- waste capacity 39 (3 x 9/1 x 12) liters
- technology: swivel technology
- fitting: cabinet bottom/-wall

8013170 anthracite

214.44 €



### Cabbi<sup>®</sup> 4 plus

Complete with bio-lid and 4 activated charcoal filters (about one year's supply).  
— waste capacity 39 (3 x 9/1 x 12) liters  
— technology: swivel technology  
— fitting: cabinet bottom/-wall

8013172 anthracite 217.43 €



### Cabbi<sup>®</sup> bio-lid

Optimal accessories for Cabbi<sup>®</sup> junior 2, Cabbi<sup>®</sup> 3 and Cabbi<sup>®</sup> 4. Including 4 activated charcoal filters (assumed annual requirement).


8011177 for 9 liters 16.87 €



### Bio-filter retrofitting set

Replacement. For Cabbi<sup>®</sup> junior 2 plus, Cabbi<sup>®</sup> 3 plus, Cabbi<sup>®</sup> 4 plus, Cox<sup>®</sup> Base 360 S/400-2, Cox<sup>®</sup> Base 360 S/500-3, Cox<sup>®</sup> Base 360 S/600-3, Cox<sup>®</sup> Base 360 S/600-4, Cox<sup>®</sup> Base 360 K, Cox<sup>®</sup> Base 360 S/900-4, Stand-UP and Cox<sup>®</sup> Box.  
Consisting of 4 activated charcoal filters (assumed annual requirement).

8011178 black 7.60 €




**COXbeep®**

### Cox® Beep 400

- waste volume 10 liters
- technology: swivel technology
- lid plastic
- assembly: cabinet bottom/wall
- The cam is attached to the back of the door and is suitable for both frame and panel door mounting.
- can be used right/left

**8013002** light grey, H 390 mm, 10 liters

**65.12 €**



**COXbeep®**


### Cox® Beep 450

- waste volume 15.5 liters
- technology: swivel technology
- lid plastic
- assembly: cabinet bottom/wall
- The cam is attached to the back of the door and is suitable for both frame and panel door mounting.
- can be used right/left

**8013004** light grey, H 390 mm, 15.5 liters

**74.19 €**






Müllex Single 35

For a lot of rubbish in little space. Container for 35 l standard bags. Bin bag roll and pan, wiper, etc. can be stored practically on the lid. Holding rack with draw hook for swinging out – without straining the hinge fittings.

- waste capacity 35 liters
- technology: full drawer
- complete lid black
- fitting: cabinet bottom and front panel
- max. cabinet width 600 mm

8011020 black

133.16 €




Müllex Euro Flexx

- waste capacity 35 liters
- waste container for 35-l- and 17-l-bags
- technology: swivel technology
- lid with storage recess
- arresting hook prevents strain on the hinges
- fitting cabinet wall, can be mounted left or right

8011030 anthracite

159.97 €





## Klassikline Single-Junior

- waste capacity 19 liters
- technology: swivel technology
- fitting: cabinet wall

|                |                 |                 |
|----------------|-----------------|-----------------|
| <b>8011085</b> | stainless steel | <b>142.33 €</b> |
| <b>8011226</b> | aluminium grey  | <b>89.67 €</b>  |
| <b>8011008</b> | white           | <b>76.35 €</b>  |

### Optional accessories


|                |  |                |
|----------------|--|----------------|
| <b>8011016</b> | Bio Boy with separating wall, grey, 5 liters | <b>22.23 €</b> |
|----------------|--|----------------|



## Klassikline Single-Junior with bio insert

- waste capacity 19 liters incl. 5 l Bio Boy
- technology: swivel technology
- fitting: cabinet wall

|                |                 |                 |
|----------------|-----------------|-----------------|
| <b>8011087</b> | stainless steel | <b>155.30 €</b> |
| <b>8011227</b> | aluminium grey  | <b>104.45 €</b> |
| <b>8011011</b> | white           | <b>104.45 €</b> |




**Klassikline Double-Junior**

- waste capacity 29 (1 x 19/1 x 10) liters
- technology: swivel technology
- fitting: cabinet wall

**8011088** aluminium grey **165.50 €**

**Optional accessories**

**8011016** Bio Boy with separating wall, grey, 5 liters **22.23 €**



Rondo 2

- waste capacity 13 liters
- technology: swivel technology
- fitting: cabinet wall
- height 470 mm incl. open lid
- a door opening angle of 110° is required


|                      |  |         |
|----------------------|--|---------|
| 8011005              | stainless steel                            | 75.21 € |
| 8011006              | white                                      | 58.40 € |
| 8011206              | silver                                     | 58.40 € |
| Optional accessories |  |         |
| 8011318              | Console for corner cabinet, aluminium grey | 16.34 € |



Console for corner cabinet

Adapter. For sink corner base cabinets with central post.

|         |                |         |
|---------|----------------|---------|
| 8011318 | aluminium grey | 16.34 € |
|---------|----------------|---------|




### Uno 3418

- waste capacity 18 liters
- technology: swivel technology
- fitting: cabinet wall

|         |                 |          |
|---------|-----------------|----------|
| 8011265 | white           | 101.69 € |
| 8011267 | stainless steel | 120.20 € |

Waste  
collectors



### Duo 3416

- waste capacity 16 (2 x 8) liters
- technology: swivel technology
- fitting: cabinet wall

|         |                 |          |
|---------|-----------------|----------|
| 8011268 | white           | 103.51 € |
| 8011270 | stainless steel | 122.01 € |

Waste  
collectors



# SELECTAkit®

## Built-in containers/ Waste disposal units

Extremely practical and shapely





Waste  
collectors

■ Dassa  
Evolution 100  
Model 56

Page 234

Page 235


Page 235



**Dassa 2**

Quick and handy – installed directly in the working surface.  
Also suitable for flush installation.  
– installation dimension Ø 280 mm  
– outside Ø 310 mm

|                |   |                 |
|----------------|---|-----------------|
| <b>8011101</b> | stainless steel with plastic insert, waste capacity 11 liters | <b>155.65 €</b> |
| <b>8011059</b> | stainless steel with plastic insert, waste capacity 13 liters | <b>212.63 €</b> |



**Dassa 4**


Quick and handy – installed directly in the working surface.  
Also suitable for flush installation.  
– installation dimension Ø 205 mm  
– outside Ø 237 mm  
– waste capacity 5 liters

|                |                                       |                 |
|----------------|---------------------------------------|-----------------|
| <b>8011031</b> | stainless steel with plastic insert   | <b>131.26 €</b> |
| <b>8011032</b> | stainless steel with aluminium insert | <b>172.85 €</b> |



## Waste disposal units

- Simple, time-saving cleaning: Food residue is flushed right down the drain with the wastewater.
- Safe and simple operation: have cold water flowing, switch on the device and throw leftovers down the plughole. The disposal device liquefies the leftovers (without knives and blades), which are pressed to the grinding surface of the outside wall by centrifugal force and disintegrated into minute parts by the pressure.
- The disposal device frees the waste bucket of kitchen waste causing disagreeable odours and smeary food residues.
- Disposal of almost all kitchen waste: Even hard bones cannot damage this sturdy device.
- Maintenance-free and self-cleaning: High quality stainless steel and other durable materials. The high-performance motor was developed especially for this disposal device. The disposal device cleans itself through regular use and does not require any chemical cleaning agents.
- **Before installing the waste disposal unit, please contact the competent authorities for information on the regional legal regulations!**




## Evolution 100

The kitchen waste disposal device may be continuously filled. Automatic change of rotational direction to extend the service life and for trouble-free use. Stainless steel grinding chamber 1 l, low-noise, with enclosed air break switch in chrome and brushed nickel, 2-way grinding process, overload switch with manual reset switch, splash-proof, GS connection, motor with 0.7 hp. Suitable for 3½" drains. **Before installing the waste disposal unit, please contact the competent authorities for information on the regional legal regulations!**

- Ø 205 mm
- weight 8.8 kg
- 40 % quieter than standard
- drill Ø for air switch 35 mm
- 520 watt, 1,400 rpm

8012031 anthracite, H 312 mm

1413.79 €



## Model 56

Kitchen waste disposer with single-stage grinding technology, can be filled continuously. Food residues are crushed into small particles and washed away in seconds. Durable and compact built-in household solution under the sink, without loss of valuable storage space.

Quick Lock® mounting system for quick and easy installation. Motor with 0.55 hp, stainless steel grinding elements and integrated air switch in chrome and brushed nickel. Overload protection. Suitable for 3½" drains.

**Before installing the waste disposal unit, please contact the competent authorities for information on the regional legal regulations!**

- Ø 173 mm
- weight 7.2 kg
- capacity of the grinding chamber 980 ml
- connection to the drain pipe 40 mm
- drill Ø for air switch 35 mm
- 380 watt, 1725 rpm

8012034 anthracite, H 318 mm

887.18 €

Waste  
collectors