

STOREX®

Cabinet
equipment



Overview

Cabinet
equipment



Organisation systems that kitchens simply can't do without! With the clearly structured storage solutions of the STOREX® kitchen cabinet equipment, everything you need is well-organised and right at hand. In the kitchen, in the utility room, in the pantry, and even in the bathroom, the office and the workshop!

At the same time, each individual item stands for consistently secure and purposeful handling – so that things are always exactly where they should be. Drawers are used, cupboard pull-outs are opened, containers are picked up and filled. The rich spectrum of design elements offers a wealth of organised flexibility. The space available for storage is fully utilised, even hard-to-reach heights are accessed with flexible lift fittings.

STOREX® is at home wherever things need to be retrieved from or stowed in base cabinets, wall cabinets or tall cabinets. For quick and convenient organisation and separation at your fingertips!

STOREX®

Cabinet equipment

Well thought out and
engineered



STOREX® Equipment for base units
For space saving solutions Page 496–554

STOREX® Equipment for wall mounted
cabinets
Everything in its place Page 555–568

STOREX® Equipment for tall cabinets
Convenient and easy access Page 569–582

STOREX® Accessories
Things you always need Page 583–592

STOREX®

Equipment for base units

Space saving solutions



Drawer inserts
Flexible and adaptable

Page 499–516



Pullouts for base units
Exploited to the full

Page 517–534



Holders and hooks
Most welcome

Page 535–540



Built-in appliances
for drawers
Concealed and immediately
good to go

Page 541–546



Base built-in devices
Creative solutions
to special challenges

Page 547–554

STOREX®

Drawer inserts

Flexible and adaptable



■ Drawer system Modify	Page 503–507
Cutlery insert Cuisio	Page 508–510
Tray insert Cuisio Flex	Page 511
Cutlery insert Ordine	Page 512
Cutlery insert Adesso	Page 513
Further cutlery inserts	Page 514–515
Water protection and anti-slide mats	Page 516

STOREX® Cutlery inserts

Frame system	BLUM Tandembox	BLUM Legrabox	Hettich ArciTech	GRASS Nova pro
Manufacturers	Nobia Group (SWE), DanKitchens (AT), JAKA-BKL, Impuls Kitchens, Alno AG, Pino-Kitchens, alma Kitchens, Nieburg Kitchens, Bauformat Kitchens, Beck- mann Kitchens, Schröder Kitchens, rwk Built-in kitchens, burger Kitchens, EWE-Kitchens (AT) ¹ , Störmer Kitchens ²	Schüller Kitchens, Warendorfer Kitchens (Störmer Kitchens, Ballerina Kitchens)	Nobilis-Werke, pronorm Built-in kitchens, Brigitte Kitchens, Beeck Kitchens, Express Kitchens, Nolte	Häcker Kitchens, SA Fournier (FR), Leicht Kitchens, Eggersmann Kitchens, Bax Küchenmanufaktur, SachsenKitchens, Rabe & Meyer, Ballerina Kitchens ² , Zeyko, rotpunkt
	(Nominal depth – 27 mm) x (Cabinet width – 82 mm)	(Nominal depth – 27 mm) x (Cabinet width – 73 mm)	(Nominal depth – 27 mm) x (Nominal width – 106 mm)	(Nominal depth – 20 mm) x (Cabinet width – 90 mm)
Modify	✓	✓	✓	✓ (with compensation strip 8035038)
Cuisio	✓	does not entirely fill the drawer	only suitable for Nobilia	✓
Ordine	✓	✓		✓
Adesso 1			✓	
Adesso 2	✓	✓		✓
Cutlery insert 1	✓	✓		✓
Cutlery insert 2	✓	✓		✓
Multipurpose insert	✓	✓		✓
Cutlery insert 4	✓			
Cutlery insert 5				✓
Spice jar insert	✓	✓		✓
Cutlery insert Smart	✓	✓		✓

¹ EWE Kitchen: uses 18 gauge sides. I.e. standard dimensions BLUM Tandembox are 4 mm too wide!

² Störmer Kitchen/Ballerina Kitchen: kitchen furniture manufacturers use various frame systems. BLUM Legrabox is for in high quality range!
Siematic Kitchen uses GRASS VIONARO (conversion at trade fair M.O.W. 2014) – Cutlery insert dimensions correspond to BLUM Legrabox.

All specifications are non-binding, subject to change.

STOREX®

Modify Drawer system

The innovation in the kitchen

The Naber Modify drawer equipment system, designed for drawers with a depth of 472 mm or 572 mm incl. depth supplement, offers a variety of employment and extension options. Thanks to the clever system with equipment elements, drawers and pull-outs can be divided as needed. This flexibility makes Modify a real all-rounder among the drawer equipment systems.

The modules made of real wood are characterised by high-quality materials and excellent workmanship, giving every drawer an individual division structure. By means of continuous horizontal movement of the different elements, for example, sections of any size can be formed, enabling individual storage of various kitchen accessories.

Thanks to the use of non-slip mats on the drawer base, it is not necessary to fully equip the drawer with inserts. Here, the system manages with a few premium manufactured components and provides functional accessories for your daily needs. It is flexible in width and solves the problem of connection to drawer frames without a vertical inner profile.



Bright oak, varnished



Ash-tree black, varnished

Variable dividers made of powder coated metal in graphite colours



STOREX®

Modify Drawer system

The innovation in the kitchen



All the advantages at a glance:

- dominant material: solid bright oak, varnished, ash-tree black, varnished
- focus on functionality
- diverse combinations & extensions possible
- comprehensive organisation solutions
- no compensating elements necessary
- designed for drawer depth of 472 mm or 572 mm incl. depth supplement

Components: boxes, cutlery insert, trays etc.



Additional special elements



Components and special elements in combination





Modify set 800/900

Suitable for 800 mm and 900 mm drawer.

Set consisting of:

- 1 Modify cutlery insert (8035021/8035121)
- 4 Modify trays (8035022/8035122)
- 1 Modify non-slip mat (8035040)

8035050 bright oak 255.80 €

8035150 ash-tree black 255.80 €



Modify set 1000

Suitable for 1000 mm drawer.

Set consisting of:

- 1 Modify cutlery insert (8035021/8035121)
- 4 Modify trays (8035022/8035122)
- 1 Modify multifunctional insert (8035020/8035120)
- 1 Modify film holder (8035023/8035123)
- 1 Modify non-slip mat (8035040)

8035051 bright oak 380.78 €

8035151 ash-tree black 380.78 €



Modify set 1200

Suitable for 1200 mm drawer.

Set consisting of:

- 1 Modify cutlery insert (8035021/8035121)
- 4 Modify trays (8035022/8035122)
- 1 Modify multifunctional insert (8035020/8035120)
- 1 Modify knife insert (8035024/8035124)
- 1 Modify non-slip mat (8035040)

8035052 bright oak 402.87 €

8035152 ash-tree black 402.87 €



Modify cutlery insert

— 43 x 300 x 472 mm (H x W x D)

8035021	bright oak	95.12 €
8035121	ash-tree black	95.12 €



Modify depth supplement

Suitable for oversized drawers. May be cut to size.

— 43 x 100 mm (H x D)

8035041	bright oak, W 600 mm	71.95 €
8035042	bright oak, W 1200 mm	97.71 €
8035141	ash-tree black, W 600 mm	71.95 €
8035142	ash-tree black, W 1200 mm	97.71 €



Modify bowl

— 43 x 117.5 x 300 mm (H x W x D)

8035022	bright oak	36.66 €
8035122	ash-tree black	36.66 €



Modify U-divider

Metal, powder-coated. Suitable for tray (8035022).

— 38 x 111 x 104.5 mm (H x W x D)

8035033	graphite	24.21 €
---------	----------	---------



Modify multifunctional insert

Also suitable for film insert (8035023/8035123), knife insert (8035024/8035124), spice jar insert (8035025/8035125), spice inlay (8035026/8035126) and insert cross (8035027/8035127).

— 43 x 150 x 472 mm (H x W x D)

8035020	bright oak	49.46 €
8035120	ash-tree black	49.46 €



Modify film insert

With 2 lids aluminium and intermediate piece. Without films.

— 37.5 x 137.5 x 472 mm (H x W x D)

Multifunctional insert (8035020/8035120) order separately.

8035023	bright oak	72.81 €
8035123	ash-tree black	72.81 €



Modify knife insert

— 26 x 137.5 x 472 mm (H x W x D)

Multifunctional insert (8035020/8035120) order separately.

8035024 bright oak	95.12 €
8035124 ash-tree black	95.12 €




Modify spice jar insert

With 6 sections Ø 60 mm, without spice jars.
— 8 x 137.5 x 472 mm (H x W x D)

Multifunctional insert (8035020/8035120) order separately.

8035025 bright oak	56.03 €
8035125 ash-tree black	56.03 €




Modify spice inlay

Slanted.
— 26 x 137.5 x 472 mm (H x W x D)

Multifunctional insert (8035020/8035120) order separately.

8035026 bright oak	52.75 €
8035126 ash-tree black	52.75 €




Modify insert cross

— 37.5 x 137.5 x 472 mm (H x W x D)

Multifunctional insert (8035020/8035120) order separately.


8035027 bright oak	35.19 €
8035127 ash-tree black	35.19 €



Modify compensation strip

For deep drawers.
— 43 x 8 mm (H x D)

8035038 up to 1200 mm cabinet, bright oak	41.08 €
8035138 up to 1200 mm cabinet, ash-tree black	41.08 €



Modify clip

For additional connection of the inserts.
— 9 x 14 x 40 mm (H x W x D)

8035028 aluminium anodised	2.94 €
-----------------------------------	---------------



Modify anti-slide mat

May be cut to size. Black.

8035039	up to 600 mm cabinet, W 530, D 473 mm	11.07 €
8035040	up to 1200 mm cabinet, W 1130, D 473 mm	20.58 €



Modify box

Also in the pull-out, the flexible concept of Modify is consistently implemented. Horizontal sliding boxes in three sizes allow optimum use of the storage space. Due to the different dimensions of the boxes, these can, for example, be stacked to save space. Ergonomically designed handles provide for optimum handling of the boxes. Various divisions made of powder-coated metal round off the accessories range for the boxes.



Modify box 1

— 110 x 236 x 472 mm (H x W x D)


8035029	bright oak	154.78 €
8035129	ash-tree black	154.78 €



Modify box 2

— 110 x 236 x 236 mm (H x W x D)

8035030	bright oak	98.58 €
8035130	ash-tree black	98.58 €



Modify U-divider with handle

Metal, powder-coated. Suitable for Box 1 (8035029/8035129) and 2 (8035030/8035130).
— 102 x 99 x 219 mm (H x W x D)

8035035	graphite	41.77 €
---------	----------	---------




Modify box 3

— 43 x 236 x 236 mm (H x W x D)

8035031 bright oak 49.29 €

8035131 ash-tree black 49.29 €



Modify cross

Metal, powder-coated. Suitable for Box 3 (8035031/8035131).

— 38 x 223 x 223 mm (H x W x D)

8035034 graphite 49.29 €



Modify box 4

— 90 x 117.5 x 300 mm (H x W x D)

8035032 bright oak 68.75 €

8035132 ash-tree black 68.75 €



Modify anti-slide mat

May be cut to size. Black.

8035039 up to 600 mm cabinet, W 530, D 473 mm 11.07 €

8035040 up to 1200 mm cabinet, W 1130, D 473 mm 20.58 €



Cutlery insert Cuisio

- White and graphite translucent plastic in connection with **aluminium profiles** emanate high quality.
- May be employed for all grid widths from 300 mm and for all drawer makes.
- Individual subdivision options due to flexible dividing strips.
- easy to clean
- The different widths are supplied preassembled.
- height 55 mm
- Can be used for all grid widths from 300 mm and is suitable for the ArciTech frame (Nobilia) by shortening the rear seal to the total width of the insert and thus eliminating the lateral sealing lips.

Simple assembly.

Dividing strips may be flexibly positioned and plugged onto aluminium profiles – finished!

Cuisio 30

Cutlery insert. For 300 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.

Consisting of 1 x 200 mm bowl incl. subdivisions.

- W min./max. 195/220 mm
- D min./max. 463/480 mm

8034090 white translucent

46.17 €

8034215 graphite translucent

46.17 €

Cuisio 40

Cutlery insert. For 400 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.

Consisting of 1 x 200 mm bowl and 1 x 100 mm bowl incl. subdivisions and profile.

- W min./max. 295/320 mm
- D min./max. 463/480 mm

8034091 white translucent

66.15 €

8034216 graphite translucent

66.15 €



**Cuisio 45**

Cutlery insert. For 450 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 200 mm bowl and 1 x 150 mm bowl, incl. subdivisions and profile.

- W min./max. 345/370 mm
- D min./max. 463/480 mm

8034092 white translucent	69.44 €
----------------------------------	----------------

8034217 graphite translucent	69.44 €
-------------------------------------	----------------

**Cuisio 50**

Cutlery insert. For 500 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 200 mm bowl and 2 x 100 mm bowls, incl. subdivisions and profile.

- W min./max. 395/420 mm
- D min./max. 463/480 mm

8034093 white translucent	88.20 €
----------------------------------	----------------

8034218 graphite translucent	88.20 €
-------------------------------------	----------------

**Cuisio 60**

Cutlery insert. For 600 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 600 mm insert, divided into 1 x 200 mm bowl and 2 x 150 mm bowls, incl. subdivisions and profile.

- W min./max. 495/520 mm
- D min./max. 463/480 mm

8034094 white translucent	96.32 €
----------------------------------	----------------

8034219 graphite translucent	96.32 €
-------------------------------------	----------------

**Cuisio 80**

Cutlery insert. For 800 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 600 mm insert and 2 x 100 mm inserts, divided into 1 x 200 mm bowl, 2 x 150 mm bowls and 2 x 100 mm bowls incl. subdivisions and profile.

- W min./max. 695/720 mm
- D min./max. 463/480 mm

8034095 white translucent	143.55 €
----------------------------------	-----------------

8034220 graphite translucent	143.55 €
-------------------------------------	-----------------

**Cuisio 90**

Cutlery insert. For 900 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 600 mm insert and 2 x 150 mm inserts, divided into 1 x 200 mm bowl and 4 x 150 mm bowls incl. subdivisions and profile.

- W min./max. 795/820 mm
- D min./max. 463/480 mm

8034096 white translucent	148.21 €
----------------------------------	-----------------

8034221 graphite translucent	148.21 €
-------------------------------------	-----------------

**Cuisio 100**

Cutlery insert. For 1000 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 600 mm insert, 2 x 150 mm inserts and 1 x 100 mm insert, divided into 1 x 200 mm bowl, 4 x 150 mm bowls and 1 x 100 mm bowl incl. subdivisions and profile.

- W min./max. 895/920 mm
- D min./max. 463/480 mm

8034097 white translucent	181.59 €
----------------------------------	-----------------

8034222 graphite translucent	181.59 €
-------------------------------------	-----------------


**Cuisio 120**

Cutlery insert. For 1200 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 600 mm insert and 4 x 150 mm inserts, divided into 1 x 200 mm bowl and 6 x 150 mm bowls incl. subdivisions and aluminium profile.

- W min./max. 1095/1120 mm
- D min./max. 463/480 mm

8034098 white translucent	184.36 €
----------------------------------	-----------------

8034223 graphite translucent	184.36 €
-------------------------------------	-----------------

**Cuisio knife insert**

Grey, consisting of two blocks.

8034059 for 100 mm bowl	14.44 €
--------------------------------	----------------

8034060 for 150 mm bowl	16.17 €
--------------------------------	----------------

**Cuisio dividing strips/side end 2**

White translucent.

8034114 dividing strips, for 100 mm bowl	2.34 €
---	---------------

8034115 dividing strips, for 150 mm bowl	2.85 €
---	---------------

8034116 dividing strips, for 200 mm bowl	2.24 €
---	---------------

8034117 side end	14.44 €
-------------------------	----------------

**Cuisio dividing strips/side end 3**

Graphite translucent.

8034227 dividing strips, for 100 mm bowl	2.34 €
---	---------------

8034228 dividing strips, for 150 mm bowl	2.85 €
---	---------------

8034229 dividing strips, for 200 mm bowl	2.24 €
---	---------------

8034230 side end	14.44 €
-------------------------	----------------


**Cuisio 60 G**

Cutlery insert with spice insert. For 600 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 200 mm bowl and 1 x 300 mm spice pot insert.

- W min./max. 495/520 mm
- D min./max. 463/480 mm

8034101 white translucent	99.44 €
----------------------------------	----------------

8034106 graphite translucent	99.44 €
-------------------------------------	----------------


**Cuisio 80 G**

Cutlery insert with spice insert. For 800 mm drawer width. White translucent with aluminium profile and graphite translucent with stainless-steel coloured profile.
Consisting of 1 x 200 mm bowl, 2 x 100 mm bowls and 1 x 300 mm spice pot insert.

- W min./max. 695/720 mm
- D min./max. 463/480 mm

8034102 white translucent	146.40 €
----------------------------------	-----------------

8034107 graphite translucent	146.40 €
-------------------------------------	-----------------



Tray insert Cuisio Flex

- Dividing strip.
- progressively adjustable in two directions
 - flexible placement in the pull-out with simultaneous creation of further storage space
 - Anti-slide plugs guarantee secure stand on the surface.
 - only one item is required for fitting all pull-out widths, because independent of width
 - corners colour-painted white and black, central part white and graphite-translucent
 - **available in three set variants**



8034064	2-part set white translucent, corners white	117.69 €
8034065	3-part set white translucent, corners white	165.76 €
8034066	4-part set white translucent, corners white	211.16 €
8034224	2-part set graphite translucent, corners black	117.69 €
8034225	3-part set graphite translucent, corners black	165.76 €
8034226	4-part set graphite translucent, corners black	211.16 €



Ordine

Cutlery insert with lateral subdivision. Due to the flexible insertion of the plastic subdivision strips, different sections may be set up. Simply clip into the lateral guide groove, and slide to the desired position – finished!

Due to the lateral subdivisions, objects, e.g. knives, can no longer bump into the material at each opening.



Ordine

Cutlery insert.

- stainless-steel coloured
- edge cuttable
- **H 60 mm**
- min./max. widths and depths see dimension drawings
- dividing strip sets anthracite are included in the scope of delivery

8034210 for 400 mm cabinet, 1 dividing strip set	33.64 €
8034211 for 450 mm cabinet, 1 dividing strip set	36.06 €
8034212 for 500 mm cabinet, 2 dividing strip sets	45.22 €
8034213 for 600 mm cabinet, 2 dividing strip sets	53.35 €
8034214 for 900 mm cabinet, 3 dividing strip sets	95.12 €



Ordine dividing strip

Dividing strip set for Ordine cutlery insert.

Consisting of:

- 3 small dividers
- 1 large divider

For further divisions, this set of dividing strips can be reordered.

8034175 anthracite	8.74 €
---------------------------	---------------



Ordine spice pot insert

Made of plastic and clad with stainless-steel foil.



- holes-Ø 58 mm
- 179 x 484 mm (W x D)

8031178 as of 600 mm cabinet, stainless-steel coloured	19.28 €
---	----------------



Cutlery insert Adesso

The design of this straightforward organizational talent is the perfect choice for today's modern kitchens. The compartment divisions with their continuous lines fit in harmoniously with the design of the rail systems.





Adesso 1

Cutlery insert suitable for Hettich ArciTech Zarge (Nobilis, Pronorm, Brigitte Kitchens, express Kitchens).

- colour grey
- widths and depths see dimension drawings
- H 50.5 mm

8034264 for 300 mm cabinet	15.14 €
8034265 for 400 mm cabinet	15.83 €
8034266 for 450 mm cabinet	17.38 €
8034267 for 500 mm cabinet	19.72 €
8034268 for 600 mm cabinet	24.73 €
8034269 for 800 mm cabinet	30.09 €
8034270 for 900 mm cabinet	42.89 €
8034271 for 1000 mm cabinet	49.90 €
8034272 for 1200 mm cabinet	54.48 €






Adesso 2

Cutlery insert.

- colour black matt
- edge cuttable
- min./max. widths and depths see dimension drawings
- H 50.5 mm



8034274 for 400 mm cabinet	16.95 €
8034275 for 450 mm cabinet	17.73 €
8034276 for 500 mm cabinet	19.03 €
8034277 for 600 mm cabinet	22.57 €
8034278 for 800 mm cabinet	42.20 €
8034279 for 900 mm cabinet	48.76 €
8034280 for 1000 mm cabinet	57.33 €
8034281 for 1200 mm cabinet	72.03 €



Cutlery insert 1

- colour grey
- edge cuttable
- min./max. widths and depths see dimension drawings
- H 50 mm



8034125 for 400 mm cabinet	15.57 €
8034126 for 450 mm cabinet	16.52 €
8034127 for 500 mm cabinet	17.89 €
8034128 for 550 mm cabinet	20.32 €
8034129 for 600 mm cabinet	21.53 €
8034130 for 800 mm cabinet	37.27 €
8034131 for 900 mm cabinet	43.40 €
8034132 for 1000 mm cabinet	51.71 €



Cutlery insert 2

- colour grey
- edge cuttable
- min./max. widths and depths see dimension drawings
- H 50 mm

8034120 for 400 mm cabinet	30.61 €
8034121 for 450 mm cabinet	30.87 €
8034122 for 500 mm cabinet	32.77 €
8034123 for 550 mm cabinet	36.15 €
8034124 for 600 mm cabinet	37.45 €





Multi-purpose insert

Cutlery insert. For accomodating large kitchen appliances.

- colour grey
- edge cuttable
- min./max. widths and depths see dimension drawings
- H 50 mm

8034134 for 450 mm cabinet	20.50 €
8034135 for 500 mm cabinet	21.27 €
8034136 for 600 mm cabinet	23.09 €





Cutlery insert 4

Suitable for Blum Tandembox (Alno, Pino, Impuls, Beckermann Kitchens, bauformat, Störmer Kitchens, Schröder Kitchens, ewe Kitchens, rwk Einbauküchen, burger Kitchens).

— colour silver-grey

— H 50 mm

8030008 for 300 mm cabinet, W 218, D 473 mm	14.70 €
8030009 for 400 mm cabinet, W 318, D 473 mm	14.70 €
8030010 for 450 mm cabinet, W 368, D 473 mm	16.00 €
8030011 for 500 mm cabinet, W 418, D 473 mm	18.59 €
8030012 for 600 mm cabinet, W 518, D 473 mm	22.39 €
8030002 for 800 mm cabinet, W 718, D 473 mm	38.74 €
8030007 for 900 mm cabinet, W 818, D 473 mm	46.78 €




Cutlery insert 5

Suitable for Grass Nova Pro (Leicht, Häcker, Zeyko, rotpunkt, Ballerina Kitchens, Sachsen Kitchens).

— colour silver-grey

— H 50 mm

8034255 for 300 mm cabinet, W 210, D 480 mm	14.70 €
8034256 for 400 mm cabinet, W 310, D 480 mm	14.70 €
8034257 for 450 mm cabinet, W 360, D 480 mm	16.00 €
8034258 for 500 mm cabinet, W 410, D 480 mm	18.59 €
8034259 for 600 mm cabinet, W 510, D 480 mm	22.39 €
8034260 for 800 mm cabinet, W 710, D 480 mm	38.74 €
8034261 for 900 mm cabinet, W 810, D 480 mm	46.78 €



Spice pot insert

For 300 mm drawers. For spice pots in 12-part set; small or large pots may be used. Pots are inserted aslant.

— colour silver-grey

— edge may be shortened

— H 50 mm

8034069 W 240, D 490 mm	28.10 €
--------------------------------	----------------

**Water protection mat Protect**

- Maximum safety: Protect is a closed system which provides maximum safety in case the siphon or containers leak, and thus protects the sink body against serious damage (swelling).
- Best cleaning properties: Protect is designed so that the system can be removed from the sink body at any time for cleaning or replacement.
- Best solution for the environment: Protect is made of recyclable polystyrene.

8034232 for 500 mm cabinet, W 462, D 580 mm	22.31 €
--	----------------

8034233 for 600 mm cabinet, W 562, D 580 mm	23.96 €
--	----------------

**Anti-slide mat 1**

For pull-outs and carousel plates, colour: grey. Due to the great stability, crockery and pots no longer slide. Made of high-quality synthetic rubber with rhombus pattern surface, may be easily taken out for cleaning.

8034014 for 500 mm cabinet, W 450, D 500 mm	10.12 €
--	----------------

8034015 for 600 mm cabinet, W 550, D 500 mm	11.50 €
--	----------------

8034016 for 800 mm cabinet, W 750, D 500 mm	18.16 €
--	----------------

8034017 for 900 mm cabinet, W 850, D 500 mm	20.84 €
--	----------------

8034019 rolled good, grey, W 500 mm, 5 RM	109.48 €
--	-----------------

**Anti-slide mat 2**

For pull-outs.

- can be cut to size
- may be easily taken out for cleaning

8012352 up to 600 mm cabinets, W 500, D 480 mm, light grey	12.28 €
---	----------------

8012353 up to 1200 mm cabinets, W 1100, D 480 mm, light grey	24.39 €
---	----------------

8013352 up to 600 mm cabinets, W 500, D 480 mm, anthracite	12.28 €
---	----------------

8013353 up to 1200 mm cabinets, W 1100, D 480 mm, anthracite	24.39 €
---	----------------

STOREX®

Pullouts for base units

Exploited to the full




■ Cornerstone Swing	Page 518–519
Cornerstone Maxx	Page 520–521
VS COR Fold	Page 522–523
VS COR Wheel Pro	Page 524
VS SUB Slim	Page 525–526
VS SUB Side	Page 527
Internal pull-outs	Page 528
SpaceFlexx Set	Page 528
Swivel mechanics	Page 529
TopFlex pull-out table	Page 530
Laundry pull-outs	Page 531–534



Cornerstone Swing

Cornerstone Swing moves the contents in front of the cabinet, thus opening up new perspectives. The trays are positioned well in front of the cabinet body, providing optimum accessibility. The trays can be mounted at different heights, and the lower shelf swings out automatically when the door is opened.



Cornerstone Swing set

Corner cupboard swivel fitting for accommodating shelves.

- for 900 mm cabinet width and 450 mm door width
- for 1000 mm cabinet width and 500 or 600 mm door width
- installation depth min. 490 mm
- telescopic up to 40 mm
- swivels out to the right or left
- swivel technology that slides straight out, no obstruction of the adjacent cabinet


Set consisting of:

- standpipe
- 2 x swivel arm
- pipe fixture above
- 2 x mount for shelf

Please note:

Shelves need to be ordered separately!


8037171	installation height 610–650 mm, silver	285.35 €
8037172	installation height 651–690 mm, silver	287.95 €
8037173	installation height 691–730 mm, silver	289.67 €
8037174	installation height 731–770 mm, silver	291.40 €



Cornerstone Swing soft-closing set

The top shelf closes automatically and silently thanks to a self-closing mechanism with damping.

8037175	grey	36.31 €
---------	------	---------



Cornerstone Swing shelf set

- Storage elements for corner cupboard swivel fitting Cornerstone Swing.
- symmetrical shelf for mounting on the right and left
 - for 900 mm cabinet width and 450 mm door width
 - for 1000 mm cabinet width and 500 or 600 mm door width
 - installation depth min. 490 mm
 - door opening angle 90° so that shelves can slide out fully
 - shelf variant 2/4
 - load capacity max. 18 kg per shelf
 - simple height adjustment of the shelves
 - shelves that slide straight out: no obstruction of the adjacent cabinet
 - shelves can be swivelled in and out independently of each other
 - rail silver, shelf grey, thickness 16 mm
 - rail anthracite, shelf anthracite, thickness 16 mm

Set consisting of:
— 2 x 2/4 shelf




Please note:
Cornerstone Swing corner cupboard swivel fitting needs to be ordered separately!

8037176	900 mm cabinet, 450 mm door, silver	177.27 €
8037177	900 mm cabinet, 450 mm door, anthracite	177.27 €
8037178	1000 mm cabinet, 500 mm door, silver	185.91 €
8037179	1000 mm cabinet, 500 mm door, anthracite	185.91 €
8037180	1000 mm cabinet, 600 mm door, silver	198.89 €
8037181	1000 mm cabinet, 600 mm door, anthracite	198.89 €



Cornerstone Maxx

The Cornerstone Maxx convinces with shelves that slide straight out and a floating design with sturdy shelf areas. It enables direct access to the complete shelf content – without obstructing access to the adjoining cabinet.



A	B (min.)	C
450	900	min. 411
500	1000	min. 461
600	1000	min. 561

Cornerstone Maxx fitting set


- Corner cupboard swivel fitting for accommodating shelves.
- for 900 mm cabinet width and 450 mm door width
 - for 1000 mm cabinet width and 500 or 600 mm door width
 - installation height 650–850 mm
 - installation depth min. 490 mm
 - telescopic
 - swivels out to the right or left
 - swivel technology that slides straight out, no obstruction of the adjacent cabinet

Set consisting of:

- standpipe
- 2 x swivel arm
- pipe fixture above

Please note:
Shelves need to be ordered separately!

8037098	silver	449.21 €
8037130	anthracite	449.21 €



Cornerstone Maxx shelf set

Storage elements for corner cupboard swivel fitting Cornerstone Maxx.

- right and left variants
- for 900 mm cabinet width and 450 mm door width
- for 1000 mm cabinet width and 500 or 600 mm door width
- installation depth min. 490 mm
- door opening angle 85° so that shelves can slide out fully
- shelf variant 2/4
- load capacity max. 25 kg per shelf
- simple height adjustment of the shelves
- shelves that slide straight out: no obstruction of the adjacent cabinet
- shelves can be swivelled in and out independently of each other
- rail silver, shelf grey, thickness 16 mm
- rail anthracite, shelf anthracite, thickness 16 mm
- **door end stop right = left shelf**
- **door end stop left = right shelf**


Set consisting of:

- 2 x 2/4 shelf

Please note:

Cornerstone Maxx corner cupboard swivel fitting needs to be ordered separately!

8037101	900 mm cabinet, 450 mm door, shelf right, silver	212.63 €
8037100	900 mm cabinet, 450 mm door, shelf left, silver	212.63 €
8037131	900 mm cabinet, 450 mm door, shelf right, anthracite	212.63 €
8037132	900 mm cabinet, 450 mm door, shelf left, anthracite	212.63 €
8037103	1000 mm cabinet, 500 mm door, shelf right, silver	226.46 €
8037102	1000 mm cabinet, 500 mm door, shelf left, silver	226.46 €
8037133	1000 mm cabinet, 500 mm door, shelf right, anthracite	226.46 €
8037134	1000 mm cabinet, 500 mm door, shelf left, anthracite	226.46 €
8037105	1000 mm cabinet, 600 mm door, shelf right, silver	235.72 €
8037104	1000 mm cabinet, 600 mm door, shelf left, silver	235.72 €
8037135	1000 mm cabinet, 600 mm door, shelf right, anthracite	235.72 €
8037170	1000 mm cabinet, 600 mm door, shelf left, anthracite	235.72 €



Cornerstone Maxx standpipe


System component for height extension for corner cupboard swivel fitting Cornerstone Maxx.

- for attaching up to four swivel arms
- for 900 mm cabinet width and 450 mm door width
- for 1000 mm cabinet width and 500 or 600 mm door width
- installation height 1350–1600 mm, installation depth min. 490 mm

Please note:

Corner cupboard swivel fitting and shelves need to be ordered separately!

8037099	zinc	58.03 €
----------------	------	----------------



Cornerstone Maxx blind attachment



System component for attachment of the corner cupboard swivel fittings using a blind front instead of a central post.

8037128	silver	22.74 €
----------------	--------	----------------



VS COR Fold

The VS COR Fold makes optimum use of the storage space in the corner cupboard. When opened, the front baskets swivel out freely and enable access to the rear baskets, which automatically move forward into the front part of the cupboard. The integrated damping with self-closing ensures silent closing.



	K800	K900
B	min. 800	min. 900
T	min. 400	min. 450
W	≥361	≥411

VS COR Fold frame


Corner cupboard swivel fitting for 800 mm and 900 mm cabinet widths.

- for 800 mm cabinet width and 400 mm door width
- for 900 mm cabinet width and 450 mm door width
- installation depth min. 485 mm
- installation height min. 530 mm
- swivels out to the right or left
- full pull-out with damping
- tool-free mounting of the front on the drawer
- 3D front adjustment
- load capacity of the system: max. 35 kg
- **frame right = swivels out to the right**
- **frame left = swivels out to the left**

Please note:
Baskets need to be ordered separately!

8037073	800 mm cabinet, 400 mm door, shelf right, silver	418.77 €
8037074	800 mm cabinet, 400 mm door, shelf left, silver	418.77 €
8037136	800 mm cabinet, 400 mm door, shelf right, anthracite	418.77 €
8037137	800 mm cabinet, 400 mm door, shelf left, anthracite	418.77 €

8037075	900 mm cabinet, 450 mm door, shelf right, silver	427.08 €
8037076	900 mm cabinet, 450 mm door, shelf left, silver	427.08 €
8037138	900 mm cabinet, 450 mm door, shelf right, anthracite	427.08 €
8037139	900 mm cabinet, 450 mm door, shelf left, anthracite	427.08 €



VS COR Fold Premea basket set

- Storage elements for VS COR Fold frame.
- for 800 mm and 900 mm cabinet widths
 - dimensions front baskets 84 x 450 x 230/305 mm (H x W x D)
 - dimensions back baskets 84 x 330/430 x 370 mm (H x W x D)
 - load capacity front baskets max. 8 kg per basket
 - load capacity back baskets max. 9.5 kg per basket
 - rail silver, shelf grey, thickness 8 mm
 - rail anthracite, shelf anthracite, thickness 8 mm

Set consisting of:

- 2 front baskets
- 2 back baskets

8037077	800 mm cabinet, silver	332.74 €
----------------	------------------------	-----------------

8037140	800 mm cabinet, anthracite	332.74 €
----------------	----------------------------	-----------------



8037078	900 mm cabinet, silver	350.37 €
----------------	------------------------	-----------------

8037141	900 mm cabinet, anthracite	350.37 €
----------------	----------------------------	-----------------



VS COR Wheel Pro

The corner cupboard solution VS COR Wheel Pro is characterised by its unique design. The otherwise standard, space-consuming standpipe is now superfluous. This creates up to 20 percent more storage space in the centre of the shelf.



A x A mm	B mm	C mm	D mm	E mm	F mm	G mm
900 x 900	> 835	440	760	< 335	< 455	< 321

VS COR Wheel Pro

Corner cupboard swivel fitting for optimum space utilisation.

- for 900 x 900 mm cabinet widths
- installation height 620 mm
- body side depth min. 490 mm
- shelf variants 3/4 or 4/4
- load capacity max. 27.5 kg per shelf
- invisible mechanics
- individual height adjustment of the shelves
- tool-free installation of the shelves on the support arms
- rail silver, shelf grey, thickness 16 mm
- rail anthracite, shelf anthracite, thickness 16 mm

8037114 900 x 900 mm cabinet, 3/4, 2 pc., silver 508.36 €

8037142 900 x 900 mm cabinet, 3/4, 2 pc., anthracite 508.36 €



8037122 900 x 900 mm cabinet, 4/4, 2 pc., silver 488.99 €

8037143 900 x 900 mm cabinet, 4/4, 2 pc., anthracite 488.99 €



VS SUB Slim

The VS SUB Slim tiered pull-out makes optimum use of the niches in the kitchen. As a shelf, towel holder or baking tray holder, it makes use of even the smallest gaps.




VS SUB Slim shelf

Tiered pull-out incl. two storage elements and complete pull-out runner.

- cabinet width 150 mm
- installation depth min. 495 mm
- installation height min. 530 mm
- end stop only right
- 2 storage elements
- load capacity max. 6 kg per storage element
- integrated damping and self-closing in both runners
- rail silver or anthracite
- 3D front adjustment

8037001 silver 153.49 €

8037144 anthracite 153.49 €




VS SUB Slim baking tray holder

Tiered pull-out with baking tray holder and storage element, incl. complete pull-out runner.

- cabinet width 150 mm
- installation depth min. 495 mm
- installation height min. 530 mm
- end stop only right
- 1 baking tray holder and 1 storage element
- load capacity max. 6 kg per storage element
- integrated damping and self-closing in both runners
- rail silver or anthracite
- 3D front adjustment

8037002 silver 170.08 €

8037145 anthracite 170.08 €



VS SUB Slim towel holder

Tiered pull-out with towel holder and storage element, incl. complete pull-out runner.


- cabinet width 150 mm
- installation depth min. 495 mm
- installation height min. 530 mm
- end stop only right
- 2-fold towel holder and 1 storage element
- load capacity max. 6 kg per storage element
- integrated damping and self-closing in both runners
- rail silver or chrome
- 3D front adjustment

8037003	silver	163.60 €
8037146	anthracite	163.60 €



VS SUB Side

The VS SUB Side pull-out allows you to make maximum use of the storage space in a 300 mm wide cabinet.



VS SUB Side frame

- Pull-out drawer incl. runners.
- cabinet width 300 mm
 - installation depth min. 495 mm
 - installation height min. 619 mm
 - end stop left or right
 - 2 runners
 - integrated damping and self-closing in both runners
 - load capacity of the system max. 20 kg
 - individual height adjustment of the baskets
 - 3D front adjustment
 - tool-free mounting of the front on the drawer

Please note:
Baskets need to be ordered separately!

8037007	H 619 mm, for 2 baskets, silver	153.49 €
8037147	H 619 mm, for 2 baskets, anthracite	153.49 €



VS SUB/TAL Side Premea basket set

- Storage elements for VS SUB/TAL Side frame.
- basket dimensions 84 x 220 x 470 mm (H x W x D)
 - suitable for cabinet width 300 mm
 - set consisting of two baskets
 - rail silver, shelf grey, thickness 8 mm
 - rail anthracite, shelf anthracite, thickness 8 mm

8037010	silver	122.01 €
8037148	anthracite	122.01 €



Internal pull-out Classic

Pull-out basket. With integrated damping and self-closing (Grass Nova pro runner).

Suitable for wall thickness 16/18/19 mm.

- installation depth min. 500 mm
- installation height 120 mm incl. runner
- spacer strip for mounting behind the door
- load-bearing capacity max. 20 kg

8031180	450 mm cabinet, chrome-plated	140.51 €
----------------	-------------------------------	-----------------

8031183	450 mm cabinet, anthracite	134.98 €
----------------	----------------------------	-----------------

8031181	500 mm cabinet, chrome-plated	145.10 €
----------------	-------------------------------	-----------------

8031184	500 mm cabinet, anthracite	140.51 €
----------------	----------------------------	-----------------

8031182	600 mm cabinet, chrome-plated	150.64 €
----------------	-------------------------------	-----------------

8031185	600 mm cabinet, anthracite	145.10 €
----------------	----------------------------	-----------------



SpaceFlexx set

The flexible organising system SpaceFlexx solves the chaos of disorderly storage jars in drawers. It convinces with its optimal use of storage space and perfect adaptation to the contents and drawer.

The flexible division nesttex®, straps made of a special high-tech textile, adapts perfectly to the geometry of the jars. The belt straps are machine washable, German engineering und made in Germany.




SpaceFlexx set

Organising system. Suitable for all drawers from a width of 600 mm.

Set consisting of:

- 1 frame
- 5 flexible divisions nesttex®
- dimensions 130 x 472/520 x 472 mm (H x W x D)
- **width adjustment with 472 or 520 mm, for optimum adjustment to the drawer**

8031078	anthracite	140.78 €
----------------	------------	-----------------



Swivel mechanics 1

Suitable for any cabinet width, for electric slicer from 450 mm cabinet width. Swings larger appliances stored in the base unit, for instance electric slicers parallel-horizontally to the level of the worktop, by employing two springs.

- load bearing capacity 8 kg
- useable height 310 mm
- swivelling depth 505 mm

1111036 white	157.38 €
----------------------	-----------------

Spare parts

1110003 Spring for swivel mechanism, L ca. 165 mm	9.60 €
---	--------



Swivel mechanics 2

Infinitely variable adjustment from 410–570 mm cab. width.

Swings larger appliances stored in the base unit, for instance electric slicers, parallel-horizontally to the level of the worktop, by employing four springs.

- load bearing capacity 10 kg
- useable height 240 mm
- swivelling depth 505 mm

1111037 white	190.84 €
----------------------	-----------------

Spare parts

1110003 Spring for swivel mechanism, L ca. 165 mm	9.60 €
---	--------



TopFlex pull-out table

Hidden invisibly and compactly behind a drawer front plate, the pull-out table is activated only when needed.



TopFlex pull-out table fitting

Freely suspended and without table top.

- with lowerable front
- extendable up to 810 mm
- independent of width from 450–900 mm
- body depth min. 500 mm
- load bearing capacity max. 30 kg

1111033 silver

274.12 €



TopFlex pull-out table

Preassembled with white melamine resin coated table top.

- with lowerable front
- 16 x 546 x 422 mm (H x W x D)
- load bearing capacity max. 30 kg

Not suitable for kitchens without handles.

1111034 for 600 mm cabinet, white


361.19 €



Cox® Wash laundry container pull-outs

Cox® Wash is the clean solution for dirty washing. Because with our laundry system, dirty washing can be neatly sorted, stored and transported. Completely invisibly. The hidden chute fits perfectly into any housekeeping area. Technically and visually, the Cox® Wash is based on our tried-and-tested waste separation systems from the Cox-Clan® range. This gives recycling and laundry a uniform look. The new laundry containers in a unique variety of models have rounded openings for optimum air circulation and thus help to protect the laundry.

- soft retraction and damping
- "quick & easy" mounting frame for different body thicknesses (16/19 mm)
- "nova Pro" guide rail 510 mm deep
- available for 45, 50 and 60 cm base units
- handles light grey
- installation depth 516 mm
- installation height 580 mm





Cox® Wash laundry container pull-out 580/450-2

Laundry container pull-out.

- frame white/guide silver
- technology: over extension
- mounting: cabinet side panel and front panel
- container volume 70 (2 x 35) litres
- **with soft retraction and damping**
- installation depth 516 mm

8031194 white

426.30 €




Cox® Wash laundry container pull-out 580/500-2

Laundry container pull-out.

- frame white/guide silver
- technology: over extension
- mounting: cabinet side panel and front panel
- container volume 70 (2 x 35) litres
- **with soft retraction and damping**
- installation depth 516 mm


8031195 white

426.30 €

**Cox® Wash laundry container pull-out 580/600-2**


Laundry container pull-out.

- frame white/guide silver
- technology: over extension
- mounting: cabinet side panel and front panel
- container volume 88 (2 x 44) litres
- **with soft retraction and damping**
- installation depth 516 mm

8031196 white**479.92 €****Cox® Wash laundry container pull-out 580/600-3**

Laundry container pull-out.

- frame white/guide silver
- technology: over extension
- mounting: cabinet side panel and front panel
- container volume 91 (2 x 35/1 x 21) litres
- **with soft retraction and damping**
- installation depth 516 mm

8031197 white**479.92 €****Traditionline Laundry 545 S/300-1**

Laundry pull-out.

- guide silver
- technology full pull-out
- installation cupboard bottom
- container volumes 42 (1 x 42) liters
- installation depth 480 mm



When installing in 30-gauge cupboard pay attention to the hinge position.**8031176** white**167.23 €**



Pullboy Soft Comfort Laundry laundry container pull-outs

The Pullboy Soft Comfort Laundry is the clean solution for dirty washing. Because with our laundry system, dirty washing can be neatly sorted, stored and transported. Completely invisibly. The concealed chute fits perfectly into any housekeeping area. The new laundry containers in a unique variety of versions are equipped with rounded openings to ensure optimal air circulation and thus protect the laundry.

- pull-out lock with self-closing mechanism and damper
- body thicknesses (16/19 mm)
- available for 60 cm base cabinets





Pullboy Soft Comfort Laundry 470 K/600-2

Laundry container pull-out.

- frame white/guide silver
- full pull-out technology
- mounting cabinet side and front panel
- container volume 52 (2 x 26) litres
- with soft retraction and damping
- installation depth 330 mm

8011728 white

302.52 €




Pullboy Soft Comfort Laundry 550 K/600-2

Laundry container pull-out.

- frame white/guide silver
- full pull-out technology
- mounting cabinet side and front panel
- container volume 64 (2 x 32) litres
- with soft retraction and damping
- installation depth 330 mm


8011729 white

308.40 €

**Pullboy Soft Comfort Laundry 515 S/600-2**

Laundry container pull-out.

- frame white/guide silver
- full pull-out technology
- mounting cabinet side and front panel
- container volume 84 (2 x 42) litres
- with soft retraction and damping
- installation depth 470 mm

8011726 white**325.21 €****Pullboy Soft Comfort Laundry 595 K/600-1**

Laundry container pull-out.

- frame white/guide silver
- full pull-out technology
- mounting cabinet side and front panel
- container volume 50 (1 x 50) litres
- with soft retraction and damping
- installation depth 330 mm

8011727 white**275.63 €****Tidy laundry container pull-out 500**

2-fold.

- for 500 mm cabinet width, container volume 2 x 33 l
- metal parts sheet steel white, plastic parts white/light blue
- 545 x 462–468 x 528 mm (H x W x D)
- side wall mounting 16–19 mm
- **with covered, damped self-closing mechanism including synchronised over-extension**

8035211 white/light blue**409.52 €****Tidy laundry container pull-out S 600**

2-fold.

- for 600 mm cabinet width, container volume 2 x 33 l
- metal parts sheet steel white
- plastic parts white/light blue
- 545 x 562–568 x 448 mm (H x W x D)
- side wall mounting 16–19 mm
- sytem depth only 448 mm
- **with covered, damped self-closing mechanism including synchronised over-extension**

8035213 white/light blue**469.63 €**

STOREX®

Holders and hooks

Most welcome



■ Cleaning Agent	Page 536
Vario organising system	Page 536
Cleaning agent pull-outs	Page 537
Spacer strip	Page 537
Towel holder	Page 537–538
Ventilation grids	Page 539
Hook strip	Page 539
Cleaning agent basket	Page 539



Cleaning Agent

Absolutely practical, very solid and extremely compact in design. In the smallest of spaces, Cleaning Agent offers many practical details and plenty of space to carry everything you need for cleaning. Sponges, brushes and other tools are always at hand on the top tray.

It can be pulled out with one finger – thanks to the Softstopp it closes gently and quietly.

Especially handy: the cleaning agent basket with ergonomic handle. All plastic bowls can be removed and cleaned in the dishwasher – so that the Cleaning Agent is always clean.



Cleaning Agent

Cleaning agent pull-out. With ergonomic carrying handle.

Consisting of:

- 1 system support
- 1 insertable basket with carrying handle
- 2 large and 1 small container
- 6 separating hoops
- 480 x 298 x 480 mm (H x W x D)

8031103 grey

152.80 €



Vario organising system

The consistent elliptic design of the anodised aluminium profiles in connection with the square, perforated base plate and the high-quality, stable plastic elements gives the organising system Vario its exclusive character.

Vario may be installed on the right or left in the floor cabinet.



Vario organizing system 3909

Pull-out for installation on the side wall, 3-part, with one large and two narrow trays.

- 481 x 158 x 483 mm (H x W x D)

8035010 aluminium


239.44 €

**Cleaning agent pull-out model 3**

Pull-out basket. For clear placing of cleaning and dishwashing agents.
— 400 x 117 (140 mm incl. guide) x 470 mm (H x W x D)

For each pull-out, 2 spacer strips are required for bridging the door hinges. Order separately if needed.

8031042 chrome	144.49 €
-----------------------	-----------------

**Spacer strip**

Plastic, for ball guide, to bridge the door hinges.
2 spacer strips are needed per pull-out.

8031041 width 25 mm	14.35 €
----------------------------	----------------

**Towel holder Secco AluLine**

Two or three armed version available.
Universal installation, installation from a width of 150 mm, extendable.
— length 457 mm

8032015 2-armed, W 122 mm, aluminium/graphite-grey	52.23 €
---	----------------

8032016 3-armed, W 184 mm, aluminium/graphite-grey	59.15 €
---	----------------

**Towel holder Secco S**

One-armed version.
Installation for all front pull-outs, adjustable to fit all cabinet situations. The towel disappears aesthetically and discretely into the pull-out cabinet when not in use.
— length 457 mm
— height 200 mm

8032017 1-armed, lightgrey	30.70 €
-----------------------------------	----------------

**Towel holder De Luxe S**

Two or three armed version available. Universal installation on the side wall or underneath, 495 mm long, extendable.

Cover not included in scope of delivery, please order separately.

8031048 2-armed, W 102 mm, chrome	65.89 €
--	----------------

8031049 3-armed, W 145 mm, chrome	71.08 €
--	----------------

Optional accessories

8031009 Cover for towel holder	8.13 €
---------------------------------------	---------------

**Towel holder De Luxe 1**

Two or three armed version available. Aluminium version.
Universal installation on the side wall or underneath, L 465 mm, extendable.

8032005 2-armed, W 95 mm, silver	53.53 €
---	----------------

8032008 3-armed, W 143 mm, silver	67.88 €
--	----------------



Towel holder De Luxe 2

Two or three armed version available. Universal installation on the side wall or underneath, L 410 mm, extendable.

Cover not included in scope of delivery, please order separately.

8032014 2-armed, anthracite 72.11 €

8032018 3-armed, anthracite 75.84 €

Optional accessories

8032019 Cover for De Luxe 2 towel rail 8.56 €





Towel holder for bathrooms with cover

One or two armed version available.
For installation on the side, 325 mm long, extendable.

8031089 1-armed, W 65 mm, chrome 62.17 €

8031090 2-armed, W 105 mm, chrome 72.11 €



Towel holder for handle-less kitchens

- aluminium anodised
- for handle-less kitchens, with front thickness of 16–21 mm
- no installation work, simply push-on
- felt insert supplied loose, glue in prior to fitting

8032009 L 320 mm, stainless steel coloured 42.63 €

8032023 L 320 mm, black matt 42.63 €

8032010 L 520 mm, stainless steel coloured 71.42 €

8032013 L 520 mm, black matt 71.42 €



Ventilation grid 1

Metal ventilation grid. Ventilation shaft 313 cm²/m.

- (1) W 250 mm, D 70 mm, cut-out dimension W 225 mm x D 58 mm
- (2) W 500 mm, D 70 mm, cut-out dimension W 475 mm x D 58 mm
- (3) W 750 mm, D 70 mm, cut-out dimension W 725 mm x D 58 mm
- (4) W 900 mm, D 70 mm, cut-out dimension W 875 mm x D 58 mm

8033050 (1) silver 14.44 €

8033051 (1) stainless steel col. 16.77 €

8033052 (1) black matt 15.73 €

8033053 (2) silver 23.00 €

8033054 (2) stainless steel col. 31.82 €

8033055 (2) black matt 29.92 €

8033056 (2) white 32.68 €

8033057 (3) silver 33.64 €

8033058 (3) stainless steel col. 40.30 €

8033059 (3) black matt 37.88 €

8033060 (4) silver 37.70 €

8033061 (4) stainless steel col. 45.22 €

8033062 (4) black matt 45.22 €



Ventilation grid 2


Metal ventilation grid.

- 500 x 110 mm (W x D)
- cut-out dimension 475 x 98 mm (W x D)
- ventilation area ca. 496 cm²/m

8033005 silver 25.43 €

8033028 stainless steel col. 30.26 €

8033027 black matt 28.18 €



Hook strip

For wall mounting. 5 hooks.

- 49 x 350 x 43 mm (H x W x D)

8031031 chrome 11.84 €



Cleaning agent basket 1

Closed on three sides, may be bolted. With hooks for cloths and dusters.

- 100 x 330 x 115 mm (H x W x D)

8031117 silver 18.42 €

Cabinet
equipment

STOREX®

Built-in appliances for drawers

Concealed and immediately
good to go



Multi-slicers

Page 542–544

Metal crossbar

Page 543

Evoline® Wing


Page 544

Built-in toaster

Page 545

Built-in hand blender

Page 545

**ritter multi-cutter AES 72 SR**

For installation in drawers from 450 mm cabinet width. Prerequisite: clear internal dimension: >344 mm. Stands in front of the worktop. Distance from drawer bottom to upper worktop edge min. 116 mm, max. 161 mm.

- high-quality all-metal design
- drive: high-performance energy-saving motor 230 V, 65 watt short-time, operation 5 minutes
- 2 finger safety switching system
- circular blade: electrolytically polished edge Ø 170 mm, serrated
- bayonet quick lock for tool-free blade removal
- cutting width adjustment: up to approx. 14 mm
- fold-in lock when slice thickness set
- stand fitting locks automatically
- cable length 80 cm
- 75 x 342 x 365 mm (H x W x D), weight 4.3 kg
- accessories: cuttings tray made of stainless steel, fixing bracket for finger protection and left-overs holder
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)



1111044 silver metallic, cuttings guided on the right

782.55 €

Optional accessories

1111067 Ham slicer, smooth

100.31 €

**ritter multi-cutter AES 72 SR-H**

High version for installation in drawers from 500 mm cabinet width. Prerequisite: clear internal dimension: >392 mm. Stands in front of the worktop.

Distance from drawer bottom to countertop top min. 165 mm, max. 210 mm.

Particularly suitable for handle-less kitchens or thicker work surfaces.

- high-quality all-metal design
- drive: high-performance energy-saving motor 230 V, 65 watt short-time, operation 5 minutes
- child safety lock with 2-finger activation system
- circular blade: polished edge, Ø 170 mm, serrated, the scissor lift and stand fitting locks automatically
- bayonet quick lock for tool-free blade removal
- cutting width adjustment: up to approx. 14 mm
- fold-in lock when slice thickness set
- set-up fitting locks automatically
- cable length 80 cm
- 75 x 390 x 365 mm (H x W x D), weight 4.3 kg
- accessories: cuttings tray made of stainless steel, fixing bracket for finger protection and left-overs holder
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)


1111030 silver metallic, cuttings guided on the right

869.90 €

Optional accessories

1111067 Ham slicer, smooth

100.31 €

**ritter multi-cutter model AES 62**

For installation in drawers from 450 mm cabinet width. Prerequisite: clear internal dimension: >344 mm. Stands in front of the worktop. Distance from drawer bottom to upper worktop edge: min. 116 mm, max. 161 mm.

- drive: high-performance energy-saving motor 230 V, 65 watt, safety-brief and continuous operation switch, short-time operation 5 minutes
- metal design
- round blade: polished blade Ø 170 mm, with serrated edge
- cutting width adjustment: up to approx. 14 mm
- fold-in lock when slicethickness set
- stand fitting locks automatically
- cable length 80 cm
- 75 x 342 x 365 mm (H x W x D), weight: 4.1 kg
- accessories: cuttings tray made of stainless steel, fixing bracket for finger protection and left-overs holder
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)

1111051 silver-metallic, cuttings guided on the left

654.58 €


1111062 silver-metallic, cuttings guided on the right

654.58 €

Optional accessories

1111058 Ham and cold cuts knife, smooth

84.56 €

**ritter multi-cutter AES 62-H**

High version for installation in drawers from 500 mm cabinet width. Prerequisite: clear internal dimension: >392 mm. Stands in front of the worktop.

Distance from drawer bottom to countertop top min. 165 mm, max. 210 mm.



Particularly suitable for handle-less kitchens or thicker work surfaces.

- drive: high-performance energy-saving motor 230 V, 65 watt short-time, operation 5 minutes
- metal design
- circular blade: polished edge, Ø 170 mm, serrated, the scissor lift and stand fitting locks automatically
- cutting width adjustment: up to approx. 14 mm, fold-in lock when slice thickness set
- cable length 80 cm
- 75 x 390 x 365 mm (H x W x D), weight 4.1 kg
- accessories: cuttings tray made of stainless steel, fixing bracket for finger protection and left-overs holder
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)

1111031	silver metallic, cuttings guided on the left	745.38 €
1111032	silver metallic, cuttings guided on the right	745.38 €

Optional accessories

1111058	Ham and cold cuts knife, smooth	84.56 €
---------	---------------------------------	---------

**ritter multi-cutter model AES 52**


For installation in drawers **from 300 mm cabinet width**. Prerequisite: clear internal dimension >197 mm. Stands in front of the worktop.

- drive: high-performance energy-saving motor 230 V, 65 watt, safety, brief and continuous operation switch, short-time operation 5 minutes.
- metal design
- round blade: polished blade, Ø 170 mm, with serrated edge
- cutting thickness setting: up to approx. 14 mm
- fold-in lock when slice thickness set
- stand fitting locks automatically
- device can be removed from the draw without tools for cleaning
- cable length 80 cm
- 79 x 195 x 385 mm (H x W x D), poids 4.3 kg
- accessories: cuttings tray, plastic
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)

1111043	silver-metallic, cuttings guided on the right	747.97 €
---------	---	----------

Optional accessories

1111058	Ham and cold cuts knife, smooth	84.56 €
---------	---------------------------------	---------

**Metal crossbar**

Suitable for all built-in multi-cutters and built-in toasters. The metal crossbars are needed if the clearance height is not sufficient for mounting, e.g. for under-floor guides or, to some extent, in case of handleless kitchens. If the standard crossbars are replaced by the thin metal crossbars, as a rule, 14 mm clearance height is gained.

Only suitable for cabinets with 16 mm wall thickness.

1111046	for 300 mm cabinet	46.01 €
1111057	for 400 mm cabinet	49.21 €
1111068	for 450 mm cabinet	51.10 €
1111069	for 500 mm cabinet	55.26 €
1111070	for 600 mm cabinet	59.15 €
1111071	for 800 mm cabinet	89.06 €
1111077	for 900 mm cabinet	90.80 €
1111078	for 1000 mm cabinet	99.44 €
1111084	for 1200 mm cabinet	114.14 €




Evoline® Wing

The electrical connection right in the drawer: movable and extendable furniture parts can be equipped with the Evoline® Wing cable management system. Available in the variants single socket plus charger and double socket without charger. The cable duct without socket is also available, as well as the socket element without cable duct.

The system offers individual mounting options, the cable ducting is carried out in a space-saving manner, for example behind the drawer. Cables are neither twisted nor pinched.

Product variants with cable ducting contain fastening elements for furniture parts made of wood and metal. Evoline® Wing is suitable for all types of cables such as HDMI, LAN etc., even wire cords for securing drawer pull-outs can be safely accommodated in the cable duct arm.

Suitable for drawers from 400 mm wide and up to an pull-out length of 590 mm.



Evoline® Wing



Cable routing. Mounting elements for wooden and metal furniture items are included in the scope of delivery.

- L 363 mm (closed)
- D 17 mm (closed)
- suitable for the nBOX drawer system
- **Suitable for drawers from 400 mm wide and up to an pull-out length of 590 mm.**

8031191 without earthed plug sockets, black matt

65.89 €



ritter multi-slicer E118



For installation on swivel systems in floor cabinets from 400 mm width.

- drive: high-performance energy-saving motor 230 V, 65 watt, safety, brief and continuous operation switch, short-time operation 5 minutes
- metal design
- round blade: polished blade, Ø 170 mm, with serrated edge
- cutting thickness setting: up to approx. 14 mm
- cable length 73 cm
- 210 x 205 x 330 mm (H x W x D), weight 3 kg
- accessories: cuttings tray, mounting accessories
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)


1111054 silver-metallic, cuttings guided on the left

263.73 €

Optional accessories

1111058 Ham and cold cuts knife, smooth

84.56 €



ritter built-in toaster ET 10




Built-in toaster for mounting in drawers **from 300 mm cabinet width**. Prerequisite: clear internal dimension >180 mm.

- dimensions when retracted: 75 x 178 x 400 mm (H x W x D)
- stand mechanism in metal
- safety automatic switchoff, when toaster folded in
- toasting setting with LED display
- stop button
- defrost and reheat function
- bread centring
- integrated warming rack in stainless steel
- thermally insulated stainless steel housing
- crumb catching tray can be removed in standing and in lying position
- device can be removed from the draw without tools for cleaning
- cable length 105 cm
- 220–240 volts, 850–950 watts
- weight 2 kg
- 5 years manufacturer's warranty (see www.ritterwerk.de/garantie)

1111045 stainless-steel/black

441.00 €



ritter built-in hand blender ESM 50



For installation in drawers from 300 mm cabinet width. Required: clear width >145 mm.

- cordless, battery operated hand blender
- charger securely mounted into cabinet drawer
- LED charge indicator

4 stainless steel attachments:

- utility knife: standard attachment for pureeing most foods
- whipping disk: for fluffy whipped foods
- stirring disc: for stirring thick creamy foods
- cutting knife: for cutting meat and fibrous fruit and vegetables
- 3 speeds: ca. 12,000 rpm, ca. 9,000 rpm, ca. 6,000 rpm
- aluminium housing, ergonomic plastic handle
- safety-2 finger-switch on system
- automatic safety shutdown in case of overload or overheating
- plug-in power supply 120 cm for charging station: input voltage 100–240 volts
- battery: 7.2 V, lithium-ion battery, 2.1 Ah
- 77 x 138 x 420 mm (H x W x D), weight 1.4 kilogram (including 400 g charging station)
- Ø 62 mm
- L 420 mm

1111090 aluminium/black

687.44 €

Cabinet
equipment

STOREX®

Base built-in devices

Creative solutions
to special challenges



Base heating

All you can see
is a cover plate in the base

Page 548–551

Flush mounted base vacuum

The intelligent vacuum cleaner

Page 552–553


STOREX®

Base heating KICKSPACE

Intelligent increase
in planning freedom

All you need is two hoses and a mains connection.

Kickspace is a heating module of the convector class, which can be quickly installed without any problems. Two flexible connecting hoses with 1/2" connectors and shut-off valve create a safe and durable connection to the central heating system.



However you chopped and changed in planning, the radiator was always in the way and consumed space which was needed for additional base units and uninterrupted work surfaces. Often, unsatisfactory compromises are then made: For example, the heaters are installed in floor cabinets, which causes heat problems and turns free space into unwanted storage area.

The solution is at hand: a heat source which adjusts to planning and not vice versa. Which requires only minimal space and is also visually appealing. And,

most importantly, which provides heating performance equal to that of the radiator and can be integrated into the central heating system.

Kickspace was developed in response to precisely these considerations. Compact heating, not just for kitchens, but for all rooms. Planning-friendly in its dimensions, safe and powerful in its function. And you can really only spot **Kickspace** through the stainless steel coloured cover plate. The hot water that constantly flows through the appliance provides rapid, efficient and comfortable warmth.

With operation based on requirements and a substantially shorter time for heating up compared with a conventional radiator, there is potential for saving energy which more than compensates for the power needed for operation of the super-silent fan (on average less than 20 W).

The sturdy metal housing, which optimally protects the heating system, may be positioned in the base area with little effort. After fixing the cover plate and pressing the on/off switch, **Kickspace** offers powerful heating with a choice of two performance stages. Cooling air circulation in summer operation is a welcome additional benefit.

Kickspace may be controlled manually or automatically by connecting it to a room thermostat.



STOREX®


Base heating KICKSPACE

Everything you need in heat performance is under quick and almost noiseless control


Putting powerful convector technology in a minute space is a job for specialists. Kickspace was developed by one of the most experienced companies in the sector of convector technology, matured ready for marketing and successfully launched.

The functional principle of convector technology is illustrated by the figure. The air drawn in on the two sides of the cover plate is emitted to the room with the assistance of different fan speeds through the central sector of the cover plate. Special bearing and attenuation technology of the fan as well as a constructional principle minimizing the flow noise ensure almost noiseless operation of the appliance.

Performance, safety and quality of all manufacturing units are subject to strict internal and external testing and monitoring.



Kickspace needn't shirk a comparison of performance with a conventional radiator. On the contrary: the comparison shows that a **Kickspace**




KS 600 needs only about half the time to heat up a room of about 12 m² from a starting temperature of 15 °C to a comfortable temperature of 20 °C. Quick and effective heating up is one of **Kickspace's** strengths. The control

of comfortable heat as needed is another way of noticeably saving energy using **Kickspace**.

To heat up a room from a starting temperature of 15 °C to a comfortable temperature of 20 °C, a heating performance of about 70 W/m² is required under thermotechnical aspects. From this, roughly the performance data of the **Kickspace** models shown here may be derived, assuming a common feed/return flow water temperature of 70°/55° in the central heating circuit. Operation on stage I is wholly sufficient for normal operation. Stage II provides about 30 % more heating performance, which of course enables a noticeably shorter heating-up time where needed.

Performance figures

	Heating perform./ watt		... gives conf. warmth for rooms up to
	Stage I	Stage II	
Kickspace KS 500	740	976	about 12 m ²
Kickspace KS 600	981	1256	about 16 m ²



Kickspace KS 500

The compact base-installed heating system for rooms up to about 12 m² can be connected to the central heating system with little effort.


- connected load 230 V/50 Hz
- heating system exclusively for 2-pipe system
- minimum base height 125 mm

Cover plates need to be ordered separately.

PLEASE OBSERVE:
For proper operation, the average feed temperature should not fall below 60 °C.

The heat output of the device depends on the feed temperature and the flow rate of the heating system.

6011001	678.79 €
Optional accessories	
6011011 Room thermostat 230 V, white	83.10 €
6011010 Reinforced hose, L 700 mm	32.77 €
6011015 Reinforced hose, L 1000 mm	32.95 €
6011016 Reinforced hose, L 1500 mm	33.81 €
6011017 Kickspace-cover, KS 500, W 496 mm, stainless-steel coloured	207.53 €



Kickspace KS 600

The compact base-installed heating system for rooms up to about 16 m² can be connected to the central heating system with much effort.

- connected load 230 V/50 Hz
- heating system exclusively for 2-pipe system
- minimum base height 125 mm

Cover plates need to be ordered separately.

PLEASE OBSERVE:
For proper operation, the average feed temperature should not fall below 60 °C.

The heat output of the device depends on the feed temperature and the flow rate of the heating system.

6011002	771.32 €
Optional accessories	
6011011 Room thermostat 230 V, white	83.10 €
6011010 Reinforced hose, L 700 mm	32.77 €
6011015 Reinforced hose, L 1000 mm	32.95 €
6011016 Reinforced hose, L 1500 mm	33.81 €
6011018 Kickspace-cover, KS 600, W 550 mm, stainless-steel coloured	207.53 €



Kickspace-cover

You can only see the cover plate of Kickspace. The heating module and connections are invisibly placed in the otherwise unused base space. The cover plate matches any type of kitchen and ensures a visual highlight.
— H 101 mm

6011017	KS 500, W 496 mm, stainless-steel coloured	207.53 €
---------	--	----------

6011018	KS 600, W 550 mm, stainless-steel coloured	207.53 €
---------	--	----------

Optional accessories

6011002	Kickspace KS 600	771.32 €
---------	------------------	----------

6011001	Kickspace KS 500	678.79 €
---------	------------------	----------

6011019	Kickspace KS 800	978.15 €
---------	------------------	----------



Reinforced hose

For Kickspace. With ½" external thread and union nut.

Supply and return connection are planned.

6011010	L 700 mm	32.77 €
---------	----------	---------

6011015	L 1000 mm	32.95 €
---------	-----------	---------

6011016	L 1500 mm	33.81 €
---------	-----------	---------

Optional accessories

6011002	Kickspace KS 600	771.32 €
---------	------------------	----------

6011019	Kickspace KS 800	978.15 €
---------	------------------	----------

6011001	Kickspace KS 500	678.79 €
---------	------------------	----------



Room thermostat 230 V

For Kickspace.

The thermostat should be connected by an electrician to the supply line of the switchable mains outlet to which the Kickspace device is connected by an earthed plug.

6011011	white	83.10 €
---------	-------	---------

Optional accessories

6011002	Kickspace KS 600	771.32 €
---------	------------------	----------

6011019	Kickspace KS 800	978.15 €
---------	------------------	----------

6011001	Kickspace KS 500	678.79 €
---------	------------------	----------

STOREX®

Base vacuum

The intelligent vacuum cleaner

You no longer need to bend to sweep up the dirt or lug your mobile vacuum cleaner.

Simply sweep the dirt in front of the opening of the appliance flap with a broom then tap the stainless steel button with your foot or a broom.



The built-in base vacuum is then activated and you can simply sweep the dirt into the opening.

The 600-watt, energy-saving built-in base vacuum cleaner is best used where dirt most often accumulates. Thanks to its compact and flat design and simple installation, the base vacuum can be space-savily installed under almost any item of furniture – also retrospectively. All you need is a 230 V power connection. The built-in base vacuum is quality "Made in Germany".

Technical data

- on/off switch
- 600 W
- activation by tapping tap the stainless steel button
- installation dimensions (H x W x D): 101 x 345 x 460 mm
- installation from 100 mm base height
- suitable for house dust allergy sufferers: Swirl® A07 bag



Changing the bag

The dirt is collected in standard Swirl® vacuum cleaner bags, which are certified anti-allergen. To change the vacuum cleaner bag, pull out the appliance and open the suction chamber flap. Now replace the bag with a simple click.



Quick installation

The device can be installed at any time from a base height of 100 mm – also retrospectively. For the installation, only the cutout in the skirting board and a power connection is required. A slight lift is sufficient to pull out the device.




Accessories

By using the crevice nozzle – in combination with the accessory hose – the base vacuum cleaner is also suitable for cleaning hard to reach places, such as drawers.

Non-slip

Rollers are attached to the bottom of the built-in base vacuum at the back. These are mounted such that the base vacuum can be pulled on the rollers when lifted slightly. When lowered again, the suction lip rests on the floor at the front.






Flush mounted base vacuum SES 10

- 230 V/50 Hz
- 600-watts motor
- installation dimensions 101 x 345 x 460 mm (H x W x D)
- installation from 100 mm base height
- cover plate, stainless steel look

8032097

713.39 €



Base vacuum accessories set

Set consisting of:

- hose
- crevice nozzle
- brush attachment
- push-in nozzle

8032092

112.41 €

Cabinet
equipment

STOREX®

Equipment for wall mounted cabinets

Everything in its place



Storage systems

Stable and elegant storage

Page 557–561

Lift fittings

Clever use of storage space

Page 563–567

STOREX®

Storage systems

Stable and elegant storage



Drawer container	Page 558–559
Tray for hood cabinet	Page 560
Boundary rail for wall mounted cabinets	Page 560
Broom cupboard shelf	Page 560
Hose holder	Page 560
Spice racks	Page 561

**Drawer container box**

Made of solid beech wood for drawer containers made of ceramic.

**Drawer container box 3**

For three ceramic drawer containers. With covered wall mount.

- **drawer containers have to be ordered separately**
- 134 x 378 x 155 mm (H x W x D)
- can only be inserted horizontally

8022016 beech

183.32 €

**Drawer container box 4**

For four ceramic drawer containers. With covered wall mount.

- **drawer containers have to be ordered separately**
- 134 x 500 x 155 mm (H x W x D)
- can only be inserted horizontally

8022017 beech

202.34 €

**Ceramic drawer container**

- weight ca. 400 g
- capacity 0.75 l
- 106 x 116 x 145 mm (H x W x D)
- can only be inserted horizontally

8022005 smooth, white

41.67 €

**De Luxe 3**

Drawer container. Three slim drawer containers in white stackable housing. The drawer container housing fits into all standard cabinets from 300 mm width with 16 mm thick side walls.

- 146 x 267 x 150 mm (H x W x D)
- can only be inserted horizontally

8021012 drawer containers crystal clear

47.13 €



De Luxe 6

Drawer container. Six slim drawer containers in white stackable housing. The drawer container housing fits into all standard cabinets from 300 mm width with 16 mm thick side walls.

- 292 x 267 x 150 mm (H x W x D)
- can only be inserted horizontally

8021020 drawer containers crystal clear **83.10 €**



Individual drawer container De Luxe

Suitable for De Luxe 3 and De Luxe 6.

- volume capacity 1 l
- 130 x 83 x 143 mm (H x W x D)
- can only be inserted horizontally

8021026 crystal clear **12.02 €**



Tray for hood cabinet

The sections are simply clipped onto the base supports.



Tray for hood cabinet

Complete with base supports, for 16 mm and 19 mm side walls.
— 40 x 560 x 70 mm (H x W x D)

8031027 silver 14.44 €



Boundary rail for wall mounted cabinets

For 600 mm tall cabinets. With this rail, even smaller pots or bottles won't go overboard (rail for drilling).
— 35 x 504 mm (H x W)

8031060 chrome 11.07 €



Broom cupboard shelf

Turns every common tall cabinet into a space wonder on four levels.
— 872 x 350 x 174 mm (H x W x D)

8031063 silver 83.62 €



Hose holder

Suitable for storing various hoses.
— 100 x 198 x 55 mm (H x W x D)

8031066 silver 10.55 €



Spice rack silver 1

Available in two varieties with different dimensions.

8031116	for 4 x 3 pots, H 425, W 202, D 66 mm	19.97 €
8031119	for 4 x 6 pots, H 425, W 375, D 66 mm	25.16 €

Cabinet
equipment

STOREX®

Lift fittings

Clever use of storage space



FREEslide	Page 564
Appliance holder	Page 564
Gas pressure spring	Page 565
iMove	Page 566–567



Door lift fitting FREEslide

"Form follows function" – in a particularly aesthetic way. With FREEslide, the front moves straight up, which opens up a wide range of design options in kitchen planning.

FREEslide is also the perfect choice for cabinets hanging one above the other or wall cabinets with light or cornice profiles. All storage items are easily accessible and the integrated multi-position STOP guarantees an immediate and secure hold in any position. This means plenty of convenience behind a visually consistent cabinet front – not just in the kitchen, but throughout the entire house.


Adjust easily and safely:

The spring force is adjusted to different front weights for a feather-light run using a cordless screwdriver.

Minimal assembly effort:

The integrated positioning tabs ensure quick and perfect installation. With the subsequent screwing, you also save time and effort thanks to the pre-assembled Euro screws. The Euro screws grip directly on the base plate, which guarantees high stability of the movement system. As with the entire lifter family, the front connection is made using ClickFixx.

- front weight for 600-gauge width 3.4–6.7 kg
- suitable for cabinet heights 380–500 mm
- with opening support and closing damping




Door lift fitting FREEslide

Parallel lift fitting for hinge-free connection of front doors. Suitable for 16 mm and 19 mm side walls.

8031082 for 600 mm width

230.88 €



Appliance holder

Multi-functional use for microwave ovens, television sets, radios and other small appliances, max. load bearing capacity 30 kg. with white fixing plate, melamine resin coated, with 2 mm PVC front edge.

- 19 x 510 x 380 mm (H x W x D)

8031120 holder silver coloured

146.05 €



Gas pressure spring

- with protecting cap grey
- for door lift fittings
- Ø 19 mm
- L 210 mm

8030101	200 N	26.29 €
8030102	250 N	26.29 €
8030103	380 N	26.29 €



iMove

Lift fitting. In many kitchen designs, the desire for lots of storage space and a continuous cornice height leads to wall cupboard solutions where the upper levels are not within everyone's reach. As a result, either items or even supplies are stored here that are rarely, if ever needed - or the stepladder is a regularly used kitchen aid. Both variants are far from optimal.


High time for a pull-out system which makes the contents of a wall cupboard conveniently accessible: iMove. Can be operated with one hand. The entire top shelf level is conveyed down in front of the cabinet body in one elegant movement. In this way, the items stored can be reached even more conveniently than those on the lower level of the wall cupboard. This is further facilitated by the simultaneous lowering of the shelf rail.

At the end of the movement, removing the desired objects is child's play. A tremendous benefit, especially for the youngest members of the household.

The big height differences between the wall cupboards are equalled out by iMove through a high degree of built-in flexibility - and through the choice of models with one or two levels. The iMove Single covers cabinet heights from 520 mm (no upwards limit), the iMove Double is used in cabinet heights from 710 mm. Body differences, for example the thickness of the side walls, are easily compensated by the system. Suitable for hinged doors and lifting doors. Incl. an integrated softstop. This gently decelerates the iMove and also cushions it in the closing direction.

Advantages:

- no adjustment necessary
- load capacity up to 8 kg
- gentle lowering
- simple lifting
- mature technology
- best materials
- safe (finger protection)




iMove set Single Tray

Lift fitting. Silver. Incl. fittings (1 drilling template, 8 wood screws 4.5 x 50 mm). Suitable for retrofitting.

- minimum cabinet height* (no upward limit)
- with hinged door: 520 mm
- with use of lift fittings: 650 mm
- suitable for 16 mm and 19 mm side walls
- load capacity up to 8 kg
- 380 x 267 mm (H x L)

*cabinet height depends on hinge position, hinge protrusion or lift fitting (see illustrations 1-4).

8031104 for 600 mm cabinet, W 562 mm	364.90 €
8031105 for 900 mm cabinet, W 862 mm	387.13 €



iMove set Double Tray

Lift fitting. Silver. Incl. fittings (1 drilling template, 8 wood screws 4.5 x 50 mm). Suitable for retrofitting.

- minimum cabinet height* (no upward limit)
- with hinged door: 710 mm
- with use of lift fittings: 710 mm
- suitable for 16 mm and 19 mm side walls
- load capacity up to 8 kg
- 565 x 267 mm (H x L)

*Cabinet height depends on hinge position, hinge protrusion or lift fitting (see illustrations 1–4).

8031106 for 600 mm cabinet, W 562 mm

462.10 €

Cabinet
equipment

STOREX®

Equipment for tall cabinets

Convenient and easy access



Pullouts for tall cabinets

For the record

Page 571–576

Storage systems

A variety of items perfectly sorted Page 577–582

STOREX®

Pullouts for tall cabinets

For the record



VS TAL Side
VS TAL Larder
VS TAL Gate




Page 572

Page 573–574

Page 575–576

**VS TAL Side**

The VS TAL Side pull-out allows you to make maximum use of the storage space in a 300 mm wide cabinet.

**VS TAL Side frame**

Pull-out drawer incl. runners.

- cabinet width 300 mm
- installation depth min. 495 mm
- installation height min. 1222 or 1824 mm
- end stop left or right
- 3 runners
- integrated damping and self-closing in the runners
- load capacity of the system: max. 40 kg
- individual height adjustment of the baskets
- 3D front adjustment
- tool-free mounting of the front on the drawer

Please note:

Baskets need to be ordered separately!

8037008	H 1222 mm, for 4 baskets, silver	226.46 €
8037009	H 1824 mm, for 6 baskets, silver	247.74 €

8037149	H 1222 mm, for 4 baskets, anthracite	226.46 €
8037150	H 1824 mm, for 6 baskets, anthracite	247.74 €

VS SUB/TAL Side Premea basket set

Storage elements for VS SUB/TAL Side frame.

- basket dimensions 84 x 220 x 470 mm (H x W x D)
- suitable for cabinet width 300 mm
- set consisting of two baskets
- rail silver, shelf grey, thickness 8 mm
- rail anthracite, shelf anthracite, thickness 8 mm



8037010	silver	122.01 €
8037148	anthracite	122.01 €





VS TAL Larder

The VS TAL Larder is a classic apothecary cabinet. It allows well-conceived storage and organising of food in the kitchen. When open, the VS Tal Larder provides a good overview and quick access to the contents of the cabinet.




VS TAL Larder runners

- For tall cupboard pull-out VS TAL Larder.
- for 300 and 400 mm cabinet widths
 - top and bottom runners
 - installation depth min. 503 mm
 - load capacity max. 120 kg
 - drawer runner with synchronisation, self closing and damping

Please note:
Support frame and baskets need to be ordered separately!

8037014	light grey	178.39 €
8037152	anthracite	178.39 €

**VS TAL Larder frame**


For tall cupboard pull-out VS TAL Larder.

- cabinet width 300 and 400 mm
- installation depth min. 503 mm
- installation height 1200 to 2140 mm
- support frame height telescopic
- tool-free mounting of the frame on the lower and upper runners
- load capacity max. 80 Kg
- individual height adjustment of the baskets
- 3D front adjustment

Please note:

Runners and baskets need to be ordered separately!

8037015	H 1200–1450 mm, up to 4 baskets, silver	175.62 €
8037016	H 1450–1700 mm, up to 4 baskets, silver	190.41 €
8037017	H 1700–1950 mm, up to 5 baskets, silver	205.19 €
8037018	H 1900–2140 mm, up to 5 baskets, silver	214.44 €
8037153	H 1200–1450 mm, up to 4 baskets, anthracite	175.62 €
8037154	H 1450–1700 mm, up to 4 baskets, anthracite	190.41 €
8037155	H 1700–1950 mm, up to 5 baskets, anthracite	205.19 €
8037156	H 1900–2140 mm, up to 5 baskets, anthracite	214.44 €

**VS TAL Larder Premea basket**

Storage elements for VS TAL Larder frame.

- basket width 250 mm for 300 mm cabinet width
- basket width 350 mm for 400 mm cabinet width
- basket dimensions 80 x 250/350 x 460 mm (H x W x D)
- including attachment clip
- load capacity max. 16 kg per basket
- rail silver, shelf grey, thickness 8 mm
- rail anthracite, shelf anthracite, thickness 8 mm

8037019	300 mm cabinet, 1 pc., silver	61.82 €
8037020	300 mm cabinet, 4 pc., silver	246.79 €
8037157	300 mm cabinet, 1 pc., anthracite	61.82 €
8037158	300 mm cabinet, 4 pc., anthracite	246.79 €
8037021	400 mm cabinet, 1 pc., silver	81.63 €
8037022	400 mm cabinet, 4 pc., silver	321.68 €
8037159	400 mm cabinet, 1 pc., anthracite	81.63 €
8037160	400 mm cabinet, 4 pc., anthracite	321.68 €

**Power-Move drive rod**

System component for opening support for VS TAL Larder.


- for 300 and 400 mm cabinet widths
- max. 120 kg extension force
- reacts to pressure or tension
- simple installation on the existing pull-out
- subsequent installation possible
- 220 volt connection required

8037035	grey	635.04 €
----------------	------	-----------------



VS TAL Gate

The VS Tal Gate impresses through maximum storage space, easy access and optimal overview. The VS TAL Gate sets new standards in convenience and design. Opening the revolving door automatically moves the cupboard contents towards the user in one go.



VS TAL Gate runner


For larger cupboard drawer VS TAL Gate.

- top and bottom runner
- for cabinet with revolving door
- installation depth min. 480 mm
- load capacity max. 75 kg

Please note:

Support frame and baskets need to be ordered separately!

8037036	silver	178.39 €
8037161	anthracite	178.39 €



VS TAL Gate frame


For larger cupboard drawer VS TAL Gate.

- cabinet widths 500 and 600 mm
- installation depth min. 480 mm
- installation height 1700 to 2140 mm
- support frame height telescopic
- tool-free mounting of the frame on the lower runner
- tool-free connection between the cam and support frame
- load capacity of the system max. 75 kg
- individual height adjustment of the 5 baskets
- can be mounted left or right

Please note:

Runners and baskets need to be ordered separately!

8037043	500 mm cabinet, H 1700–1950 mm, up to 5 baskets, silver	205.19 €
8037044	500 mm cabinet, H 1900–2140 mm, up to 5 baskets, silver	206.15 €
8037162	500 mm cabinet, H 1700–1950 mm, up to 5 baskets, anthracite	205.19 €
8037163	500 mm cabinet, H 1900–2140 mm, up to 5 baskets, anthracite	206.15 €
8037047	600 mm cabinet, H 1700–1950 mm, up to 5 baskets, silver	206.15 €
8037048	600 mm cabinet, H 1900–2140 mm, up to 5 baskets, silver	211.68 €
8037164	600 mm cabinet, H 1700–1950 mm, up to 5 baskets, anthracite	206.15 €
8037165	600 mm cabinet, H 1900–2140 mm, up to 5 baskets, anthracite	211.68 €



VS TAL Gate Premea basket

- Storage elements for VS TAL Gate larder cupboard drawer.
- basket width 400 mm for 500 mm cabinet width
 - basket width 500 mm for 600 mm cabinet width
 - basket dimensions 84 x /400/500 x 395 mm (H x W x D)
 - including attachment clip
 - load capacity max. 16 kg per basket
 - rail silver, shelf grey, thickness 8 mm
 - rail anthracite, shelf anthracite, thickness 8 mm
 - incl. door cam (only with basket set 4 pieces)

8037051	500 mm cabinet, 1 pc., silver	98.92 €
8037052	500 mm cabinet, 4 pc., silver	388.25 €
8037166	500 mm cabinet, 1 pc., anthracite	98.92 €
8037167	500 mm cabinet, 4 pc., anthracite	388.25 €
8037053	600 mm cabinet, 1 pc., silver	101.69 €
8037054	600 mm cabinet, 4 pc., silver	406.75 €
8037168	600 mm cabinet, 1 pc., anthracite	101.69 €
8037169	600 mm cabinet, 4 pc., anthracite	406.75 €

STOREX®

Storage systems

A variety of items perfectly sorted



 Tidy organising system

Page 578–581

STOREX®

Tidy organisation system

The complete solution for kitchen, bath or utility room



Tidy – the storage space concept

- for tidy cupboards: everything neatly stowed and yet quickly to hand
- 60 cm wide cabinets of different heights can be individually equipped
- in just a few simple steps, components can quickly be changed, retrofitted or extended at any time
- various built-in modules that can be individually combined as required
- robust construction and durable materials for daily use
- made in Germany



Tidy organising system

The comprehensive Tidy organising system uses the storage space available in the kitchen, bathroom or utility room as efficiently as possible. Above all in flats and houses without a basement or attic, special solutions are needed to create space for storing, washing and drying clothes.



Tidy universal shelf

For various utensils (e.g. beverage crates, laundry baskets etc.). Pull-out function incl. pull-out rails.

- for 600 mm cabinet width
- corrosion-resistant coated steel sheet, white
- plastic parts white
- 68 x 568 x 510 mm (H x W x D)
- internal dimension: 445 x 500 mm (H x D)
- sidewall mounting (only suitable for 16 mm side walls)
- bearing capacity up to approx. 40 kg

8035216 white

273.59 €



Tidy laundry basket

Laundry basket. Plastic.

- volume 41 liters
- 304 x 520 x 462 mm (H x W x D)

8035217 blue

110.95 €



Tidy shoe rack

Built-in modules for storage of shoes.

- as attachment on universal shelf
- corrosion-resistant coated steel sheet, white
- 158 x 496 x 356 mm (H x W x D)

8035218 white

165.50 €

**Tidy utensils container**

Utensils container. 2-fold with wall holder. Can be hooked in and removed.

- for 600 mm cabinet width
- for mounting to the outside of the cabinet or on the wall
- corrosion-resistant coated sheet steel, white
- plastic parts blue
- 241 x 436 x 198 mm (H x W x D)

8035200 white/blue**86.73 €****Tidy broom/wipe holder**

2-fold.

- corrosion-resistant coated steel sheet, white
- 262 x 137 x 352 mm (H x W x D)
- mounting with only four screws

8035219 white**83.53 €****Tidy shelf**

Shelf incl. dustpan and brush set.

- corrosion-resistant coated steel sheet, white
- 158 x 289 x 480 mm (H x W x D)
- mounting with only four screws

8035220 white**166.37 €****Tidy clothes dryer attachment**

For attaching to the outside of the cabinet or on the wall.

- for 600 mm cabinet width
- corrosion-resistant coated sheet steel, white
- folding
- 300 x 525 x 820 mm (H x W x D)

8035209 white**134.03 €****Tidy wall bracket**

For ironing board or household ladder.

- powder coated steel sheet, white
- 50 x 155 x 350 mm (H x W x D)

8035215 white**30.36 €****Tidy laundry container pull-out 500**

2-fold.

- for 500 mm cabinet width, container volume 2 x 33 l
- metal parts sheet steel white, plastic parts white/light blue
- 545 x 462–468 x 528 mm (H x W x D)
- side wall mounting 16–19 mm
- **with covered, damped self-closing mechanism including synchronised over-extension**

8035211 white/light blue**409.52 €**




Tidy laundry container pull-out S 600

- 2-fold.
- for 600 mm cabinet width, container volume 2 x 33 l
 - metal parts sheet steel white
 - plastic parts white/light blue
 - 545 x 562–568 x 448 mm (H x W x D)
 - side wall mounting 16–19 mm
 - sytem depth only 448 mm
 - **with covered, damped self-closing mechanism including synchronised over-extension**

8035213 white/light blue

469.63 €



Tidy bin bag holder

- Suspension device for bin bags or cloth bags.
- powder coated steel sheet
 - incl. cotton sack
 - installation in cabinets or outside on the cabinet wall
 - mounted with only 2 screws, recommended clearance height 1050 mm
 - 125 x 404 x 261 mm (H x W x D)

8035214 white


217.21 €

Cabinet
equipment

STOREX® Accessories

Things you always need



 Ladders
Supports heavy loads without
being in the way

Page 585–586

 Miscellaneous
What also helps

Page 587–592


STOREX® Ladders

Supports heavy loads
without being in the way



Stepfix

Page 586



Stepfix

Folding step. Two step hinged step especially designed for use in built-in kitchens. For storage behind front pull-outs or in the base area from a height of 100 mm.

- only 90 mm deep
- **load bearing capacity ca. 150 kg**
- **step height 380 mm**
- **dimensions installation 100 x 403 x 470 mm (H x W x D)**
- **dimensions product 380 x 403 x 387 mm (H x W x D) open**

8034030 aluminium 175.62 €



Fastening bracket

As accessories for individual base pieces. Suitable for Stepfix. Due to clip-on technology, the base may be taken off.

8034032 chrome 41.33 €


STOREX®

Miscellaneous

What also helps




Stove protection grid	Page 588
Decotop	Page 589
Radios for installation	Page 590
INTUBLU	Page 591



Stove protection grid

Chrome. For simple mounting on the worktop in front of a 600 mm or 900 mm hob.
— 175 x 140 mm (H x D)


8031005 for 600 mm cabinet, W 678 mm	97.19 €
8031008 for 900 mm cabinet, B 978 mm	150.03 €



Decotop

Inserted in a stainless-steel tray form granite surface Decotop. All types of granite are expressive and high quality. So everyone can find the type that suits them, and give their creativity free rein. And all that at a convincing price.

Our tip: Damaged work surfaces, e.g. due to burn marks, can be quickly and creatively remedied.




Decotop 1

Granite section.

- dimensions 250 x 250 mm (incl. stainless-steel pan)
- cut-out dimensions 236 x 236 mm
- installation depth 13 mm

3012005 Galaxy Star

181.59 €



Decotop 2

Granite section.

- dimensions 510 x 325 mm (incl. stainless-steel pan)
- cut-out dimensions 496 x 311 mm
- installation depth 13 mm

3012012 Galaxy Star

289.67 €



Fonico 2022

DAB+/VHF-RDS radio. For installation from below. With fixed station memory, dimmable LCD display, LED workstation lighting on the underside, foldable stand, two alarm times, radio or alarm tone, sleep and snooze function, two kitchen timers, incl. mains adapter, power in operation 2 x 1 watt RMS.
— 58 x 257 x 162 mm (H x W x D)

8031219 silver

131.43 €





Fonico 2045

DAB+/FM-PLL radio. For installation from below. With pre-set memory, Bluetooth® function, music streaming from mobile phone, hands-free function, LED light strips (underside of the device), kitchen timer, two alarm times can be set, timer function, incl. AD/DC mains adapter 7 V 2A. Power consumption in operation 2 x 5 watt RMS.
— 45 x 260 x 157 mm (H x W x D)

8031218 silver

167.76 €

Cabinet
equipment



INTUBLU

INTUBLU combines music and good design. This makes visible speakers a thing of the past, because from now on, furniture in the kitchen and living room play the music.

The sophisticated room concept is no longer interrupted by the appearance of inappropriate speakers.

The small Exciter elements can be easily integrated into kitchen drawers, cabinet doors or behind every mirror and played via smartphone, tablet or laptop in the best sound quality.



INTUBLU

Built-in furniture speaker. With Bluetooth power supply and two structure-borne sound transducers. **For surfaces and furniture.** The invisible INTUBLU **speaker system** includes a Bluetooth receiver and two speakers that can be installed in furniture or on surfaces. The music is controlled and played by tablets, laptops or smartphones via Bluetooth.

Technical data:

- structure-borne sound transducer dimensions Ø 68 mm
- materia aluminium
- control via Bluetooth
- Bluetooth power supply dimensions 62 x 140 x 30 mm (H x W x D)
- radio frequency (unidirectional) 2.4. 2.83 MHz
- max. contrast load (ohm) 20 W
- max. range 10 m
- 3 screw-on points on the speaker
- appealing sound quality
- space-saving design
- cable length of the two structure-borne sound transducers 2 m | PVC connecting cable
- cable length Bluetooth power adapter 1.5 m | H03VVH2-F | 2 x 0.75 mm²
- no cables or speakers visible
- simple mounting by gluing or screwing

8031220 silver

335.51 €

Cabinet
equipment